

บรรณานุกรม

- ทัดทรง ท้วทัพย์, ยาเม็ด. คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล, กรุงเทพฯ: โอ เอส พรีนติ้ง
เฮ้าส์, 2534.
- อัจฉรา อุทิศวรรณกุล, รูปแบบเภสัชภัณฑ์. ภาควิชาเภสัชกรรม คณะเภสัชศาสตร์ จุฬาลงกรณ์
มหาวิทยาลัย, กรุงเทพฯ: สำนักพิมพ์จุฬาลงกรณ์มหาวิทยาลัย, 2536.
- ประดิษฐ์ มีสุข และ เกษม อัครวีรัตน์กุล. คู่มือปฏิบัติการชีวเคมี. กรุงเทพฯ: โอเดียนสโตร์,
2529.
- รัตนาวลี ใจสะอาด. "การพัฒนาผลิตภัณฑ์จากถั่วเขียว" ในการรายงานวิชาสัมมนา. พิษณุโลก:
ภาควิชาอุตสาหกรรมเกษตร คณะเกษตรศาสตร์ มหาวิทยาลัยนเรศวร , 2539.
- สมจิตร พงศ์พจน์ และ สุภาพ ภูประเสริฐ. พืชกินได้และพืชมีพิษในป่าเมืองไทย. พิมพ์ครั้งที่ 2.
กรุงเทพฯ: โอ เอส พรีนติ้งเฮ้าส์, 2534.
- Bal, A.S. and Joshi, S.B., *Trapa bispinosa* starch as a tablet disintegrant. J. Pharm. Sci.,
63(1974) 473-474.
- Griffin, J.C. and Huyck, C.L., Recently developed granulation agents and their effect of
disintegration. J. Am. Pharm. Assoc. Sci. Ed., 44(1954) 251-253.
- Deshpande, A.V. and Panya, L.B., Evaluation of sorghum starch as a tablet disintegrant
and binder. J. Pharm. Pharmacol., 39(1987) 495-496.
- Garr, J.S.M. and Bangudu, A.U., Evaluation of sorghum starch as binder and
disintegrant in tablet formulation. 7th Pharm. Tech. Conf., London, April 12th-14th
1988, pp. 336-358.

- King, R. E., and Schwartz, J.B., Oral solid dosage form. In: Remington's pharmaceutical Sciences. Edited by Gennaro, A.R. 17th ed. Pennsylvania: Mack publishing Company. 1985, pp. 1603-1632.
- Mitrevej, A., Faroongsarng, D. and Sinchaipanid, N., Compression behavior of spray dried rice starch. *Int. J. Pharm.*, 140(1996a) 61-68.
- Mitrevej, A., Sinchaipanid, N. and Faroongsarng, D., Spray-dried rice starch : comparative evaluation of direct compression fillers. *Drug Dev. Ind. Pharm.*, 22 (1996b) 587-594.
- Nasipuri, R.N., Use of cassava starch as a binder/disintegrant in tablet formulation. *J. Med. Pharm. Mark.*, 4(1975) 17-21.
- Nasipuri, R.N., Evaluation of cocoyam starch as a tablet binder and disintegrant. *Pharm. Acta Helv.*, 54(1979) 48-53.
- Sakr, A.M., Kassem, A.A. and Farrag, N.A., Effect of certain disintegrants on water soluble tablets. *Mfg. Chem. Aerosol News*, 44(1973) 37-39.
- Sakr, A.M., Kassem, A.A. and Farrag, N.A., Effect of various starches on the physical standards of sulphaguanidine tablets. *Pharm. Ind.*, 36(1974) 799-801.
- Shelth, B.B., Bandelin, F.J. and Shangraw, R.F., Compressed Tablets. In: *Pharmaceutical Dosage Forms: Tablets*. Vol. 1. Edited by Lieberman, H.A. and Lachman, L. New York: Marcel dekker. 1980, pp. 109-185.
- Sinchaipanid, N., Ketjinda, W., Pongwal, S. and Mitrevej, A., Preliminary study of sago starch as a tablet binder. *Mahidol Uni. J. Pharm. Sci.*, 22(1995) 101-106.
- The United States Pharmacopeia, 20 revision, MD: United States Pharmacopeial Convention, Inc., 1980.

The United States Pharmacopeia 23/The National Formulary 18. MD: United States Pharmacopeial Convention, Inc., 1995.
