



## บรรณานุกรม

- ศิริพร ชัยวัน (2550). การคัดแยกแบคทีเรียที่สามารถผลิตสารลดแรงตึงผิวชีวภาพเพื่อการประยุกต์ใช้ด้านอุตสาหกรรมปิโตรเลียมและการบำบัดสภาพแวดล้อมที่ปนเปื้อนน้ำมัน. วิทยานิพนธ์ วท.ม., มหาวิทยาลัยรัตนนคร, พิษณุโลก.
- สมใจ ศิริโชค. (2544). จุลชีววิทยาอุตสาหกรรม. กรุงเทพฯ: พิมพ์ดี.
- Ashtaputre, A., and Shah, A. (1995). Studies on a viscous, gel-forming exopolysaccharide from *Sphingomonas paucimobilis* GS1. *Applied and Environmental Microbiology*, 1159-1162.
- Azuma, T., and Demain, A. (1996). Interactions between gramicidin S and its producer, *Bacillus brevis*. *Industrial Microbiology and biotechnology*, 17, 56-61.
- Bai, G., Brusseau, M. L., and Miller, R. M. (1997). Biosurfactant-enhanced removal of residual hydrocarbon from soil. *Contaminant Hydrology*, 25, 157-170.
- Bai, G., Brusseau, M. L., and Miller, R. M. (1998). Influence of cation type, ionic strength and pH on solubilization and mobilization of residual hydrocarbon by a biosurfactant. *Contaminant Hydrology*, 30, 265-279.
- Banat, I. M. (1995). Biosurfactant production and possible uses in microbial enhanced oil recovery and oil pollution remediation. *Bioresource Technology*, 51, 1-12.
- Bandaiphret, C., and Prasertsan, P. (2006). Effect of aeration and agitation rates and scale-up on oxygen transfer coefficient,  $k_L a$  in exopolysaccharide production from *Enterobacter cloacae*. *Carbohydrate Polymers*, 66, 216-228.
- Batista, S. B., Mounter, A. H., Amorim, F. R., and Totola, M. R. (2006). Isolation and characterization of biosurfactant/bioemulsifier-producing bacteria from petroleum contaminated sites. *Bioresource Technology*, 97, 868-875.
- Benincasa, M., Abalos, A., Oliveira, I., and Manresa, A. (2004). Chemical structure, surface properties and biological activities of the biosurfactant produced by *Pseudomonas aeruginosa* LBI from soapstock. *Journal of microbiology*, 85, 1-8.

- Benincasa, M., and Contiero, J. (2001). Rhamnolipid production by *Pseudomonas aeruginosa* LBI growing on soapstock as the sole carbon source. *Food Engineering*, 54, 238-288.
- Bodour, A. A., Drees, K. P., and Maier, R. M. (2003). Distribution of Biosurfactant-Producing Bacteria in Undisturbed and Contaminated Arid Southwestern Soils. *Applied and Environmental Microbiology*, 69, 3280-3287.
- Bodour, A., Guerrero-Barajas, C., JiorleBV, Malcomson, M., Paull, A., and Somogyi, A. (2004). Structure and characterization of flavolipids, a novel class of biosurfactants produced by *Flavobacterium* sp. strain MTN11. *Applied and Environmental Microbiology*, 70, 114-120.
- Bonilla, M., Olivaro, C., Corona, M., Vazquez, A., and Soubes, M. (2005). Production and characterization of a new bioemulsifier from *Pseudomonas putida* ML2. *Journal Applied Microbiology*, 98, 456-463.
- Carrillo, C., Teruel, J. A., Aranda, F. J., and Ortiz, A. (2003). Molecular mechanism of membrane permeabilization by the peptide antibiotic surfactin. *Biochimica et Biophysica Acta (BBA) - Biomembranes*, 1611, 91-97.
- Cirigliano, M. C., and Carman, G. M. (1984). Isolation of bioemulsifier from *Candida lipolytica*. *Applied and Environmental Microbiology*, 48, 474-750.
- Coates, J. (2000). Interpretation of Infrared Spectra, A Practical Approach. *Encyclopedia of Analytical Chemistry*, 10815-10837.
- Cooper, D. G., and Paddock, D. A. (1983). Surface active agents from *Bacillus* species. *Applied and Environmental Microbiology*, 46, 1462-1429.
- Costa, S. G. V. A. O., Nitschke, M., and Haddad, R. (2005). Production of *Pseudomonas aeruginosa* LBI rhamnolipids following growth on Brazilian native oils. *Process Biochemistry*, 41, 483-488.
- Das, M., Das, S. K., and Mukherjee, R. K. (1998). Surface active properties of the culture filtrates of a *Micrococcus* species grown on n-alkanes and sugars. *Bioresource Technology*, 63, 231-235.

- Davis, D. A., Lynch, H. C., and Varley, J. (1999). The production of Surfactin in batch culture by *Bacillus subtilis* ATCC 21332 is strongly influenced by the conditions of nitrogen metabolism. **Enzyme and Microbial Technology**, 25, 322-329.
- Dawson, R. M. C., Elliott, D. C., Elliot, E. F., and Johns, K. M. (1986). Method for detection of biochemical compounds on paper and thin-layer chromatograms with some notes on separation. In **Data for Biochemical Research**, 3, 453-502.
- Desai, J. D., and Banat, I. M. (1997). Microbial production of surfactant and their commercial potential. **Microbiology and Molecular Biology Reviews**, 61(1), 47-64.
- Déziel, E., Lépine, F., Milot, S., and Villemur, R. (2003). rhlA is required for the production of a novel biosurfactant promoting swarming motility in *Pseudomonas aeruginosa*: 3-(3-hydroxyalkanoxy)alkanoic acids (HAAs), the precursors of rhamnolipids. **Microbiology**, 149, 2005-2013.
- Deziel, J. D., Lepine, F., Milot, S. and Villemur, R. (2000). Mass spectrometry monitoring of rhamnolipids from a growing culture of *Pseudomonas aeruginosa* strain 57RP. **Biochimica et Biophysica Acta (BBA)**, 1485, 145-152.
- El-Tayeb, T. S., and Khodair, T. A. (2007). Production and Purification of a Bioemulsifier and Flocculating Agent Produced by *Pseudomonas* sp.UBF 2. **Applied Sciences Research**, 3(11), 1564-1570.
- Eliseev, S. A., Vildanova-Martishin, R., Shulga, A., Shabo, A., and Turovsky, A. (1991). Oil washing bioemulsifier produced by *Bacillus* sp. . **Microbiology Journal**, 53, 61.
- Falagas, M., and Kasiakou, S. (2005). Colistin: the revival of polymyxins for the management of multidrug-resistant Gram-negative bacterial infections. **Clinical Infectious Diseases**, 40, 1333-1341.
- Fiechter, A. (1992). Biosurfactants: moving towards industrial application. **Trends in Biotechnology**, 10, 208-217.

- Ghurye, G. L., and Vipulanandan, D. (1994). A practical approach to biosurfactant production using non-aseptic fermentation of mixed cultures. **Biotechnology and Bioengineering**, 44, 661-666.
- Godchaux III, W., and Leadbetter, E. (1983). Unusual sulfonolipids are characteristic of the Cytophaga-Flexibacter group. **Journal Bacteriology**, 153, 1238-1246.
- Gurr, M. I., and Harwood, J. L. (1991). **Lipid Biochemistry: An introduction**. New York: Chapman and Hall.
- Haba, E., Espuny, M. j., Busquet, M., and Maneresa, A. (2000). Screening and production of rhamnolipids by *Pseudomonas aeruginosa* 47T2 NCIB 40044 from waste frying oil. **Applied and Environmental Microbiology**, 88, 379-387.
- Holt, J. G., Krieg, M. R., Sneath, P. H. A., Staley, J. T., and Williams, S. T. (1994). **Bergey' Manual of Determinative Bacteriology**. Wolters Kluwer: United States of America.
- Hommel, R. K., Weber, L., Weiss, A., Himmelreich, U., Rilke, O., and Kleber, H. P. (1994). Production of sophorose lipid by *Candida (Torulopsis) apicola* grown on glucose. **Journal of Biotechnology**, 33, 147-155.
- Horowitz, S., Gilbert, J. N., and Giffin, W. M. (1990). Isolation and characterization of surfactant produced by *Bacillus licheniformis* 86. **Industrial Microbiology**, 6, 243-248.
- Hutchison, M., and Gross, D. (1997). Lipopeptide phytotoxins produced by *Pseudomonas syringae* pv. *syringae*: comparison of the biosurfactant and ion channel-forming activities of syringopeptin and syringomycin. **Molecular plant-microbe interactions**, 10, 347-354.
- Iyer, A., Mody, K., and Jha, B. (2006). Emulsifying properties of a marine bacterial exopolysaccharide. **Enzyme and Microbial Technology**, 38, 220-222.
- Javaheri, M., Jenneman, G. E., McInnerey, M. J., and Knapp, R. J. (1985). Anaerobic production of a biosurfactant by *B. licheniformis*. **Applied and Environmental Microbiology**, 50, 698-700.

- KA. Anu Appaiah, and Karanth, N. (1991). Insecticide specific emulsifier production by hexachlorocyclohexane utilizing *Pseudomonas tralucida* Ptm strain. *Biotechnology Letters*, 13, 371-374.
- Kappeli, O., and Finnerty, W. R. (1979). Partition of alkane by *Acinetobacter* and extracellular vesicle derived from hexadecane-grown. *Journal of Bacteriology*, 140, 707-712.
- Karanth, N. G. K., Deo, P. G., and Veenanadig, N. K. (1999). Microbial production of biosurfactant and their importance. *Fermentation Science and Technology*, 77, 116-126.
- Kim, H.-S., Yoon, B.-D., Lee, C.-H., Suh, H.-H., Oh, H.-M., Katsuragi, T., and Tani, Y. (1997). Production and properties of a lipopeptide biosurfactant from *Bacillus subtilis* C9. *Journal of Fermentation and Bioengineering*, 84, 41-46.
- Kim, H. S., Yoon, B. D., Choung, D. H., Oh, H. M., Katsuragi, T., and Tani, Y. (1999). Characterization of biosurfactant, mannosylerythritol lipid produced from *Candida* sp. SY16. *Applied and Environmental Microbiology*, 52, 713-721.
- Kosaric, N. (2001). Biosurfactants and their application for soil bioremediation. *Food Technology and Biotechnology*, 39(4), 295-304.
- Kretschmer, A., Bock, H., and Wagner, F. (1982). Chemical and physical characterization of interfacial-active lipids from *Rhodococcus erythropolis* grow on n-alkane. *Applied and Environmental Microbiology*, 44, 864-870.
- Kuiper, I., Legendijk, E., Pickford, R., Derrick, J., Lamers, G., and Thomas-Oates, J. (2004). Characterization of two *Pseudomonas putida* lipopeptide biosurfactants, putisolvin I and II, which inhibit biofilm formation and break down existing biofilms. *Molecular Microbiology*, 51, 97-113.
- Lang, S. (2002). Biological amphiphilics (microbial biosurfactants). *Colloid and Interface Science*, 7, 12-20.
- Lee, B. S., and Kim, E. K. (2004). Lipopeptide production from *Bacillus* sp. GB16 using a novel oxygenation method. *Enzyme and Microbial Technology*, 35, 639-647.

- Lee, R. (1999). Agents which promote and stabilize water-in-oil emulsions. *Spill Science and Technology Bulletin* 5, 117-126.
- Lemke, M. J., Churchill, P. F., and Wetzel, R. G. (1995). Effect of substrate and cell surface hydrophobicity on phosphate utilization in bacteria. *Applied and Environmental Microbiology*, 61, 913-919.
- Li, H., Tanikawa, T., Sato, Y., Nakagawa, Y., and Matsuyama, T. (2005). *Serratia marcescens* gene required for surfactant *Serrawettin* W1 production encodes putative aminolipid synthetase belonging to nonribosomal peptide synthetase family. *Microbiology and Immunology*, 49, 303-310.
- Li, Z. Y., Lang, S., Wanger, F., Witte, I., and Wary, V. (1984). Formation and identification of interfacial-active glycolipids from resting microbial cells of *Arthrobacter* sp. and potential use in tertiary oil recovery. *Applied and Environmental Microbiology*, 41, 281-285.
- Lin, S.-C., Lin, K.-G., Lo, C.-C., and Lin, Y.-M. (1998). Enhanced biosurfactant production by a *Bacillus licheniformis* mutant. *Enzyme and Microbial Technology*, 23, 267-273.
- Maier, R. M., and Soberon-Chavez, G. (2000). *Pseudomonas aeruginosa* rhamnolipids: biosynthesis and potential applications. *Applied Microbiology and Biotechnology*, 54, 625-633.
- Makkar, R., and Cameotra, S. (2002). An update on the use of unconventional substrates for biosurfactant production and their new applications. *Applied Microbiology and Biotechnology*, 58, 428-434.
- Makkar, R. S., and Cameotra, S. S. (1997a). Biosurfactant production by thermophilic *Bacillus subtilis* strain. *Industrial Microbiology and biotechnology*, 18, 37-42.
- Makkar, R. S., and Cameotra, S. S. (1997b). Utilization of molasses for biosurfactant production by two *Bacillus* strains at thermophilic conditions. *Surfactants and Detergents*, 2, 237-241.

- Martinez Checa, F., Toledo, F., Vilchez, R., Quesada, E., and Calvo, C. (2002). Yield production, chemical composition, and functional properties of emulsifier H28 synthesized by *Halomonas eurihalina* strain H-28 in media containing various hydrocarbons. **Applied Microbiology and Biotechnology**, 58, 358-363.
- McInerney, M. J., Javaheri, m., and Nagle, D. P. (1990). Properties of the biosurfactant produced by *Bacillus licheniformis* strain JF-2. **Industrial Microbiology**, 5, 95-102.
- Mercade, M. E., Monleom, L., deAndres, C., Rodon, I., Martinez, E., Espuny, M. J., and Manresa, A. (1996). Screening and selection of surfactant-producing bacteria from waste lubricating oil. **Applied Bacteriology**, 81, 161-168.
- Morikawa, M., Hirata, Y., and Imanaka, T. (2000). A study on the structure-function relationship of lipopeptide biosurfactants. **Biochimica et Biophysica Acta (BBA) - Molecular and Cell Biology of Lipids**, 1488, 211-218.
- Mouraille, O., Skodvin, T., Sjoblom, J., and Peytavy, J.-L. (1998). Stability of water-crude oil emulsion: role played by the stage of solvation of asphaltenes and by waxes. **Journal of Dispersion Science and Technology**, 19, 339-367.
- Mulligan, C. N. (2005). Environmental applications for biosurfactants. **Environmental Pollution**, 133, 183-198.
- Nadarajah, N., Singh, A., and Owen, P. W. (2001). De-emulsification of petroleum oil emulsion by a mixed bacterial culture. **Process Biochemistry**, 37, 1135-1141.
- Navon-Venezia, S., Zosim, Z., Gottlieb, A., Legmann, R., Carmeli, S., and Ron, E. (1995). Alasan, a new bioemulsifier from *Acinetobacter radioresistens*. **Applied and Environmental Microbiology**, 61, 3240-3244.
- Neidhardt, F. C., Ingraham, J. L., and Schaechter, M. (1990). **Physiology of the Bacterial Cell**. Sinauer Associates: United States of America.
- Neu, T., Haertner, T., and Poralla, K. (1990). Surface active properties of viscosin: a peptidolipid antibiotic. **Applied Microbiology and Biotechnology**, 32, 518-520.



- Nitschke, M., and Pastore, G. M. (2006). Production and properties of a surfactant obtained from *Bacillus subtilis* grown on cassava wastewater. **Bioresource Technology**, 97, 336-341.
- Orgambide, G., Hollingsworth, R., and Dazzo, F. (1992). Structural characterization of a novel diglycosyl diacylglyceride glycolipid from *Rhizobium trifolii* ANU843. **Carbohydrate Research**, 233, 151-159.
- Patel, R. M., and Desai, A. J. (1997). Biosurfactant production by *Pseudomonas aeruginosa* GS3 from molasses. **Letters in Applied Microbiology**, 25, 91-94.
- Peypoux, F., and Michel, G. (1992). Controlled biosynthesis of Val7- and Leu7-surfactins. **Applied Microbiology and Biotechnology**, 36, 515-517.
- Prasertsan, P., Dermlim, W., Doelle, H., and Kennedy, J. F. (2006). Screening, characterization and flocculating property of carbohydrate polymer from newly isolated *Enterobacter cloacae* WD7. **Carbohydrate Polymers**, 66, 289-297.
- Prommachan, O. (2002). Production and Application of Biosurfactant from *Bacillus* MUV4. Master thesis, M.S., Prince of Songkla University, Songkla.
- Rangel-Yagui, C. O., Junior, A. P., and Tavares, L. C. (2005). Micellar solubilization of drugs. **Pharmacy and Pharmaceutical Sciences**, 8(2), 147-163.
- Richter, M., Willey, J. M., Sumuth, R., Jung, G., and Fiedler, H.-P. (1998). Streptofactin, a novel biosurfactant with aerial mycelium inducing activity from *Streptomyces tendae* Tu 901/8c. **FEMS Microbiology Letters**, 163, 165-171.
- Ron, E. Z., and Rosenberg, E. (2001). Natural roles of biosurfactants. **Environmental Microbiology**, 3, 229-236.
- Rosenberg, E. (1993). Exploiting microbial growth on hydrocarbons - new markets. **Trends in Biotechnology**, 11, 419-424.
- Rosenberg, E., and Ron, E. Z. (1997). Bioemulsans: microbial polymeric emulsifiers. **Current Opinion in Biotechnology**, 8, 313-316.
- Rosenberg, E., Rubinovitz, C., Legmann, R., and Ron, E. (1988). Purification and chemical properties of *Acinetobacter calcoaceticus* A2 biodispersant. **Applied and Environmental Microbiology**, 54, 323-326.

- Sandrin, C., Peypoux, F., and Michel, G. (1990). Coproduction of surfactin and iturin A lipopeptides with surfactant and antifungal properties by *Bacillus subtilis*. **Biotechnology and Applied Biochemistry**, 12, 370-375.
- Scheibenbogen, K., Zytner, R. G., Lee, H., and Trevors, J. T. (1994). Enhanced removal of selected hydrocarbons from soil by *Pseudomonas aeruginosa* UG2 biosurfactants and some chemical surfactants. **Journal of Chemical Technology and Biotechnology**, 59, 53-59.
- Shepherd, R., Rockey, J., Sutherland, I., and Roller, S. (1994). Effect of *C. utilis* physiology on the functionality of the bioemulsifier utilization. **Institution of Chemical Engineers Symposium Series**, 16-18.
- Shulga, A., Karpenko, E., Vildanova-Martishin, R., Turovsky, A., and Soltys, M. (2000). Biosurfactant-enhanced remediation of oil contaminated environments. **Adsorption Science and Technology**, 18, 171-176.
- Sim, L., Ward, O. P., and Li, Z. Y. (1997). Production and characterization of a biosurfactant isolated from *Pseudomonas aeruginosa* UW-1. **Industrial Microbiology and Biotechnology**, 19, 232-238.
- Toledo, F., Calvo, C., Rodelas, J., and Gonzalea-Lopez, J. (2006). Selection and identification of bacteria isolated from waste crude oil with polycyclic aromatic hydrocarbons removal capacities. **Systematic and Applied Microbiology**, 29, 244-252.
- Toren, A., Orr, E., Paitan, Y., Ron, E. Z., and Rosenberg, E. (2002). The Active Component of the Bioemulsifier Alasan from *Acinetobacter radioresistens* KA53 Is an OmpA-Like Protein **Journal of Bacteriology**, 184, 165-170.
- Uchida, Y., Tsuchiya, R., Chino, M., Hirano, J., and Tabuchi, T. (1989). Extracellular accumulation of mono- and di-succinoyl trehalose lipids by a strain of *Rhodococcus erythropolis* grown on n-alkanes. **Agriculture, Biology and Chemistry**, 53, 757-763.

- Urum, K., Pekdemir, T., Ross, D., and Grigson, S. (2005). Crude oil contaminated soil washing in air sparging assisted stirred tank reactor using biosurfactants. *Chemosphere*, 60, 334-343.
- Wei, J. R., Soo, P. C., Horng, Y. T., Hsieh, S. C., Tsai, Y. H., Swift, S., Withers, H., Williams, P., and Lai, H. C. (2006). Regulatory roles of *spnT*, a novel gene located within transposon TnTIR. *Biochemical and Biophysical Research Communications*, 348, 1038-1046.
- Wei, Y.-H., Chou, C.-L., and Chang, J.-S. (2005). Rhamnolipid production by indigenous *Pseudomonas aeruginosa* J4 originating from petrochemical wastewater. *Biochemical Engineering*, 27, 146-154.
- Wu, J. Y., Yeh, K. L., Lu, W. B., Lin, C. L., and Chang, J. S. (2007). Rhamnolipid production with indigenous *Pseudomonas aeruginosa* EM1 isolated from oil-contaminated site. *Bioresource Technology*, 99, 1157-1164.
- Yakimov, M. N., Fredrickson, H. L., and Timmis, K. N. (1996). Effect of heterogeneity of hydrophobic moieties on surface activity of lichencin A, a lipopeptide biosurfactant from *Bacillus licheniformis* BAS50. *Biotechnology and Applied Biochemistry*, 23, 13-18.
- Yeh, M. S., Wei, Y. H., and Chang, J. S. (2006). Bioreactor design for enhanced carrier-assisted surfactin production with *Bacillus subtilis*. *Process Biochemistry*, 41, 1799-1805.
- Yoon, S., and Rhee, J. (1983). Lipid from yeast fermentation: effects of cultural conditions on lipid production and its characteristics of *Rhodotorula glutinis*. *Journal of the American Oil Chemists' Society*, 60, 1281-1286.