



## บรรณานุกรม

- งานนิจ นนทโส. (ม.ป.บ.). การแยกเชื้อและการบ่งชีื่อสกุลของแบคทีโรมัยซีทิส. สืบคันเมื่อ 10 กุมภาพันธ์ 2550, จาก [http://ilti.kku.ac.th/ams/course57/317316/pdf/317316/11isolation\\_and\\_identification\\_of\\_Actinomycetes.pdf](http://ilti.kku.ac.th/ams/course57/317316/pdf/317316/11isolation_and_identification_of_Actinomycetes.pdf).
- ปันดดา พัฒนาวงศ์. (2550). รังคลาจพิวบาง. ปทุมธานี: โรงพิมพ์มหาวิทยาลัยธรรมศาสตร์ วิทยาเขตวังสิต.
- ปราษญ บุญวงศ์ใจใจน์. (2551). สถานการณ์ภัยโรคของประเทศไทยและแนวทางแก้ไข. วารสาร วัณโรค โรคทางออกและเวชบำบัดวิกฤต, 3, 169-172.
- ภัทรชัย กีรติลิน. (2549). วิทยาแบบที่เรียกราแพทย์. กรุงเทพฯ: วี.เจ. พรีน.
- สมศักดิ์ วงศ์. (2528). จุลินทรีย์และกิจกรรมในดิน. กรุงเทพฯ: ไทยวัฒนาพานิช.
- สุบันฑิต นิ่มรัตน์. (2549). จุลชีววิทยาทางดิน. กรุงเทพฯ: ออดิยอนส์.
- เสาวนีย์ ธรรมสกิดิ. (2547). แบบที่เรียกราแพทย์ในโลหิตชีวภาพ เชลล์และผลิตภัณฑ์ของเชลล์. นครปฐม: สถาบันพัฒนาสาธารณสุขอาชีวภาพ.
- อดิภา กลมลักษณ์ นาถยา พันธุ์รุ่ด และ เศวต ชำนาญกุرم. (2551). สถานการณ์ภัยโรคดื้อยา ใน สถานบริการเขตตรวจราชการสาธารณสุขที่ 13 ตั้งแต่ปี พ.ศ. 2546-2550. วารสาร วัณโรค โรคทางออกและเวชบำบัดวิกฤต, 3, 199-205.
- Al-Zahrani, S. H. M. (2007). Studies on the antimicrobial activity of *Streptomyces* sp. isolated from Jazan. JKAU:Science, 19, 127-138.
- Arellanes, A. J., Meckes, M., Torres, J. and Herrera, J. L. (2007). Antimycobacterial triterpenoids from *Lantana hispida* (Verbenaceae). Journal of Ethnopharmacology, 111, 202–205.
- Athalye, M., Lacey, J. and Goodfellow, M. (1981). Selective isolation and enumeration of actinomycetes using rifampicin. Journal of Applied Bacteriology, 51, 289-297.
- Badj, B., Mostefaoui, A., Sabaou, N., Lebrihi, A., Mathieu, F., Seguin, E., et. al. (2007). Isolation and partial characterization of antimicrobial compounds from a new strain *Nonomuraea* sp. NM94. Journal of Industrial Microbiology and Biotechnology, 34, 403-412.
- Barrows, L. R., Powan, E., Pond, C. D. and Matainaho, T. (2007). Anti-TB activity of *Evodia elleryana* bark extract. Fitoterapia, 78, 250–252.

- Basilio, A., Gonzalez, I., Vicente, M. F., Gorrochategui, J., Cabello, A., Gonzalez, A. and Genilloud, O. (2003). Patterns of antimicrobial activities from soil actinomycetes isolated under different conditions of pH and salinity. *Journal of Applied Microbiology*, 95, 814-823.
- Beer, E., and Sherwood, M. B. (1945). The paper-disc agar-plate method for the assay of antibiotic substances. *Journal of Bacteriology*, 50, 459-467.
- Benedict, R. G., Pridham, T. G., Lindenfeleser, L. A., Hall, H. H. and Jackson, R. W. (1955). Further studies in the evaluation of carbohydrate utilization tests as aids in the differentiation of species of *Streptomyces*. *Applied Microbiology*, 3, 1-6.
- Berdy, J. (2005). Bioactive microbial metabolites. *Journal of Antibiotics*, 58(1), 1-26.
- Brock, T. D. (1966). Microbial ecology and applied microbiology. *Advances in Applied Microbiology*, 8, 61-75.
- Busti, E., Monciardini, P., Cavaletti, L., Bamonte, R., Lazzarini, A., Sosio, M., et. al. (2006). Antibiotic-producing ability representatives of a newly discovered lineage of actinomycetes. *Journal of Microbiology*, 152, 675-683.
- Buter, E. E., and Hine, R. B. (1958). Useof novobiocin for isolation of fungi from soil. *Soil Science*, 85, 250-254.
- Caceres, N. E., Harris, N. B., Wellehan, J. F., Feng, Z., Kapur, V. and Barletta, R. G. (1997). Overexpression of the D-alanine racemase gene confers resistance to D-cycloserine in *Mycobacterium smegmatis*. *Journal of Bacteriology*, 179: 5046-5055.
- Ciciliato, I., Corti, E., Sarubbi, E., Stefanelli, S., Gastaldo, L., Montanini, N., et. al. (2004). Antibiotics GE23077, novel inhibitors of bacterial RNA polymerase. *Journal of Antibiotics*, 57(3), 210-217.
- Ceylan, O., Okmen, G. and Ugur, A. (2008). Isolation of soil *Streptomyces* as source antibiotics active against antibiotic-resistant bacteria. *EurAsian Journal of BioSciences*, 2, 73-82.

- Chacon, O., Feng, Z., Harris, N. B., Caceres, N. E., Adams, L. G. and Barletta, R. G. (2002). *Mycobacterium smegmatis* D-alanine racemase mutants are not dependent on D- alanine for growth. *Antimicrobial Agents and Chemotherapy*, 46: 47-54.
- Converse, S. E. and Cox, J. S. (2005). A protein secretion pathway critical for *Mycobacterium tuberculosis* virulence is conserved and functional in *Mycobacterium smegmatis*. *Journal of Bacteriology*, 187: 1238-1245.
- Corke, P. and Chase, F. E. (1956). The selective enumeration of actinomycetes in the present of large number of fungi. *Canadian Journal of Microbiology*, 2, 12-16.
- Crook, P. Carpenter, C. C. and Klens, P. F. (1950). The use of sodium propionate in isolating actinomycetes from soils. *Science*, 112, 656.
- Cross, T. (1968). Thermophilic actinomycetes. *Journal of applied bacteriology*, 31, 36-53.
- Demain, A. L. and Pirct, J. (1979). Relationship between antibiotics biosynthesis and sporulation. In M. Lackner and K. Schreiber (Eds.), *Regulation of Secondary Product and Plant Hormone Metabolism*. New York: Pergamon Press.
- Dulaney, E. L., Larsen, A. H. and Stapley, E. O. (1955). A note on the isolation of microorganisms from natural sources. *Mycologia*, 47, 420-422.
- Dye, C., Scheele, S., Dolin, P., Pathania, V. and Raviglione, M. C. (1999). Global burden of tuberculosis: estimated incidence, prevalence and mortality by country. Consensus statement: WHO. Global surveillance and monitoring project. *Journal of the American Medical Association*, 282, 677-686.
- El-Naggar, M. Y., El-Assar, S. A. and Abdul-Gawad, M. (2006). Meroparamycin production by newly isolated *Streptomyces* sp. Strain MAR01: Taxonomy, Fermentation, Purification and Structural Elucidation. *Journal of Microbiology*, 44, 432-438.
- El-Nakeeb, M. A. and Lechavalier, H. A., (1963). Selective isolation of aerobic actinomycetes. *Applied Microbiology*, 11, 75-77.

- Emerson, R. L., Whiffen, A. J., Bohonos, N. and Deboer, C. (1946). Studies on the production of antibiotics by actinomycetes and molds. *Journal of bacteriology*, 52, 357-366.
- Fedeniuk, R. W. and Shand, P. J. (1998). Theory and methodology of antibiotic extraction from biomatrices. *Journal of Chromatography A*, 812, 3-15.
- Fregnan, G. B. and Smith, D. W. (1962). Mycobactocidin, a new antibiotic active against mycobacteria. *Journal of Bacteriology*, 83(5), 1069-1076.
- Gordon, J. J., Kelly, B. K. and Miller, G. A. (1962). Actinonin: an antibiotic substance produced by an actinomycete. *Nature*, 195, 701-702.
- Gottlieb, B., (1976). The production and role of antibiotics in soil. *Journal of Antibiotics*, 29, 987-1000.
- Hayakawa, M., Ishizawa, K. and Nonomura, H. (1988). Distribution of rare actinomycetes in Japanese soils. *Journal of Fermentation Technology*, 66, 367-373.
- Ho, W. C. and Ko, W. H. (1980). A simple medium for selective isolation and enumeration of soil actinomycetes. *Annals of the Phytopathological Society of Japan*, 46, 634-638.
- Holt, J. G., Krieg, N. R., Sneath, P. H. A., Staley, J. T. and Williams, S. T. (1994). *Bergey's Manual of Determinative Bacteriology*. (9<sup>th</sup> ed.). USA: Williams & Wilkins.
- Hirsch, C. F. and Christensen, L. (1983). Novel method for selective isolation of actinomycetes. *Applied and Environmental Microbiology*, 46, 925-929.
- Hsu, S. C. and Lockwood, J. L. (1975). Powdered chitin agar as a selective medium for enumeration of actinomycetes in water and soil. *Applied Microbiology*, 29, 422-426.
- Imai, Y. and Kuwatsuka, S. (1986). The mode of metabolism of the herbicide molinate by four strains of microorganisms isolated from soil. *Journal of Pesticide Science*, 11, 111-117.
- Kalakoutski, L. V. and Agre, N. S. (1976). Comparative aspects of development and differentiation in actinomycetes. *Bacteriological Reviews*, 40, 469-524.

- Kamatou, G. P. P., Van Vuuren, S. F., Van Heerden, F. R., Seaman, T. and Viljoen, A. M. (2007). Antibacterial and antimycobacterial activities of South African *Salvia* species and isolated compounds from *S. chamaeleagnea*. *South African Journal of Botany*, 73, 552-557.
- Kamogashira, T., Nishida, T. and Sugawara, M. (1983). New glycopeptide antibiotic, OA-7653, produced by *Streptomyces hygroscopicus* subsp. *Hiwasaensis*. *Agricultural and Biological Chemistry*, 41, 499-506.
- Keast, D., Rowe, P., Sanfelieu, L., Shannahan, J., Bowra, B., Skates, S., Stapley, E. O., et al. (1984). Use of computer to group actinomycetes for studies on the ecology of soil microorganisms. *Applied and Environmental Microbiology*, 48, 791-796.
- Khan, M. R. and Williams, S. T. (1975). Studies on the ecology of actinomycetes in soil – VIII. Distribution and characteristics of acidophilic actinomycetes. *Soil Biology and Biochemistry*, 7, 345-348.
- Kooy, F., Meyer, J. J. M. and Lall, N. (2006). Antimycobacterial activity and possible mode of action of newly isolated neodiospyrin and other naphthoquinones from *Euclea natalensis*. *South African Journal of Botany*, 72, 349–352.
- Loo, Y. H., Skell, P. S. and Thornberry, H. H. (1945). Assay of Streptomycin by the paper-disc plate method. *Journal of Bacteriology*, 50, 701-709.
- Madigan, M. T., Martinko, J. M. and Parker, J. (2000). *Brock Biology of Microorganisms*. (9<sup>th</sup> ed.). USA: Prentice-Hall, Inc.
- Maeda, K. (1965). *Streptomyces Products Inhibiting Mycobacteria*. USA: John Wiley and Sons.
- Malik, V. S. and Vining, L. C. (1970). Metabolism of chloramphenicol by the producing organism. *Canadian Journal of Microbiology*, 16, 175-179.
- Mancheva, P., Tishkov, S., Dimitrova, N. and Chipeva, V. (2000). Characteristics of soil actinomycetes from Antarctica. *Journal of Culture Collections*, 3, 3-14.
- Masood, R., Sharma, Y. K. and Venkatasubramanian, T. A. (1985). Metabolism of mycobacteria. *Journal of Biosciences*, 7, 421-431.

- McKinney, J. D. (2000). *In vivo veritas*: The search for drug targets goes live. *Nature Medicine*, 6, 1330-1333.
- Mitscher, L. A. and Baker, W. R. (1998). A search for novel chemotherapy against tuberculosis amongst natural products. *Pure and Applied Chemistry*, 70(2), 365-371.
- Narayana, K. J. P. and Vijayalakshmi, M. (2008). Optimization of antimicrobial metabolites production by *Streptomyces albidoflavus*. *Research Journal of Pharmacology*, 2, 4-7.
- Nedialkova, D. and Naidenova, M. (2004). Screening the antimicrobial activity of actinomycetes strains isolated from Antarctica. *Journal of Culture Collections*, 4, 29-35.
- Nolan, R. D. and Cross, T. (1988). Isolation and screening of actinomycetes. In M. Goodfellow, S. T. Williams and M. Mordarski (Eds.). *Actinomycetes in Biotechnology*. (p.13-29). London: Academic Press.
- Okami, Y. and Hotta., K. (1988). Search and discovery of new antibiotics. In Goodfellow, M., S. T. Williams, and M. Mordaski. (Eds.) *Actinomycetes in biotechnology*. (p.189-192). New York: Academic Press.
- Omura, S., Kitao, C., Tanaka, H. and Oiwa, R. (1976). A new antibiotic, asukamycin, production by *Streptomyces*. *The Journal of Antibiotic*, 29, 876-881.
- Omura, S., Iwai, Y., Hirano A. and Nakagawa, A. (1977). A new alkaloid AM-2282 of *Streptomyces* origin taxonomy, fermentation, isolation and preliminary characterization. *The Journal of Antibiotics*, 30, 275-282.
- Ottow, J. C. G. and Glathe, H. (1968). Rose Bengal-Malt Extract-Agar, a simple medium for the simultaneous isolation and enumeration of fungi and actinomycetes from soil. *Applied Microbiology*, 16, 170-171.
- Ottow, J. C. G. (1972). Rose Bengal as selective aid in the isolation of fungi and actinomycetes form natural sources. *Mycologia*, 604, 304-315.

- Pandy, A., Shukla, A. and Majumdar, S. K. (2005). Utilization of carbon and nitrogen sources by *Streptomyces kanamyceticus* M27 for the production of an antibacterial antibiotic. *African Journal of Biotechnology*, 4, 909-910.
- Pavelka, M. and Jacobs, W. R. (1996). Biosynthesis of Diaminopimelate, the Precursor of lysine and a component of peptidoglycan, Is an essential function of *Mycobacterium smegmatis*. *Journal of Bacteriology*, 178, 6496-6507.
- Pavelka, M. and Jacobs, W. R. (1999). Comparison of the construction of unmarked deletion mutations in *Mycobacterium smegmatis*, *Mycobacterium bovis* Bacillus Calmette-Guerin, and *Mycobacterium tuberculosis* H37Rv by allelic exchange. *Journal of Bacteriology*, 181, 4780-4789.
- Parrish, N. M., Houston, T., Jones, P. B., Townsend, C. and Dick, J. D. (2001). In vitro activity of a novel antimycobacterial compound, N-octanesulfonylacetamide, and its effects on lipid and mycolic acid synthesis. *Antimicrobial Agents and Chemotherapy*, 45(4), 1143-1150.
- Peteroy, M., Severin, A., Zhao, F., Rosner, D., Lopatin, U., Scherman, H., et. al. (2000). Characterization of a *Mycobacterium smegmatis* mutant that is simultaneously resistant to D-cycloserine and vancomycin. *Antimicrobial Agents and Chemotherapy*, 44, 1701-1704.
- Phetsuksiri, B., Baulard, A. R., Cooper, A. M., Minnikin, D. E., Douglas, J. D., Besra, G. S., et. al. (1999). Antimycobacterial activities of isoxyl and new derivatives through the Inhibition of mycolic acid synthesis. *Antimicrobial Agents and Chemotherapy*, 43(5), 1042-1051.
- Phillips, G. B. and Hanel, E. (1950). Control of mold contaminants on solid media by the use of Actidione. *Journal of Bacteriology*, 60, 104-105.
- Phillips, L., Wellington, E. M. H. and Rees, S. B. (1994). distribution of antibiotic resistance patterns within *Streptomyces* and their use in secondary metabolite screening. *Journal of Industrial Microbiology*, 13, 53-62.
- Porter, J. N., Wilhelm, J. J. and Tresner, H. D. (1960). Method for the preferential isolation of actinomycetes from soils. *Applied Microbiology*, 8, 174-178.

- Pridham, T. G. and Gottlieb, D. (1948). The Utilization of carbon compounds by some actinomycetes as aid for species determination. *Journal of Bacteriology*, 56, 107-14.
- Pucci, M. J., Bronson, J. J., Barrett, J. F., DenBleyker, K. L., Discotto, L. F., Fung-Tomc, J. C., et. al. (2004). Antimicrobial evaluation of nocathiacins, a thiazole peptide class of antibiotics, *Antimicrobial Agents and Chemotherapy*, 48(10), 2697-3701.
- Reusser, F. (1967). Mode of action of antibiotic U-24,544. *Journal of Bacteriology*, 94(4), 1040-1045.
- Saadoun, I. and Gharaibeh, R. (2003). The *Streptomyces* flora of Badia region of Jordan and its potential as a source of antibiotics active against antibiotic-resistant bacteria. *Journal of Arid Environments*, 53, 365-71.
- Seong, C. N., Choi, J. H. and Baik, K. S. (2001). An improved selective isolation of rare actinomycetes from forest soil. *Journal of Microbiology*, 39, 17-23.
- Shin, N. and Ugur, A. (2003). Investigation of the antimicrobial activity of some *Streptomyces* isolates. *Turkish Journal of Biology*, 27, 79-84.
- Srivibool, R., Kurakami, K., Sukchotratana, M. and Tokuyama, S. (2004). Coastal soil actinomycetes. : thermotolerant strains producing *N*-acyl amino acid racemase. *Science Asia*, 30, 123-126.
- Swenson, J. M., Thornsberry, C. and Silcox, V. A. (1982). Rapidly growing mycobacteria: testing of susceptibility to 34 antimicrobial agents by broth microdilution. *Antimicrobial Agents and Chemotherapy*, 22(2), 186-192.
- Takizawa, M., Colwell, R. R. and Hill, R. (1993). Isolation and diversity of actinomycetes in the Chesapeake Bay. *Applied Environmental and Microbiology*, 59, 997-1002.
- Tanaka, Y. and Omura, S. (1990). Metabolism and products of actinomycetes: an introduction. *Actinomycetologica*, 4, 13-14.
- Thakur, D., Yadav, A., Gogoi, B. K. and Bora, T. C. (2007). Isolation and screening of *Streptomyces* in soil of protected forest areas from the states of Assam and Tripura, India, for antimicrobial metabolites. *Journal of Microbiology Medicine*, 17, 242-249.

- Waksman, S. A. (1944). Antibiotic substances, production by microorganisms-nature and mode of action. *American Journal of Public Health*, 358-364.
- Waksman, S. A. (1950). Streptomycin and Neomycin an antibiotic approach to tuberculosis. *British Medical Journal*, 9, 595-600.
- Waksman, S. A. (1950). *The Actinomycetes*. USA: Chronica Botanica Company.
- Wilkinson, B. L., Bornaghi, L. F., Wright, A. D., Houston, T. A. and Poulsen, S. (2007). Anti-mycobacterial activity of a bis-sulfonamide. *Bioorganic & Medicinal Chemistry Letters*, 17, 1355–1357.
- Williston, E. H., Zia-Walrath, P. and Youmans, G. P. (1947). Plate methods for testing antibiotic activity of actinomycetes against virulent human type tubercle bacilli. *Journal of Bacteriology*, 54, 563-568.
- Xu, L-H., Li, Q-R. and Jiang, C-L. (1996). Diversity of soil actinomycetes in Yunnan, China. *Applied and Environmental Microbiology*, 62(1), 244-248.
- Zheng, L., Chen, H., Han, X. and Yan, X. (2005). Antimicrobial screening and active compound isolation from marine bacterium NJ6-3-1 associated with the sponge *Hymeniacidon perleve*. *World Journal of Microbiology and Biotechnology*, 21, 201-206.