

---

## LIST OF CONTENT

Chapter	Page
I INTRODUCTION .....	1
II REVIEW OF RELATED LITERATURE AND RESEARCH.....	3
Mechanism of action .....	3
Pharmacokinetics properties.....	4
Absorption.....	4
Distribution .....	4
Metabolism.....	4
Excretion .....	5
Plasma concentrations and half-life.....	5
Indications .....	5
Dosage and administration .....	5
Adverse reaction .....	5
Methods for amlodipine analysis.....	6
III RESEARCH METHODOLOGY .....	14
Chemicals and materials.....	14
Apparatus .....	14
Standard solution.....	15
Sample preparation for HPLC with UV detector analysis .....	15
Solid phase extraction method .....	15
Liquid-Liquid partition method .....	16
Sample preparation for HPLC with fluorescence detector analysis .....	16
Sample preparation for HPLC with MS/MS detector analysis .....	16

---

## LIST OF CONTENT (CONT.)

Chapter	Page
Analytical methods .....	17
HPLC with UV detector analysis .....	17
HPLC with fluorescence detector analysis .....	17
HPLC with MS/MS detector analysis .....	18
Method validation .....	19
<b>IV RESULTS AND DISCUSSION .....</b>	<b>22</b>
Extraction method development .....	22
Solid phase extraction method .....	22
Liquid-liquid partition method .....	25
Analytical method development.....	28
HPLC with UV detector.....	28
HPLC with fluorescence detector .....	31
HPLC with MS/MS detector.....	36
Method validation .....	42
<b>V CONCLUSION AND RECOMMENDATION .....</b>	<b>49</b>
<b>BIBLIOGRAPHY .....</b>	<b>52</b>
<b>BIOGRAPHY .....</b>	<b>56</b>

## LIST OF TABLES

Table	Page
1 The list of analytical methods for amlodipine determination .....	9
2 The list of extraction methods of amlodipine in biological fluid .....	13
3 Gradient elution program of HPLC with fluorescence detector analysis .....	17
4 The MS/MS parameters for amlodipine and nortriptyline analyses .....	18
5 The nitrogen gas parameters of MS/MS for amlodipine and nortriptyline analyses .....	18
6 The % recoveries of 300 ng/ml amlodipine and 50 ng/ml nortriptyline in plasma from the extraction with various solvents and detected using HPLC with UV detector at 210 nm .....	27
7 The % recoveries of 300 ng/ml amlodipine and 50 ng/ml sertraline in plasma from the extraction with various solvents and detected using HPLC with UV detector at 210 nm .....	28
8 Accuracy and precision of amlodipine in plasma from intra-day and inter-day experiments.....	44
9 % recoveries of amlodipine and nortriptyline after extraction with diethylether and n-heptane (80:20).....	44
10 % remaining of 0.3 and 10 ng/ml amlodipine in plasma after three freeze-thaw cycles .....	45
11 % remaining of 0.3 and 10 ng/ml amlodipine in plasma after long-term storage.....	46
12 % remaining of 0.3 and 10 ng/ml amlodipine in plasma after short-term storage.....	46
13 % remaining of 0.3 and 10 ng/ml amlodipine in plasma after storage in autosampler.....	47
14 % remaining of amlodipine and nortriptyline in stock solution after kept at 4°C for 1-3 weeks .....	47

## LIST OF FIGURES

Figure	Page
1 Structure of amlodipine.....	3
2 Structures of internal standards used in amlodipine analysis.....	7
3 HPLC chromatograms of a) plasma blank, b) plasma sample containing 300 ng/ml amlodipine and 200 ng/ml nortriptyline obtained from C2 SPE and detected at 210 nm .....	24
4 Structures of sertraline and nortriptyline .....	26
5 HPLC chromatograms a) plasma blank, b) plasma sample containing 10 ng/ml amlodipine and 200 ng/ml of sertraline obtained from liquid-liquid partition method detected at 240 nm .....	30
6 Structure of NBD-Cl .....	31
7 Effect of pH on the derivatization of amlodipine with NBD-Cl.....	34
8 Effect of temperature and time on the derivatization of amlodipine with NBD-Cl .....	34
9 HPLC fluorescence chromatograms of a) plasma blank, b) plasma sample containing 10 ng/ml amlodipine and 50 ng/ml sertraline that were derivatized with NBD-Cl .....	35
10 The procedure of fragmentation in a triple quadrupole MS/MS.....	36
11 The structures of m/z transition of a) amlodipine, b) sertraline and c) nortriptyline .....	37
12 The MS/MS chromatograms of plasma blank for a) total ion count, b) amlodipine and c) nortriptyline .....	40
13 The MS/MS chromatograms of plasma sample for a) total ion count, b) 0.05 ng/ml amlodipine (409.1>238.0) and c) 1 ng/ml nortriptyline (264.2.233.3) .....	41
14 Calibration curve of amlodipine in plasma using HPLC-MS/MS.....	43