



REFERENCES

- Ambrose, J. T. (1997). **Insect note: Beekeeping**. USA: North Carolina State University.
- Araújo, V. A., Antonini, Y. and Araújo, A. P. A. (2006). Diversity of bees and their floral resources at altitudinal areas in the southern Espinhaço range, Minas Gerais, Brazil. **Neotropical Entomology**, 35(1), 30-40.
- Archer, M. E. (1989). **A key to the world species of the Vespinae (Hymenoptera) part 1: Keys, checklist and distribution**. York: The Academic Board Research Committee of the College of Ripon and York St John.
- Bickel, T. O. and Watanasit, S. (2005). Diversity of leaf litter ant communities in Ton Nga Chang Wildlife Sanctuary and nearby rubber plantations, Songkhla, Southern Thailand. **Songklanakarin Journal of Science and Technology**, 27(5), 943-955.
- Bolton, B. (1997). **Identification guide of the ant genera of the world** (2nd ed.). Massachusetts: Cambridge.
- Borror, D. J., Triplehorn, C. A. and Johnson, N. F. (1989). **Study of insects** (6th ed.). USA: Saunders College Publishing.
- Brothers, D. J. and Finnamore, A. T. (1993). Superfamily Vespoidea. In H. Goulet and J. T. Huber (Eds.), **Hymenoptera of the world: An identification guide to families** (pp. 161-278). Ottawa: Agriculture Canada Publication.
- Buchmann, S.T. and Nabhan, G.P. (1996). **The forgotten pollinators**. Washington, D.C.: Inland Press.
- Budrys, E. (2000). Notes on the synonymy and distribution of Asiatic *Psen* Latr. and *Psenulus* Kohl (Hymenoptera, Sphecidae, Psenini). **Acta Zoologica Lituanica**, 10(1), 63-69.
- Callan, E. McC. (1979). The Sphecidae (Hymenoptera) of New Zealand. **New Zealand Entomologist**, 7(1), 30-41.
- Camargo J. M. F. and Menezes-Pedro S. R. (1992). Systematics, phylogeny and biogeography of the Meliponinae (Hymenoptera, Apidae): A mini-review. **Apidologie**, 23(6), 509-522.

- Cameron, E. C., Franck, P. and Oldroyd, B. P. (2004). Genetic structure of nest aggregations and drone congregations of the Southeast Asian stingless bee *Trigona collina*. **Molecular Ecology**, 13(8), 2357-2364.
- Cameron, S. A., Hines, H. M. and Williams, P. H. (2007). A comprehensive phylogeny of the bumble bees (*Bombus*). **Biological Journal of the Linnean Society**, 91(1), 161-188.
- Carpenter, J. M. (1993). Biogeographic patterns in the Vespidae (Hymenoptera): Two views of Africa and South America. In P. Goldblatt (Ed.), **Biological relationships between Africa and South America** (pp. 139-155). New Haven: Yale University.
- Carpenter, J. M., and Garcete-Barrett, B. R. (2002). A key to the Neotropical genera of Eumeninae (Hymenoptera: Vespidae). **Boletín del Museo Nacional de Historia Natural del Paraguay**, 14(1-2), 52-73.
- Carpenter, J. M. and Nguyen, P. L. T. (2003). Keys to the genera of social wasps of South-East Asia. **Entomological Science**, 6(3), 183-192.
- Carpenter, J. M. and Starr, C. K. (2000). A new genus of hover wasps from Southeast Asia (Hymenoptera: Vespidae; Stenogastrinae). **American Museum Novitates**, 3291(1), 1-12.
- Daly, H. V. (1983). Taxonomy and ecology of Ceratinini of North Africa and the Iberian Peninsula (Hymenoptera: Apoidea). **Systematic Entomology**, 8(1), 29-62.
- Danks, H. V. and Downes J. A. (1998). Insects of the Yukon. **Journal of the North American Benthological Society**, 17(3), 377-378.
- Elzinga, R.J. (2000). **Fundamentals of entomology** (5th ed.). USA: Kansas State University, Prentice-Hall.
- Fernández, F. C. (2001). Checklist of genera and subgenera of aculeate Hymenoptera of the Neotropical region (Hymenoptera: Vespomorpha). **Biota Colombiana**, 2(2), 87-130.
- Finnamore, A. T. (1997). Aculeate wasps (Hymenoptera: Aculeata) of the Yukon, Other than Formicidae. In H.V., Danks and J.A., Downes (Eds.), **Insects of the Yukon** (pp. 867-900). Ottawa: Biological Survey of Canada (Terrestrial Arthropods) Publication.

- Finnamore, A. T. and Michener, C. D. (1993). Superfamily Apoidea. In H. Goulet and J. Huber (Eds.), **Hymenoptera of the world: An identification guide to families** (pp. 279-357). Ottawa: Agriculture Canada Publication.
- Gathmann, A., Greiler, H. J. and Tschardt, T. (1994). Trap nesting bees and wasps colonizing set-aside fields: Succession and body size, management by cutting and sowing. **Oecologia**, 98(1), 8-14.
- Gauld, I. and Bolton, B. (Eds.). (1996). **The Hymenoptera** (2nd ed.). New York: London and Oxford University Press.
- Genaro, J. A. (1998). Distribution and synonymy of some caribbean bees of the genera *Megachile* and *Coelioxys* (Hymenoptera: Megachilidae). **Caribbean Journal of Science**, 34(1-2), 151-152.
- Giovanetti, M. (2005). Ecology, behavior and bionomics: Nesting ecology of a neotropical solitary wasp (Hymenoptera: Sphecidae) in Panamá. **Neotropical Entomology**, 34(5), 713-719.
- Goodman, R. (Ed.). (1991). **Beekeeping** (7th ed.). USA: North Melbourne Creative Solutions.
- Goulet, H. and Huber, J. (Eds.). (1993). **Hymenoptera of the world: An identification guide to families**. Ottawa: Agriculture Canada Publication.
- Grabenweger, G., Kehrli, P., Schlick-Steiner, B., Steiner, F., Stolz, M. and Bacher, S. (2005). Predator complex of the horse chestnut leafminer *Cameraria ohridella*: identification and impact assessment. **Journal of Applied Entomology**, 129 (7), 353-362.
- Gupta, S. K. and Jonathan, J. K. (2003). **Fauna of India and the adjacent countries: Hymenoptera: Scoliidae**. India: Zoological Survey of India Publications.
- Gurevitch, J., Scheiner, S. M. and Fox, G. A.. (2002). **The ecology of plants**. USA: Sinauer Associates.
- Harris, A. C. (1979). Occurrence and nesting of the yellow oriental paper wasp, *Polistes olivaceus* (Hymenoptera: Vespidae), in New Zealand. **New Zealand Entomologist**, 7(1), 41-44.
- Hirashima, Y. (1969). Synopsis of the genus *Pithitis* Klug of the world (Hymenoptera: Anthophoridae). **Pacific Insects**, 11(3-4), 649-669.

- Hoamuangkaew, W. (2007). Forest management. **Journal of Forest Management**, 1(1), 62-81.
- Hoffmann, F. (2005). **Biodiversity and pollination : Flowering plants and flower-visiting insects in argicultural and semi-natural landscapes**. The Netherlands: Febodruk B.V. Enschede.
- Hölldobler, B. and Wilson, E. O. (1990). **The ants**. Cambridge: Belknap Press of Harvard University Press.
- Jaitrong, W. and Nabhitabhata, J. (2005). A list of known ant species of Thailand (Formicidae: Hymenoptera). **The Thailand Natural History Museum Journal**, 1(1), 9-54.
- Jongjitvimol, T., Boonthavon, K., Wattanachaiyingcharoen, W. and Deowanish, S. (2005). Nest dispersion of a stingless bee species; *Trigona collina* Smith, 1857 (Apidae: Meliponinae) in mixed deciduous forests in Thailand. **The Natural History Journal of Chulalongkorn University**, 5(2), 69-71.
- Jongjitvimol, T. and Wattanachaiyingcharoen, W. (2006). Pollen food sources of the stingless bees *Trigona apicalis* Smith, 1857, *T. collina* Smith, 1857 and *T. fimbriata* Smith, 1857 (Apidae, Meliponinae) in Thailand. **The Natural History Journal of Chulalongkorn University**, 6(2), 75-82.
- Jongjitvimol, T., and Wattanachaiyingcharoen, W. (2007). Distribution, nesting sites and nest structures of the stingless bee species, *Trigona collina* Smith, 1857 (Apidae, Meliponinae) in Thailand. **The Natural History Journal of Chulalongkorn University**, 7(1), 25-34.
- Kaewkaw, R., Eaidthong, W., Sawatthum, A., Wongrisi, S. and Juntawong, N. (2008). Database of plant species for stingless bee (*Trigona* sp.) in Queen Sirikit Botanic Garden, Chiang Mai province. In **Bees and Bee Products** (pp. 9). Chiangmai: Chiangmai University.
- Kamura, C. M., Morini, M. S. C., Figueiredo, C. J., Bueno, O. C. and Campos-Farinha, A. E. C. (2007). Ant communities (Hymenoptera: Formicidae) in an urban ecosystem near the Atlantic Rainforest. **Brazilian Journal of Biology**, 67(4), 635-641.

- Kaplan, I. and Eubanks, M.D. (2002). Disruption of cotton aphid (Homoptera: Aphididae) natural enemy dynamics by red imported fire ants (Hymenoptera: Formicidae). **Community and Ecosystem Ecology**, 31(6), 1175-1183.
- Khan, M. R. and Khan, M. R. (2004). The role of honey bees *Apis mellifera* L. (Hymenoptera: Apidae) in pollination of apple. **Pakistan Journal of Biological Sciences**, 7 (3), 359-362.
- King, J. (1984). Immature stages of some Megachilidae (Hymenoptera: Apoidea). **Journal of the Australian Entomological Society**, 23(1), 51-57.
- King, J. and Exley, E. M. (1985). A revision of *Chalicodoma* (Chalicodomoides) Michener (Hymenoptera: Megachilidae). **Journal of the Australian Entomological Society**, 24(3), 187-191.
- Klaskasikorn, A., Wongsiri, S., Deowanish, S. and Duangphakdee, O. (2005). New record of stingless bees (Meliponini: *Trigona*) in Thailand. **The Natural History Journal of Chulalongkorn University**, 5(1), 1-7.
- Kojima, J. and Carpenter, J. M. (1997). Catalog of species in the polistine tribe Ropalidiini (Hymenoptera: Vespidae). **American Museum Novitates**, 3199(1), 1-96.
- Krebs, C. J. (1999). **Ecology methodology** (2nd ed.). Canada: An Imprint of Addison Wesley Longman.
- Laakso, J. and Setälä, H. (1998). Composition and trophic structure of detrital food web in ant nest mounds of *Formica aquilonia* and in the surrounding forest soil. **Oikos**, 81(1), 266-278.
- LaSalle, J. and Gauld, I.D. (Eds.). (1997). **Hymenoptera and biodiversity**. UK: CABI Publishing.
- Mancini, K., Lino-Neto, J., Campos, L. A. O. and Dolder, H. (2006). Sperm ultrastructure of the wasp *Agelaia vicina* (Hymenoptera, Vespidae). **Insectes Sociaux**, 53(3), 333-338.
- Maxell, J. F. (1996). Vegetation of the Mae Soi Conservation Area, Chom Tong District, Chiang Mai Province, Thailand, **Tigerpaper (FAO)**, 23(1), 22-27.
- Maxwell, J.F. (1998). Botanical Notes on the Flora of Northern Thailand, 6. **The Natural History Bulletin of the Siam Society**, 46(2), 151-159.

- Maxwell, J. F. (2004). A synopsis of the vegetation of Thailand. **The Natural History Journal of Chulalongkorn University**, 4(2), 19-29.
- Maxwell, J. F., Elliott, S., Palee, P. and Anusarnsunthorn, V. (1995). The vegetation of Doi Khuntan National Park, Lamphun-Lampang Provinces, Thailand. **The Natural History Bulletin of the Siam Society**, 43(2), 185-206.
- Maxwell, J. F., Elliott, S., Palee, P. and Anusarnsunthorn, V. (1997). The vegetation of Jae Sawn National Park, Lamphun Province, Thailand. **The Natural History Bulletin of the Siam Society**, 45(1), 71-97.
- Michener, C. D. (2007). **The bees of the world** (2nd ed.). USA: John Hopkins University Press.
- Michener, C. D. and Boongird, S. (2004). A new species of *Trigona* from Peninsular Thailand (Hymenoptera: Apidae: Meliponini). **Journal of the Kansas Entomological Society**, 77(2), 143-146.
- Mitchell, T. B. (1980). **A generic revision of the megachilinae bees of the Western Hemisphere**. North Carolina: North Carolina State University.
- Nakamura, M. and Sonthichai, S. (2004). Nesting habits of some hornet species (Hymenoptera, Vespidae) in Northern Thailand. **Kasetsart Journal of Natural Science**, 38(2), 196-206.
- Nguyen, L. T. P., Saito, F., Kojima, J. and Carpenter, J. M. (2006). Vespidae of Viet Nam (Insecta: Hymenoptera) 2: Taxonomic notes on Vespinae. **Zoological Science**, 23(1), 95-104.
- Niu, Z. Q., Wu, Y. R. and Huang, D. W. (2004). A taxonomic study on the subgenus *Seladonia* (Hymenoptera: Halictidae: *Halictus*) in China with a description of a new species. **Zoological Studies**, 43(4), 647-670.
- Oldroyd, B. P. and Wongsiri, S. (2006). **Asian honey bees: Biology, conservation and human interactions**. London: Harvard University Press.
- O'Toole, C. and Raw, A. (1999). **Bees of the world**. UK: Blandford.
- Pianka, E. R. (2000). **Evolutionary ecology** (6th ed.). USA: The University of Texas at Austin, An Imprint of Addison Wesley Longman.
- Pawlikowski, T. and Hirsch, J. (2002). Bees (Hymenoptera: Apoidea) as indicators of xerisation processes in the lower Vistula Valley. **Acta Zoologica Cracoviensia**, 45(4), 321-336.

- Pinto, M. A., Sheppard, W. S., Johnston, J. S., Rubink, W. L., Coulson, R. N., Schiff, N. M., et al. (2007). Honey bees (Hymenoptera: Apidae) of African origin exist in non-Africanized areas of the Southern United States: evidence from mitochondrial DNA. **Annals of the Entomological Society of America**, 100(2), 289-295.
- Proshchalykin, M. Y. (2004). A check list of the bees (Hymenoptera, Apoidea) of the southern part of the Russian Far East. **Far Eastern Entomologist**, 143(1), 1-17.
- Raju, A. J. S. and Rao, S. P. (2006). Nesting habits, floral resources and foraging ecology of large carpenter bees (*Xylocopa latipes* and *Xylocopa pubescens*) in India. **Current Science**, 9(9), 1210-1217.
- Romero-Alcaraz, E. and Ávila, J. M. (2000). Effect of elevation and type of habitat on the abundance and diversity of scarabaeoid dung beetle (Scarabaeoidea) assemblages in a Mediterranean area from southern Iberian Peninsula. **Zoological Studies**, 39(4), 351-359.
- Romoser, W.S. and Stoffolano, J.G. (1998). **The science of entomology** (4th ed.). USA: McGraw-Hill.
- Rryu, Y., Matsuda, H., Machiyama, H., Piller, W. E., Quinn, T. M. and Mutti, M. (2006). Introductory perspective on the COREF project. **Island Arc**, 15(4), 393-406.
- Saito, F., and Kojima, J. (2005). Colony cycle in the south-eastern coastal populations of *Ropalidia plebeiana*, the only *Ropalidia* wasp occurring in temperate Australia. **Entomological Science**, 8(3), 263-275.
- Sakagami, S. F., Inoue, T. and Salmah, S. (1990). Stingless bees of central Sumatra. In S. F. Sakagami, R. Ohgushi, and D.W. Roubik (Eds), **Natural history of social wasps and bees in Equatorial Sumatra** (pp. 125-138). Sapporo: Hokkaido University Press.
- Sanders, N. J., Moss, J. and Wagner, D. (2003). Patterns of ant species richness along elevational gradients in an arid ecosystem. **Global Ecology and Biogeography**, 12(2), 93-102.

- Sato, H. (2002). The role of autonomous self-pollination in floral longevity in varieties of *Impatiens hypophylla* (Balsaminaceae). **American Journal of Botany**, 89(2), 263-269.
- Schwarz, H. F. (1939). The Indo-Malayan species of *Trigona*. **Bulletin of the American Museum of Natural History**, 76(1), 83-141.
- Shattuck, S. O. (1999). **Australian ants: Their biology and identification**. Collingwood: CSIRO Publishing.
- Sitthicharoenchai, D. and Chantarasawat, N. (2006). Ant species diversity in the establishing area for Advanced Technology Institute at Lai-Nan sub-district, Wiang Sa district, Nan province, Thailand. **The Natural History Journal of Chulalongkorn University**, 6(2), 67-74.
- Speight, M. R., Hunter, M. D. and Watt, A. D. (1999). **Ecology of insects: Concepts and applications**. Great Britain: Blackwell Science.
- Suzuki, H. (1980). Trombiculid fauna in Nansei Islands and their characteristics (Prostigmata, Trombiculidae). **Tropical Medicine**, 22(3): 137-159.
- Tasen, W. (2001). **The role of some major insect pollinators on pollination of teak (*Tectona grandis* Linn.f.)**. Master thesis, M.Sc., Kasetsert University, Bangkok.
- Thapyai, C. (1996). **The reproductive ecology of forest plants on some successional stages**. Master thesis, M.Sc., Kasetsert University, Bangkok.
- Turillazzi, S. (1989). The origin and evolution of social life in the Stenogastrinae (Hymenoptera, Vespidae). **Journal of Insect Behavior**, 2(5), 649-661.
- Tüzün, A. (2004). Studies on Scoliidae (Insecta: Hymenoptera) fauna of Ankara province. **F. Ü. Fen ve Mühendislik Bilimleri Dergisi**, 16(1), 25-29.
- Vecht, J. van der. (1966). The East Asiatic and Indo-Australian species of *Polybioides* du Buysson and *Parapolybia* de Saussure (Hym., Vespidae). **Zoologische Verhandelingen**, 82(1), 1-42.
- Velthuis, H. H. W. (1997). **The biology of stingless bees**. Brazil: University of São Paulo Press.
- Watanasit, S., Noon-anant, N. and Binnima, N. (2005). Preliminary survey of ants at a reserve area of Prince of Songkla University, Songkhla Province, Southern Thailand. **Songklanakarin Journal of Science and Technology**, 27(1), 39-46.

- Warrit, N. (2007). *Ceratina (Ceratinidia) compacta*, a small carpenter bee in Thailand: An apparent recent addition to the fauna (Hymenoptera, Apidae). **Journal of the Kansas Entomological Society**, 80(1), 72-77.
- Wcislo, W. T., Gonzalez, V. H. and Arneson, L. (2004). A review of deviant phenotypes in bees in relation to brood parasitism, and a gynandromorph of *Megalopta genalis* (Hymenoptera: Halictidae). **Journal of Natural History**, 38(11), 1443-1457.
- Yamane, S. (1990). A revision of the Japanese Eumenidae (Hymenoptera, Vespoidea). **Insecta Matsumurana**, 43, 1-189.
- Yamane, S., Ikudome, S. and Terayama, M. (1999). **Identification guide to the Aculeata of the Nansei Islands, Japan**. Sapporo: Hokkaido University Press.
- Zhu, H. (2006). Forest vegetation of Xishuangbanna, south China. **Forest Stud China**, 8(2), 1-58.

