



บรรณานุกรม

- กมลชนก แสงสว่าง และชลอ จาชุสทธิรักษ์. (2552). ปัจจัยที่มีผลต่อการกำจัดฟอร์มัลดีไฮด์ในน้ำเสียด้วยระบบເອສບีอาร์. ใน การประชุมวิชาการวิศวกรรมโยธาแห่งชาติ ครั้งที่ 14. นครราชสีมา: สำนักวิชาชีววิศวกรรมศาสตร์ มหาวิทยาลัยเทคโนโลยีสุรนารี.
- กรมควบคุมมลพิษ. (2541). ฟอร์มัลดีไฮด์ (พิมพ์ครั้งที่ 2). กรุงเทพฯ: กองจัดการสารอันตรายและการของเสีย กรมควบคุมมลพิษ.
- ธงชัย พรวนสวัสดิ์ และวินูลย์ลักษณ์ ศรีสวัสดิ์. (2540). คู่มือการวิเคราะห์น้ำเสีย (พิมพ์ครั้งที่ 3). กรุงเทพฯ: สมาคมวิศวกรช่างเคมีล้อม.
- ประกาศกระทรวงวิทยาศาสตร์เทคโนโลยี และสิ่งแวดล้อม ฉบับที่ 3. (2539). กำหนดมาตรฐานควบคุมการระบายน้ำทึบจากแหล่งกำเนิดประเภท โรงงานอุตสาหกรรมและนิคมอุตสาหกรรม. กรุงเทพฯ: กระทรวงวิทยาศาสตร์เทคโนโลยี และสิ่งแวดล้อม.
- มั่นเดิน ตันตุลเกศร์. (2548). คู่มือวิเคราะห์คุณภาพน้ำ (พิมพ์ครั้งที่ 4). กรุงเทพฯ: แซน อี.68 แลบ.
- Adroer, N., Casas, C., De Mas, C. and Sola, C. (1990). Mechanism of formaldehyde biodegradation by *Pseudomonas putida*. Appl. Microbiol. Biotechnol, 33(2), 217-220.
- Ammary, B. Y. (2004). Nutrients requirements in biological industrial wastewater treatment. African Journal of Biotechnology, 3 (4), 236-238.
- Arfman, N., Dijkhuizen, L., Kirchhof, G., Ludwig, W., Schleifer, K-H., Bulygina, E. S., et al. (1992). *Bacillus methanolicus* sp. nov., a new species of thermotolerant, methanol-utilizing, endospore-forming bacteria. Int J Syst Bacteriol, 42(3), 439-445.
- Arutchelvan, V., Kanakasabai, V., Nagarajan, S. and Muralikrishnan, V. (2005). Isolation and identification of novel high strength phenol degrading bacterial strains from phenol-formaldehyde resin manufacturing industrial wastewater, Journal of Hazardous Materials, 127 (1-3), 238-243.
- Azachi, M., Henis, Y., Oren, A., Gurevich, P. and Sarig, S. (1995). Transformation of formaldehyde by a *Hafomonas* sp. Can J Microbial, 41(6), 548-553.
- Budavari, S. (1989). The merck index - an encyclopedia of chemicals, drugs, and biologicals (11th ed.). Rahway, N.J., U.S.A. : Merck, & Co.

- Cheng, C. R., Liang, S. Wang, H. C. and Beuhler, M. D. (1994). Enhanced coagulation for arsenic removal. *J. American Water Works Association*, 86(9), 79-90.
- Chistoserdova, L., Vorholt, J. A. and Lidstrom, M. E. (2005). A genomic view of methane oxidation by aerobic bacteria and anaerobic archaea. *Genome Biology*, 6(2), 208.
- Codd, G. A., Dijkhuzin, L. and Tabita, F. R. E. (1990). Advances in autotrophic microbiology and one-carbon metabolism. The Netherlands: Kluwer Academic.
- Collins, J .J., Caporossi, J .C. and Utidjian, H .M. (1988). Formaldehyde exposure and nasopharyngeal cancer: Re-examination of the national cancer institute study and an update of one plant. *J Natl Cancer Inst*, 80(5), 376-377.
- Costa, C., Vecherskaya, M., Dijkema, C. and Stams, A. J. (2001). The effect of oxygen on methanol oxidation by an obligate methanotrophic bacterium studied by *in vivo* ^{13}C nuclear magnetic resonance spectroscopy. *J Ind Microbiol Biotechnol*, 26(1-2), 9-14.
- Crowther, G. J., Kosa'ly, G. and Lidstrom, M. E. (2008). Formate as the main branch point for methylotrophic metabolism in *Methylobacterium extorquens* AM1. *Journal of Bacteriology*, 190(14), 5057-5062.
- Eiroa, M., Kennes, C. and Veiga, M. C. (2005). Simultaneous nitrification and formaldehyde biodegradation in an activated sludge unit. *Bioresource Technology*, 96(17), 1914-1918.
- Eiroa, M., Vilar, A., Kennes, C. and Veiga, M.C. (2006). Biological treatment of industrial wastewater containing formaldehyde and formic acid. *Water SA*, 32(1), 115-118.
- Ernest, F. Gale and Helen, M. R. Epps. (1942). The effect of the pH of the medium during growth on the enzymic activities of acteria of bacteria (*Escherichia coli* and *Micrococcus lysodeikticus*) and the biological significance of the changes, produced. *Biochem J.*, 36(7-9), 600-618.
- Garrido, J.M., Mendez, R. and Lema, J.M. (2000). Treatment of wastewater from a formaldehyde-urea adhesives factory. *Water Science and Technology*, 42(5-6), 293-300.

- Glancer-soljan, M., Soljan, V., Dragicevic, T. L. and Cacic, L. (2001). Aerobic degradation of formaldehyde in wastewater from the production of melamine resins. *Food Technol. Biotechnol.*, 39(3), 197-202.
- Gonzalez, C. F., Proudfoot, M., Brown, G., Korniyenko, Y., Hirotada Mori, H., Savchenko, A. V., et al. (2006). Molecular basis of formaldehyde detoxification characterization of two s-formylglutathione hydrolases from *Escherichia coli*, *FrmB* and *YeiG*. *The Journal of Biological Chemistry*, 281(20), 14514-14522.
- Goodman, L.S. and Gilman, A. (1975). *The pharmacological basis of therapeutics* (5th ed.). New York: Macmillan.
- Gosselin, R. E., Smith R. P. and Hodge, H. C. (1984). *Clinical toxicology of commercial products*. (5th ed.). Baltimore: Williams and Wilkins.
- Grafstrom, R. C., Fornace, A. J. Jr, Autrup, H., Lechner, J. F. and Harris, C. C. (1983). Formaldehyde damage to DNA and inhibition of DNA repair in human bronchial cells. *Science*, 220(4593), 216-218.
- Green, H. H. (1981). Description of a bacterium which oxidizes arsenite to arsenate and of one which reduces arsenate to arsenite, isolated from a cattle-dipping tank. *S. Afr. J. Sci.*, 77, 465-467.
- Hanson, R. S. and Hanson, T. E. (1996). Methanotrophic bacteria. *Microbiological Reviews*, 60(2), 439-471.
- Hidalgo, A., Lopategi, A., Prieto, M., Serra, J. L. and Llama, M. J. (2002). Formaldehyde removal in synthetic and industrial wastewater by *Rhodococcus erythropolis* UPV-1. *Appl Microbiol Biotechnol*, 58(2), 260-263.
- Harnden D. G. (1977). IARC Monographs on the evaluation of the carcinogenic risk of chemicals to man. *Br J Cancer*, 35(1), 125.
- Kalyuzhnaya, M. G., De Marco, P., Bowerman, S., Pacheco, C. C., Lara, J. C., Lidstrom, M. E., et al. (2006). *Methyloversatilis universalis* gen. nov., sp. nov., a novel taxon within the *Betaproteobacteria* represented by three methylotrophic isolates. *Int J Syst Evol Microbiol*, 56(11), 2517-2522.

- Kao, C.M., Liu, J.K., Lou, H.R., Lin, C.S. and Chen, S.C. (2003). Biotransformation of cyanide to methane and ammonia by *Klebsiella oxytoca*. *Chemosphere*, 50(8), 1055-1061.
- Kaszycki, P., Tyszka, M., Malec, P. and Koloczek, H. (2001). Formaldehyde and methanol biodegradation with the methylotrophic yeast *Hansenula polymorpha*. An application to real wastewater treatment. *Biodegradation*, 12(3), 169-177.
- Kato, N., Kobayashi, H., Shimao, M., and Sakazawa, C. (1984). Properties of formaldehyde dismutation catalyzing enzyme of *Pseudomonas putida* F61. *Agric Biol Chem*, 48, 2017-2023.
- Kaulfers, P. M. and Laufs, R. bertragbare. (1985). Formaldehyde resistenz bei *Serratia marcescens*. *Zentralbl Bakteriol Mikrobiol Hyg1 Atb Orig B*, 181(3-5), 309-319.
- Kaulfers, P. M. and Marquardt, A. (1991). Demonstration of formaldehyde dehydrogenase activity in formaldehyde-resistant Enterobacteriaceae. *FEMS Microbiol Lett.*, 63(2-3), 335-338.
- Kim, B.H. and Gadd, G.M. (2008). *Bacterial physiology and metabolism*. UK.: Cambridge University Press.
- Kondo T., Morikawa Y., Hayashi N. and Kitamoto N. (2002). Purification and characterization of formate oxidase from a formaldehyde-resistant fungus. *Federation of European Microbiological Societies*, 214(1), 137-142.
- Kondo T., Morikawa Y. and Hayashi N. (2008). Purification and characterization of alcohol oxidase from *Paecilomyces variotii* isolated as a formaldehyde-resistant fungus. *Appl Microbiol Biotechnol*, 77(5), 995-1002.
- Lay, J.J. (2000). Modeling and optimization of anaerobic digested sludge converting starch to hydrogen. *Biotechnol Bioeng*, 68(3), 269-278.
- Lotfy, H.R. and Rashed, I.G. (2002). A method for treating wastewater containing formaldehyde. *Water research*, 36(3), 633-637.
- Material Safety Data Sheet (MSDS). (2009). [Brochure]. Canada: Mallinckrodt Baker.

- Marx, C. J., Miller, J. A. and Chistoserdova, L. (2004). Multiple formaldehyde oxidation/detoxification pathways in *Burkholderia fungarum* LB400. *Journal of bacteriology*, 186(7), 2173-2178.
- Mirdamadi, S., Rajabi, A., Khalilzadeh, P., Norozian, D., Akbarzadeh, A. and Mohseni, F. A. (2005). Isolation of bacteria able to metabolize high concentrations of formaldehyde. *World Journal of Microbiology & Biotechnology*, 21(6-7), 1299-1301.
- Mitsui, R., Omori, M., kitazawa, H. and Tanaka, M. (2005). Formaldehyde-limited cultivation of a newly isolated methylotrophic bacterium, *Methylobacterium* sp. MF1: Enzymatic analysis related to C₁ metabolism. *Journal of Bioscience and Bioengineering*, 9(1), 18-22.
- Motete, M. A., Suidan, M. T., Kim, J., Maloney, S. W. (2002). Perturbed loading of a formaldehyde waste in an anaerobic granular activated carbon fluidized bed reactor. *Water Research*, 36(15), 3775-3785.
- Moussavi, G., Yazdanbakhsh, A., Heidarizad, M. (2009). The removal of formaldehyde from concentrated synthetic wastewater using O₃/MgO/H₂O₂ process integrated with the biological treatment. *J. Hazard. Mater.*, 15(171), 907-13.
- Nash, T. (1953). The colorimetric estimation of formaldehyde by means of the Hantsch reaction. *Biochemical Journal*, 55(3), 416-421.
- Newton, G. L., Buchmeier, N. and Fahey, R. C. (2008) Biosynthesis and functions of mycothiol, the unique protective thiol of *Actinobacteria*. *Microbiology and Molecular Biology Reviews*, 72(3), 471-494.
- Oliveira, S. V. W. B., Moraes, E. M., Adorno, M. A. T., Varesche, M. B. A., Foresti, E., and Zaiat, M. (2004). Formaldehyde degradation in an anaerobic packed-bed bioreactor. *Water Research*, 38(7), 1685-169.
- Olukanni, O. D., Osuntoki, A. A. and Gbenle, G. O. (2006). Textile effluent biodegradation potentials of textile effluent-adapted and non-adapted bacteria. *African Journal of Biotechnology*, 5(20), 1980-1984

- Omil, F., Mendez, D., Vidal, G., Mendez, R., and Lema, J. M. (1999). Biodegradation of formaldehyde under anaerobic conditions. *Enzyme Microb. Technol.*, 24(5-6), 255-262.
- Ong, S. L., Sarkar, S. K., Lee, L.Y, Hu, J. Y., Ng, H. Y. and Van Loosdrecht, M. (2006). Effect of formaldehyde on biofilm activity and morphology in an ultracompact biofilm reactor for carbonaceous wastewater treatment. *Water Environ Res*, 78(4), 372-80.
- Osol, A. (1980). Remington's pharmaceutical sciences (16th ed.). Easton, Pennsylvania: Mack.
- Parker, D. L., Schram, B. R., Plude, J. L. and Moore, R. E. (1996). Effect of metal cations on the viscosity of a pectin-like capsular polysaccharide from the cyanobacterium *Microcystis flos-aquae* C3-40. *Applied And Environmental Microbiology*, 62(4), 1208-1213.
- Pereira, N. S. and Zaiat, M. (2009). Degradation of formaldehyde in anaerobic sequencing batch biofilm reactor (ASBBR). *Journal of Hazardous Materials*, 163(2-3), 777-782.
- Pokhrel, D. and Viraraghavan, T. (2006). Arsenic removal from an aqueous solution by a modified fungal biomass. *Water Res*, 40(3), 549-552.
- Richard, M. (2003). Activated sludge microbiology problems and their control. In The 20th Annual USEPA National Operator Trainers Conference Buffalo. NY: Fort Collins.
- Roca, A., Rodríguez-Herva, J. J. and Ramos, J. L. (2009). Redundancy of enzymes for formaldehyde detoxification in *Pseudomonas putida*. *J Bacteriol*, 191(10), 3367-3374.
- Sancha, A. M. (2006). Review of Coagulation Technology for Removal of Arsenic: Case of Chile. *J Health Popul Nutr*, 24(3), 267-272.
- Schutte, H., Flossdorf, J., Sahm, H. and Kula, M-R. (1976). Purification and properties of Formaldehyde dehydrogenase and Formate dehydrogenase from *Candida boidinii*. *Eur. J. Biochem*, 62(1), 151-160.

Sequencing batch reactor design and operational considerations. (2005). [Brochure] USA: NEIWPCC.

Singh, A. L. and Sarma, P. N. (2010). Removal of arsenic (III) from waste water using *Lactobacillus acidophilus*. *Bioremediation Journal*, 14(2), 92-97.

Van Dijken, J. P., Otto, R. and Harder, W. (1976). Growth of *Hansenula polymorpha* in a methanol limited chemostat. Physiological responses due to the involvement of methanol oxidase as a key enzyme in methanol metabolism. *Archives of Microbiology*, 111(1-2), 137-144.

Van Spanning, R. J. M., de Vries, S. and Harms, N. (2000). Coping with formaldehyde during C1 metabolism of *Paracoccus denitrificans*. *Journal of Molecular Catalysis B: Enzymatic*, 8(1-3), 37-50.

Vidal, G., Jiang, Z. P., Omil, F., Thalasso, F., Mendez, R., and Lema, J. M. (1999). Continuous anaerobic treatment of wastewaters containing formaldehyde and urea. *Bioresource Technology*, 70(3), 283-291.

Vorholt, J. A., Chistoserdova, L., Lidstrom, M. E. and Thauer, R. K. (1998). The NADP-dependent methylene tetrahydromethanopterin dehydrogenase in *Methylobacterium extorquens* AM1. *J. Bacteriol*, 180(20), 5351–5356.

Wang, Y-T. (2004) Role of bacteria in arsenic removal from an aqueous environment. *Journal of Environmental Engineering*, 130(10), 1071.

Yoshida, K., Ishii, H., Ishihara, Y., Saito, H. and Okada, Y. (2009). Bioremediation potential of formaldehyde by the marine microalga *Nannochloropsis oculata* ST-3 strain. *Applied Biochemistry and Biotechnology*, 157(2), 321-328.

Yurimoto, H., Kato, N. and Sakai, Y. (2005). Assimilation, dissimilation, and detoxification of formaldehyde, a central metabolic intermediate of methylotrophic metabolism. *The Chemical Record*, 5(6), 367-375.