



บรรณานุกรม

- [1] Liu, W.-C., Wu, D., Li, A.-D., Ling, H.-Q., Tang, Y.-F. and Ming, N.-B. (2002). Annealing and doping effects on structure and optical properties of sol-gel derived ZrO_2 thin films. *Applied Surface Science*, 191(1-4), 181-187.
- [2] Quan, Z. W., Wang, L. S. and Lin, J. (2005). Synthesis and characterization of spherical $\text{ZrO}_2:\text{Eu}^{3+}$ phosphors by spray pyrolysis process. *Materials Research Bulletin*, 40(5), 810-820.
- [3] Zhang, Q., Wang, J., Ni, H. and Wang, L. (2012). Synthesis and luminescent properties of Ln^{3+} ($\text{Ln}^{3+} = \text{Eu}^{3+}, \text{Dy}^{3+}$) -doped $\text{Bi}_2\text{ZnB}_2\text{O}_7$ phosphors. *Rare Metals*, 31(1), 35-38.
- [4] McKittrick, J., Shea, L. E., Bacalski, C. F. and Bosze, E. J. (1999). The influence of processing parameters on luminescent oxides produced by combustion synthesis. *Displays*, 19(4), 169-172.
- [5] Wakefield, G., Keron, H. A., Dobson, P. J. and Hutchison, J. L. (1999). Synthesis and Properties of Sub-50-nm Europium Oxide Nanoparticles. *Journal of Colloid and Interface Science*, 215(1), 179-182.
- [6] Valeur, B. (2001). *Characteristics of Fluorescence Emission*. N.p.: n.p.
- [7] Nielsen, R. (2000). *Zirconium and Zirconium Compounds*. N.p.: n.p.
- [8] Shukla, S., Seal, S., Vij, R. and Bandyopadhyay, S. (2002). Effect of HPC and water concentration on the evolution of size, aggregation and crystallization of sol-gel nano zirconia. *Journal of Nanoparticle Research*, 4(6), 553-559.
- [9] Shukla, S., Seal, S. and Vanfleet, R. (2003). Sol-gel synthesis and phase evolution behavior of sterically stabilized nanocrystalline zirconia. *Journal of Sol-Gel Science and Technology*, 27(2), 119-136.
- [10] Vladimir, P. O., James, M. H., Satyajit, S. and Sudipta, S. (2004). High-resolution and analytical TEM investigation of metastable-tetragonal phase stabilization in undoped nanocrystalline zirconia. *Journal of Nanoscience and Nanotechnology*, 4(7), 867-875.

- [11] Lai, L.-J., Chu, T.-C., Lin, M.-I. and Lin, Y.-K. (2007). Photoluminescence of thin films $\text{ZrO}_2 : \text{Er}^{3+}$ excited by soft X-ray. *Solid State Communications*, 144(5–6), 181–184.
- [12] Yang, H., Ouyang, J., Zhang, X., Wang, N. and Du, C. (2008). Synthesis and optical properties of yttria-doped ZrO_2 nanopowders. *Journal of Alloys and Compounds*, 458(1–2), 474–478.
- [13] Chang, J. P., Lin, Y.-S. and Chu, K. (2001). Rapid thermal chemical vapor deposition of zirconium oxide for metal-oxide-semiconductor field effect transistor application. *Journal of Vacuum Science & Technology B: Microelectronics and Nanometer Structures*, 19(5), 1782–1787.
- [14] Garvie, R. C. (1978). Stabilization of the tetragonal structure in zirconia microcrystals. *The Journal of Physical Chemistry*, 82(2), 218–224.
- [15] Djurado, E. and Meunier, E. (1998). Synthesis of Doped and Undoped Nanopowders of Tetragonal Polycrystalline Zirconia (TPZ) by Spray-Pyrolysis. *Journal of Solid State Chemistry*, 141(1), 191–198.
- [16] Bokhimi, X., Morales, A., Garcia-Ruiz, A., Xiao, T. D., Chen, H. and Strutt, P. R. (1999). Transformation of yttrium-doped hydrated zirconium into tetragonal and cubic nanocrystalline zirconia. *Journal of Solid State Chemistry*, 142(2), 409–418.
- [17] Bokhimi, X., Sánchez-Valente, J. and Pedraza, F. (2002). Crystallization of sol–gel boehmite via Hydrothermal annealing. *Journal of Solid State Chemistry*, 166(1), 182–190.
- [18] Song, X., Xie, M., Zhou, F., Jia, G., Hao, X. and An, S. (2011). High-temperature thermal properties of yttria fully stabilized zirconia ceramics. *Journal of Rare Earths*, 29(2), 155–159.
- [19] Fujihara, S., Suzuki, A. and Kimura, T. (2003). Ga-doping effects on electrical and luminescent properties of $\text{ZnO}:(\text{La}, \text{Eu})$ of red phosphor thin films. *Journal of Applied Physics*, 94(4), 2411–2416.

- [20] Ozgur, U., Alivov, Y. I., Liu, C., Teke, A., Reshchikov, M. A., Dogan, S., et al. (2005). A comprehensive review of ZnO materials and devices. *Journal of Applied Physics*, 98(4), 041301-041103.
- [21] Aoki, T., Hatanaka, Y. and Look, D. C. (2000). ZnO diode fabricated by excimer-laser doping. *Applied Physics Letters*, 76(22), 3257-3258.
- [22] Gorla, C. R., Emanetoglu, N. W., Liang, S., Mayo, W. E., Lu, Y., Wraback, M., et al. (1999). Structural, optical, and surface acoustic wave properties of epitaxial ZnO films grown on (011-bar 2) sapphire by metalorganic chemical vapor deposition. *Journal of Applied Physics*, 85(5), 2595-2602.
- [23] Jo, S. H., Lao, J. Y., Ren, Z. F., Farrer, R. A., Baldacchini, T. and Fourkas, J. T. (2003). Field-emission studies on thin films of zinc oxide nanowires. *Applied Physics Letters*, 83(23), 4821-4823.
- [24] Metal oxides: chemistry and applications. (2005). *Materials Today*, 8(12), 59.
- [25] Wang, Z. L. (2004). Nanostructures of zinc oxide. *Materials Today*, 7(6), 26-33.
- [26] Sastri, V. S., Bunzli, J. C., Perumareddi, J. R., Rao, V. R. and Rayudu, G. V. S. (2003). *Modern Aspects of Rare Earths and Their Complexes*. N.p.: Elsevier
- [27] Eliseeva, S. V. and Bunzli, J.-C. G. (2010). Lanthanide luminescence for functional materials and bio-sciences. *Chemical Society Reviews*, 39(1), 189-227.
- [28] Escribano, P., Julian-Lopez, B., Planelles-Arago, J., Cordoncillo, E., Viana, B. and Sanchez, C. (2008). Photonic and nanobiophotonic properties of luminescent lanthanide-doped hybrid organic-inorganic materials. *Journal of Materials Chemistry*, 18(1), 23-40.
- [29] Achilefu, S. (2010). Introduction to concepts and strategies for molecular imaging. *Chemical Reviews*, 110(5), 2575-2578.
- [30] Binnemans, K. (2009). Lanthanide-based luminescent hybrid materials. *Chemical Reviews*, 109(9), 4283-4374.
- [31] Moore, E. G., Samuel, A. P. S. and Raymond, K. N. (2009). From antenna to assay: lessons learned in lanthanide luminescence. *Accounts of Chemical Research*, 42(4), 542-552.

- [32] Sabbatini, N., Guardigli, M. and Lehn, J.-M. (1993). Luminescent lanthanide complexes as photochemical supramolecular devices. *Coordination Chemistry Reviews*, 123(1–2), 201-228.
- [33] Weissman, S. I. (1942). Intramolecular energy transfer the fluorescence of complexes of europium. *The Journal of Chemical Physics*, 10(4), 214-217.
- [34] De la Rosa, E., Diaz-Torres, L. A., Salas, P. and Rodríguez, R. A. (2005). Visible light emission under UV and IR excitation of rare earth doped ZrO_2 nanophosphor. *Optical Materials*, 27(7), 1320-1325.
- [35] Mitsuyasu, H., Nonaka, Y. and Eguchi, K. (1998). Analysis of solid state reaction at the interface of yttria-doped ceria/yttria-stabilized zirconia. *Solid State Ionics*, 113–115(0), 279-284.
- [36] Zhou, Y., Lin, J., Yu, M., Wang, S. and Zhang, H. (2002). Synthesis-dependent luminescence properties of $\text{Y}_3\text{Al}_5\text{O}_{12}:\text{Re}^{3+}$ (Re=Ce, Sm, Tb) phosphors. *Materials Letters*, 56(5), 628-636.
- [37] Iwasaki, M., Inubushi, Y. and Ito, S. (1997). New route to prepare ultrafine ZnO particles and its reaction mechanism. *Journal of Materials Science Letters*, 16(18), 1503-1505.
- [38] Tian, Y., Qi, X., Wu, X., Hua, R. and Chen, B. (2009). Luminescent properties of $\text{Y}_2(\text{MoO}_4)_3:\text{Eu}^{3+}$ red phosphors with flowerlike shape prepared via coprecipitation method. *The Journal of Physical Chemistry C*, 113(24), 10767-10772.
- [39] Shi, Y., Wang, Y., Wang, D., Liu, B., Li, Y. and Wei, L. (2012). Synthesis of hexagonal prism (La, Ce, Tb) PO_4 phosphors by precipitation method. *Crystal Growth & Design*, 12(4), 1785-1791.
- [40] Chen, D., Jiao, X. and Cheng, G. (1999). Hydrothermal synthesis of zinc oxide powders with different morphologies. *Solid State Communications*, 113(6), 363-366.

- [41] Sekiguchi, T., Miyashita, S., Obara, K., Shishido, T. and Sakagami, N. (2000). Hydrothermal growth of ZnO single crystals and their optical characterization. *Journal of Crystal Growth*, 214–215(0), 72-76.
- [42] An, J.-S., Noh, J. H., Cho, I.-S., Roh, H.-S., Kim, J. Y., Han, H. S., et al. (2010). Tailoring the morphology and structure of nanosized Zn_2SiO_4 : Mn^{2+} phosphors using the hydrothermal method and their luminescence properties. *The Journal of Physical Chemistry C*, 114(23), 10330-10335.
- [43] Feng, S. and Xu, R. (2000). New Materials in Hydrothermal Synthesis. *Accounts of Chemical Research*, 34(3), 239-247.
- [44] Gu, M., Liu, Q., Mao, S., Mao, D. and Chang, C. (2008). Preparation and photoluminescence of single-crystalline GdVO_4 : Eu^{3+} nanorods by hydrothermal conversion of $\text{Gd}(\text{OH})_3$ nanorods. *Crystal Growth & Design*, 8(4), 1422-1425.
- [45] Hua, Z., Wang, X. M., Xiao, P. and Shi, J. (2006). Solvent effect on microstructure of yttria-stabilized zirconia (YSZ) particles in solvothermal synthesis. *Journal of the European Ceramic Society*, 26(12), 2257-2264.
- [46] Lee, J.-W., Lee, J.-H., Woo, E.-J., Ahn, H., Kim, J.-S. and Lee, C.-H. (2008). Synthesis of nanosized Ce^{3+} , Eu^{3+} -codoped YAG phosphor in a continuous supercritical water system. *Industrial & Engineering Chemistry Research*, 47(16), 5994-6000.
- [47] Jia, G., Song, Y., Yang, M., Huang, Y., Zhang, L. and You, H. (2009). Uniform YVO_4 : Ln^{3+} ($\text{Ln} = \text{Eu}$, Dy , and Sm) nanocrystals: Solvothermal synthesis and luminescence properties. *Optical Materials*, 31(6), 1032-1037.
- [48] Yi, S.-s., Bae, J. S., Moon, B. K., Jeong, J. H. and Kim, J. H. (2006). Highly enhanced luminescence of nanocrystalline TiO_2 : Eu^{3+} phosphors. *Optical Materials*, 28(6–7), 610-614.
- [49] Westin, G. and Nygren, M. (1992). On the formation of M^{2+} - Sb^{3+} -alkoxide precursors and sol-gel processing of M-Sb oxides with $\text{M} = \text{Cr}$, Mn , Fe , Co , Ni , Cu and Zn . *Journal of Materials Science*, 27(6), 1617-1625.

- [50] Westin, G., Ekstrand, A., Nygren, M., Osterlund, R. and Merkelbach, P. (1994). Preparation of ZnO-based varistors by the sol-gel technique. *Journal of Materials Chemistry*, 4(4), 615-621.
- [51] Zhang, C. (2010). High-quality oriented ZnO films grown by sol-gel process assisted with ZnO seed layer. *Journal of Physics and Chemistry of Solids*, 71(3), 364-369.
- [52] Bio-Gro's Complete Fertility System - Foliar Chelating Agents (n.d.). Chelating Agents. Retrieved January 17, 2012, from <http://biogro.com>.
- [53] Wood, E. J. (1987). Data for biochemical research (3rd ed.) In R M C Dawson, D C Elliott, W H Elliott and K M Jones (p 580). Oxford Science Publications, OUP, Oxford, 1986. *Biochemical Education*, 15(2), 97-97.
- [54] Kitagawa, S. and Kondo, M. (1998). Functional micropore chemistry of crystalline metal complex-assembled compounds. *Bulletin of the Chemical Society of Japan*, 71(8), 1739-1753.
- [55] Hiroaki Yanagida, K. K., Masaru Miyayama. (1996). *The Chemistry of Ceramics*.
- [56] University of Cambridge (2004-2012). Fuel Cells : Electrolyte. Retrieved January 17, 2012, from <http://www.doitpoms.ac.uk>.
- [57] Garcia-Hipolito, M., Falcony, C., Aguilar-Frutis, M. A. and Nieto, J. A. (2001). Synthesis and characterization of luminescent $\text{ZrO}_2\text{:Mn, Cl}$ powders. *Applied Physics Letters*, 79(26), 4369-4371.
- [58] Zhu, L. Y., Wang, X. Q., Yu, G., Hou, X. Q., Zhang, G. H., Sun, J., et al. (2008). Effect of Ce^{3+} doping and calcination on the photoluminescence of ZrO_2 (3% Y_2O_3) fibers. *Materials Research Bulletin*, 43(4), 1032-1037.
- [59] Zhou, Y., Lin, J., Yu, M. and Wang, S. (2004). Comparative study on the luminescent properties of $\text{Y}_3\text{Al}_5\text{O}_{12}\text{:RE}^{3+}$ (RE: Eu, Dy) phosphors synthesized by three methods. *Journal of Alloys and Compounds*, 375(1-2), 93-97.
- [60] Yu, M., Lin, J., Fu, J., Zhang, H. J. and Han, Y. C. (2003). Sol-gel synthesis and photoluminescent properties of $\text{LaPO}_4\text{:A}$ ($\text{A} = \text{Eu}^{3+}, \text{Ce}^{3+}, \text{Tb}^{3+}$) nanocrystalline thin films. *Journal of Materials Chemistry*, 13(6), 1413-1419.

- [61] Li, L., Yang, H. K., Moon, B. K., Fu, Z., Guo, C., Jeong, J. H., et al. (2008). Photoluminescence properties of $\text{CeO}_2\text{:Eu}^{3+}$ nanoparticles synthesized by a sol-gel method. *The Journal of Physical Chemistry C*, 113(2), 610-617.
- [62] Zhang, H., Fu, X., Niu, S., Sun, G. and Xin, Q. (2005). Synthesis and characterization of $\text{ZrO}_2\text{:Eu}$ nanopowder by EDTA complexing sol-gel method. *Materials Chemistry and Physics*, 91(2-3), 361-364.
- [63] Liao, J., Zhou, D., Yang, B., Liu, R. and Zhang, Q. (2012). Sol-gel preparation and photoluminescence properties of tetragonal $\text{ZrO}_2\text{:Y}^{3+}, \text{Eu}^{3+}$ nanophosphors. *Optical Materials*, 35(2), 274-279.
- [64] Zhang, J., Tang, Z., Zhang, Z., Fu, W., Wang, J. and Lin, Y. (2002). Synthesis of nanometer $\text{Y}_2\text{O}_3\text{:Eu}$ phosphor and its luminescence property. *Materials Science and Engineering: A*, 334(1-2), 246-249.
- [65] Zhong, S., Wang, S., Xu, H., Hou, H., Wen, Z., Li, P., et al. (2009). Spindlelike $\text{Y}_2\text{O}_3\text{:Eu}^{3+}$ nanorod bundles: hydrothermal synthesis and photoluminescence properties. *Journal of Materials Science*, 44(14), 3687-3693.
- [66] Wu, S., Zhang, S., Liu, Y. and Yang, J. (2007). The organic ligands coordinated long afterglow phosphor. *Materials Letters*, 61(14-15), 3185-3188.
- [67] Fang, T.-H., Chang, Y.-S., Ji, L.-W., Prior, S. D., Water, W., Chen, K.-J., et al. (2009). Photoluminescence characteristics of ZnO doped with Eu^{3+} powders. *Journal of Physics and Chemistry of Solids*, 70(6), 1015-1018.
- [68] Zhong, M., Shan, G., Li, Y., Wang, G. and Liu, Y. (2007). Synthesis and luminescence properties of Eu^{3+} -doped ZnO nanocrystals by a hydrothermal process. *Materials Chemistry and Physics*, 106(2-3), 305-309.
- [69] Introduction to Powder X-Ray Diffraction (2001). Retrieved January 17, 2012, from <http://www.smcr.fisica.unam.mx/8temasutiles/articulosutiles/Bas-XRD.pdf>.
- [70] Barron, A. R. (2009). *Physical Methods in Chemistry and Nano Science* (Vol. CHEM 475) Retrieved January 19, 2012, from <http://cnx.org/content/m38321/latest/?collection=col10699/latest>.

- [71] Kerdtoob, S. (2011). Effect of Y^{3+} and Calcination Temperature on Luminescent Property of $ZrO_2:Y:Sm$ Phosphor. Phitsanulok: Faculty of science.
- [72] Lunda, R. (2011). Synthesis and Characterization of Eu^{3+} Doped Ytria-Stabilized Zirconium Oxide Nanocrystals by Chemical Method. Phitsanulok: Faculty of science.
- [73] Mir, N., Salavati-Niasari, M. and Davar, F. (2012). Preparation of ZnO nanoflowers and Zn glycerolate nanoplates using inorganic precursors via a convenient rout and application in dye sensitized solar cells. *Chemical Engineering Journal*, 181–182(0), 779-789.
- [74] Bacce, E. D., Pires, A. M., Davalos, M. R. and Jafelicci Jr, M. (2001). Thermal decomposition and rehydration of strontium oxalate: Morphological evolution. *International Journal of Inorganic Materials*, 3(6), 443-452.
- [75] Dharmaprakash, S. M. and Rao, P. M. (1988). Infrared absorption spectra of $Ba_{1-x}Cd_xC_2O_4 \cdot 2.5 H_2O$. *Crystal Research and Technology*, 23(9), K143-K147.