



บรรณานุกรม

- Ahmed, N., Alam, S., Mustafa, G., Adnan, AB., Baiq, RH. and Khan, M. (2008). e-antigen-negative chronic hepatitis B in Bangladesh. *Hepatobiliary Pancreat Dis Int*, 7, 379-382.
- Bartholomeusz, A. and Locarnini, S. (2001). Hepatitis B virus mutants and fulminant hepatitis B: fitness plus phenotype. *Hepato*, 34(2), 432 – 435.
- Brunetto, MR., Stemler, M., Bonino, F., Schodel, F., Oliveri, F., Rizzetto, M., et al. (1990). A new hepatitis B virus strain in patients with severe anti- HBe positive chronic hepatitis B. *J Hepatol*, 10, 258-261.
- Carman, WF., Jacyna, MR., Hadziyannis, S., Karayiannis, P., McGarvey, MJ., Makris, A., et al. (1989). Mutation preventing formation of hepatitis B e antigen in patients with chronic hepatitis B infection. *Lancet Infect Dis*, 2(8663), 588 – 591.
- Chang, JJ. and Lewin, SR. (2007). Immunopathogenesis of hepatitis B virus infection. *Immunol Cell Biol*, 85, 16-23.
- Chang, KM. (2010). Hepatitis B immunology for clinician. *Clin Liver Dis*, 14, 409-424.
- Chongsrisawat, V., Yoocharoen, P., Theamboonlers, A., Tharmaphornpilas, P., Warinsathien, P., Sinlaparatsamee, S., et al. (2006). Hepatitis B seroprevalence in Thailand: 12 years after hepatitis B vaccine integration into the national expanded programme on immunization. *Trop Med Int Health*, 11, 1496-502.
- Chu, CJ., Keefe, EB., Han, SH., Perrillo, RP., Min, AD., Soldevila-Pico, C., et al. (2003). Hepatitis B virus genotypes in the United States: results of a nationwide study. *Gastroenterol*, 125, 444–451.
- Chu, CM. (2000). Natural history of chronic hepatitis B virus infection in adults with emphasis on the occurrence of cirrhosis and hepatocellular carcinoma. *J.Gastroenterol.Hepatol*, 15, 25–30.
- Chu, CM., Huang, SJ., Lin, J., Tai, DI. and Liaw, YF. (2004). Natural history of hepatitis Be antigen to antibody seroconversion in patients with normal serum aminotransferase level. *Am J Med*, 116, 829-834.

- Fattovich, G., Giustina, G., Schalm, SW., Hadziyannis, S., Sanchez-Tapias, J., Almasio, P., et al. (1995). Occurrence of hepatocellular carcinoma and decompensation in western European patients with cirrhosis type B. *Hepatol*, 21, 77-82.
- Frodsham, AJ. (2005). Host genetics and the outcome of hepatitis B viral infection. *Transl Immunol*, 14, 183-186.
- Funk, ML., Rosenberg, DM. and Lok, ASF. (2002). World-wide epidemiology of HBeAg-negative chronic hepatitis B and associated precore and core promoter variants. *J viral hepatitis*, 9, 52-61.
- Guidotti, LG. and Chisari, FV. (2006). Immunobiology and pathogenesis of viral hepatitis. *Annu Rev Pathol*, 1, 23-61.
- Gunther, S., Fischer, L., Pult, I., Sterneck, M. and Will, H. (1999). Naturally occurring variants of hepatitis B virus. *Adv Virus Res.*, 52, 25 -137.
- Harada, T. Shigeta, K. Noda, K. Fukumoto, Y., Nishimura, H., Mizuta, M., et al. (1980). Clinical implications of alpha- fetoprotein in liver cirrhosis: five-year follow-up study. *Hepatogastroenterol*, 27(3), 169-175.
- Harrison, TJ. (2006). Hepatitis B virus :molecular virology and common mutants. *Semin Liver Dis*, 26, 87-96.
- Hatzakis, A., Magiorkinis, E. and Haida, C. (2006). HBV virological assessment. *J Hepatol*, 44, 71-76.
- Hoofnagle, JH., Doo, E., Liang, TJ., Fleischer, R. and Lok, AS. (2007). Management of hepatitis B: summary of a clinical research workshop. *Hepatol*, 45, 1056-1075.
- Hoofnagle, JH., Dusheiko, GM., Seeff, LB., Jones, EA., Waggoner, JG. and Bales, ZB. (1981). Seroconversion from hepatitis Be antigen to antibody in chronic type B hepatitis. *Ann Intern Med*, 94, 744-748.
- Hsu, YS., Chien, RN., Yeh, CT., Sheen, IS., Chiou, HY., Chu, CM., et al. (2002). Long-term outcome after spontaneous HBeAg seroconversion in patients with chronic hepatitis B. *Hepatol*, 35, 1522-1527.

- Hussain, SP., Schwank, J., Staib, F., Wang, XW. and Harris, CC. (2007). TP 53 mutations and hepatocellular carcinoma: Insights into the etiology and pathogenesis of liver cancer. *Oncogene*, 26, 2166-2176.
- Iloeje, UH., Yang, H., Su, J., Jen, CL., You, SL. and Chen, CJ. (2006). Risk Evaluation of Viral Load Elevation and Associated Liver Disease/Cancer-In HBV (the REVEAL-HBV) Study Group. Predicting cirrhosis risk based on the level of circulating hepatitis B viral load. *Gastroenterol*, 130, 678-686.
- Isogawa, M., Robek, MD., Furuichi, Y. and Chisari, FV. (2005). Toll-like receptor signaling inhibits hepatitis B virus replication. *J Virol*, 79, 7269-7272.
- Jung, MC. and Pape, GR. (2002). Immunology of hepatitis B infection. *Lancet Infect Dis*, 2, 43-50.
- Kakimi, K., Guidotti, LG., Koezuka, Y. and Chisari, FV. (2000). Natural killer T cell activation inhibits hepatitis B virus replication. *J Exp Med*, 192, 921-930.
- Kay, A. and Zoulim, F. (2007). Hepatitis B virus genetic variability and evolution. *Vis Res*, 127, 164-176.
- Khokhar, A. and Afdhal, N. (2008). Therapeutic strategies for chronic hepatitis B virus infection in 2008. *Lancet Infect Dis.*, 21(12A), 33-44.
- Kim, HC., Nam, CM., Jee, SH., Han, KH., Oh, DK. and Suh, I. (2004). Normal serum aminotransferase concentration and risk of mortality from liver diseases: Prospective cohort study. *BMJ.*, 328, 983-988.
- Lai, CL. and Wong, DKH. (2008). Discovery and classification of hepatitis viruses In: Lai CL, Locarnini S, eds. *Hepatitis B virus* (2nd ed.) London: International Medical Press.
- Lai, CL. and Yuen, MF. (2007). The natural history of chronic hepatitis B. *J Viral Hepat*, 14(1), 6-10.
- Lannacone, M., Sitia, G., Ruggeri, ZM. and Guidotti, LG. (2007). HBV pathogenesis in animal models: Recent advances on the role of platelets. *J Hepatol*, 46, 719-726.
- Lavanchy, D. (2004). Hepatitis B virus epidemiology, disease burden, treatment and current and emerging prevention and control measures. *J. Viral Hepat*, 11, 97-107.

Lazarevic, I., Cupic, M., Delic, D., Svrtlih, NS., Simonovic, J. and Jovanovic, T. (2010).

Prevalence of hepatitis B virus MHR mutations and their correlation with genotypes and antiviral therapy in chronically infected patients in Serbia.

J Med Virol, 82(7), 1160-1167.

Liaw, YF., Tai, DI., Chu, CM. and Chen, TJ. (1988). The development of cirrhosis in

patients with chronic type B hepatitis: a prospective study. *Hepatology*, 8, 493-496.

Lin, CL. and Kao, JH. (2008). Hepatitis B viral factors and clinical outcomes of chronic

hepatitis B. *J Biomed Sci*, 15, 137-145.

Locarnini, S. and Omata, M. (2006). Molecular virology of hepatitis B virus and the

development of antiviral drug resistance. *Liver Int*, 2, 11-22.

Malmassari, SL., Deng, Q., Fontaine, H., Houitte, D., Rimlinger, F., Thiers, V., et al. (2007).

Impact of hepatitis B virus basal core promoters mutations on T cell response to an immunodominant HBx-derived epitope. *Hepatology*, 45, 1199-1209.

Mast, EE., Margolis, HS., Fiore, AE. Brink, EW., Goldstein, ST., Wang, SA., et al. (2005).

A comprehensive immunization strategy to eliminate transmission of hepatitis B virus infection in the United States: Recommendations of the Advisory Committee on Immunization Practices (ACIP) part 1: Immunization of infants, children, and adolescents. *MMWR Recomm Rep.*, 54, 1-31.

McMahon, BJ. (2009). The natural history of chronic hepatitis B virus infection. *Hepatology*, 49, 45-55.

Michael Torbenson and David, L. Thomas. (2002). Review occult hepatitis B. *Lancet Infectious Disease*, 2(8) 479-486.

Milich, DR., Jones, JE., Hughes, JL., Price, J., Raney, AK. and McLachlan, A. (1990).

Is a function of the secreted hepatitis B e antigen to induce immunologic tolerance in utero ?. *Proc Natl Acad Sci USA*, 87, 6599 - 6603.

Neil Kaplowitz. (1997). *Liver and biliary disease* (2nd ed.). Maryland, U.S.A.: William and Wilkin.

Perrillo, RP. (2001). Acute events in chronic hepatitis B: The natural and unnatural history of an immunologically mediated liver disease. *Gastroenterology*, 120, 1009-1022.

- Ratnam, D. and Viavanathan, K. (2008). New concepts in the immunopathogenesis of chronic hepatitis B: the importance of the innate immune response. *Hepatol Int*, 2, 12- 18.
- Realdi, G., Alberti, A., Rugge, M., Bortolotti, F., Rigoli, AM., Tremolada, F., et al. (1980). Seroconversion from hepatitis B e antigen to anti-HBe in chronic hepatitis B virus infection. *Gastroenterol*, 79, 195-199.
- Schwabe, RF., Seki, E. and Brenner, DA. (2006). Toll-like receptor signaling in the liver. *Gastroenterol*, 130, 1886-900.
- Sheila Sherlock and Jame Dooley. (1997). Diseases of the liver and biliary system (10th ed.). London, UK: Blackwell Science.
- Suwannakarn, K., Tangkijvanich, P., Thawornsuk, N., Theamboonlers, A., Tharmaphornpilas, P., Yoocharoen, P., et al. (2008). Molecular epidemiological study of hepatitis B virus in Thailand based on the analysis of pre-S and S genes. *Hepatol Res*, 38, 244-251.
- Takahashi, K., Aoyama, K. and Ohno, N. (1995). The precore/core promoter mutant (T1762A 1764) of hepatitis B virus: clinical significance and an easy method for detection. *J. General Virol*, 76, 3159-3164.
- Tangkijvanich, P., Komolmit, P., Mahachai, V., (2010). Comparison between quantitative hepatitis B surface antigen, hepatitis B e-antigen and hepatitis B virus DNA levels for prediction virological response to pegylated interferon-alpha-2b therapy in hepatitis B e-antigen-positive chronic hepatitis. B. *Hepatol Res*, 40, 269-277.
- Tangkijvanich, P., Sa-Nuganmoo, P., Mahachai, V., Theamboonlers, A. and Poovorawan, Y. (2010). A case control study on sequence variations in the enhancer II/core promoter/precore and X gene of hepatitis B virus in patient with hepatocellular carcinoma. *Hepatol Int*, 4 (3), 577-584.
- Tangkijvanich, P., Theamboonlers, A., Jantaradsamee, P., Hirsch, P., Mahachai, V., Suwangool, P., et al. (2000). Core promoter and precore mutants of hepatitis B virus: prevalence and clinical relevance in chronic hepatitis patients. *Southeast Asian J Trop Med Pubic Health*, 31(4), 627-635.

- Tang, MJ., Blatt, LM., Kao, JH., Cheng, JT. and Corey, WG. (2007). Basal core promoter T1762/1764 and precore A1896 gene mutations in hepatitis B surface antigen-positive hepatocellular carcinoma: comparison with chronic carriers. *Liver Int*, 27, 1356-1363.
- Thimme, R., Wieland, S., Steiger, C., Ghayeb, J., Reimann, KA., Purcell, RH., et al. (2003). CD8(+) T cells mediate viral clearance and disease pathogenesis during acute hepatitis B virus infection. *J virol*, 77, 68-76.
- Vierling, JM. (2007). The immunology of hepatitis B. *Clin Liver Dis.*, 11, 727-759.
- Visvanathan, K. and Lewin, SR. (2006). Immunopathogenesis: role of innate and adaptive immune responses, *Semin Liver Dis*, 26, 104-115.
- Weber, B., Dengler, T., Berger, A., Doerr, HW. and Rabenau, H. (2003). Evaluation of two new automated assays for hepatitis B virus surface antigen (HBsAg) detection: IMMULITE HBsAg and IMMULITE 2000 HBsAg. *J Clin Microbiol*, 41, 135-143.
- Yang, F., Yin, Y., Wang, F., Zhang, L., Zhang, L., Wang, Y., et al. (2010). An Altered pattern of Liver Apolipoprotein A-I Isoforms is implicated in male chronic hepatitis B progression. *J. Proteome Res*, 9(1), 134-143.
- Yang, H., Yeh, SH., Chen, P.J., Iloeje, UH., Jen, CL., Su, J., et al. (2008). Associations between hepatitis B virus genotype and mutants and the risk of hepatocellular carcinoma. *J Natl Cancer Inst*, 100, 1134-1143.
- Yeh, SH. and Chen, P.J. (2010). Gender disparity of hepatocellular carcinoma: the roles of sex hormones. *Oncology*, 78, 1547-1550.
- Yim, HJ. and Lok, AS. (2006). Natural history of chronic hepatitis B virus infection: what we knew in 1981 and what we know in 2005. *Hepatology*, 43, 173-181.
- Yuen, MF. (2007). Revisiting the natural history of chronic hepatitis B: impact of new concepts on clinical management. *J Gastroenterol Hepatol*, 22, 973-976.
- Yuen, MF. and Lai, CL. (2000). Natural history of chronic hepatitis B virus infection. *J. Gastroenterol. Hepatol*, 15, 25-30.
- Yuen, MF. and Lai, CL. (2001). Treatment of chronic hepatitis B. *Lancet Infect Dis*, 1, 232-241.

Yuen, MF., Yuan, HJ., Wong, DK., Yuen, JC., Wong, WM., Chan, AO., et al. (2005).

Prognostic determinants for chronic hepatitis B in Asians: therapeutic implications. *Gut*, 54, 1610-1614.

Zaski, JP., Marcellin, P., Leroy, V., Trepo, C., Samuel, D., Ganne-Carrie, N., et al. (2006).

Characteristics of patients with chronic hepatitis B in France: Predominant frequency of HBe antigen negative cases. *Hepatology*, 45, 355-360.

