



บรรณานุกรม

- นิธิยา รัตนปนนท์. (2551). เคมีอาหาร (พิมพ์ครั้งที่ 3). กรุงเทพฯ: โอเดียนสโตร์.
- ไพศาล สิทธิกรกุล. (2548). วิทยานิพนธ์การศึกษาระดับปริญญาโท. กรุงเทพฯ: ศูนย์สื่อเสริมกรุงเทพ.
- มานิตา หาญพานิชเจริญ. (2546). สารทำให้ผิวขาว. วารสารศูนย์บริการวิชาการ, 11(4), 19-23.
- วรรณดา ตั้งเจริญชัย และวิบูลย์ศักดิ์ กาวิลละ. (2531). นมและผลิตภัณฑ์นม. กรุงเทพฯ: โอเดียนสโตร์.
- Abbas, A. K. and Lichtman, A. H. (2007). Cellular and molecular immunology (6th ed.). London: Saunders company.
- Ali, N. H., Kazmi, S. U. and Faizi, S. (2008). Modulation of humoral immunity by *Cassia fistula* and amoxy-cassia. Pakistan Journal of Pharmaceutical Sciences, 21(1), 21-23.
- Aramwit, P., Kanokpanont, S., De-Eknamkul, W. and Srichana, T. (2009). Monitoring of inflammatory mediators induced by silk sericin. Journal of Bioscience and Bioengineering, 107(5), 556-561.
- Bryan, C. F., Monden, M., Raaf, J. H., Hadden, J. W. and Fortner, J. G. (1982). Cyclomunine: a potent inhibitor of rat and canine lymphocytes. International Journal of Immunopharmacology, 4(6), 567-570.
- Calder, P. C. and Kew, S. (2002). The immune system: a target for functional foods. British Journal of Nutrition, 88(2), 165-177.
- Chandra, R. K. (1997). Nutrition and the immune system: an introduction. The American Journal of Clinical Nutrition, 66(2), 460-463.
- Chen, J. R., Suetsuna, K. and Yamauchi, F. (1995). Isolation and characterization of immunostimulative peptides from soybean. The Journal of Nutritional Biochemistry, 6(6), 310-313.
- Clemente, A. (2000). Enzymatic protein hydrolysates in human nutrition. Trends in Food Science and Technology, 11(7), 254-262.

- Clement, F. and Venkatesh, Y. P. (2010). Dietary garlic (*Allium sativum*) lectins, ASA I and ASA II, are highly stable and immunogenic. *International Immunopharmacology*, 10(10), 1161-1169.
- Duarte, J., Vinderola, G., Ritz, B., Perdign, G. and Matar, C. (2006). Immunomodulating capacity of commercial fish protein hydrolysate for diet supplementation. *Immunobiology*, 211(5), 341-350.
- Dutta, R. C. (2002). Peptide immunomodulators versus infection an analysis. *Immunology Letters*, 83(3), 153-161.
- Fabiani, C., Pizzichini, M., Spadoni, M. and Zeddit, G. (1996). Treatment of waste water from silk degumming processes for protein recovery and water reuse. *Desalination*, 105(2), 1-9.
- Fan, J. B., Zheng, L. H., Wang, F., Guo, H. Y., Jiang, L. U. and Ren, F.Z. (2010). Enzymatic hydrolysis of silk sericin by proteases and antioxidant activities of the hydrolysates. *Journal of Food Biochemistry*, 34(2), 382-398.
- Gawarska, H., Sawilska-Rautenstrauch, D., Starski, A. and Karlowski, K. (2009). Occurrence of 3-monochloropropane-1,2-diol (3-MCPD) in food products. *RocznikiPanstwowego Zakladu Higieny*, 60(3), 213-216.
- Grimble, G., Rees, R., Keohane, P., Cartwright, T., Desreumaux, M. and Silk, D. (1987). Effect of peptide chain length on absorption of egg protein hydrolysates in the normal human jejunum. *Gastroenterology*, 92(1), 136-142.
- Han, Z. Z., Koo, K. H., Kim, K. H., Bae, J. S., Shin, S. H. and Kim, H. S. (2011). Acute and 90-day subchronic toxicity studies of silk peptide E5K6, in Sprague–Dawley rats. *Food and Chemical Toxicology*, 49(9), 2408-2414.
- Hwang, Y. J., Kim, J., Park, D. S. and Hwang, K. A. (2012). Study on the immunomodulation effect of *Isodon japonicus* extract via splenocyte function and NK anti-tumor activity. *International Journal of Molecular Sciences*, 13(4), 4880-4888.

- Institute of Medicine Washington. (2005). Dietary reference intakes for energy, carbohydrate, fiber, fat, fatty acids, cholesterol, protein and amino acids (macronutrients). Retrieved May, 15, 2012, from http://www.nap.edu/catalog.php?record_id=10490
- Jung, E. Y., Lee, H.S., Lee, H. J., Kim, J.M., Lee, K.W. and Suh, H. J. (2010). Feeding silk protein hydrolysates to C57BL/KsJ-db/db mice improves blood glucose and lipid profiles. *Nutrition research*, 30(11), 783-790.
- Kato, N., Kayashita J. and Sasaki, M. (2000). Physiological functions of buckwheat protein and sericin as resistant proteins. *Journal of Japan Society of Nutrition and Food Science*, 53(2), 71-75.
- Kato, N., Sato, S., Yamanaka, A., Yamada, H., Fuwa, N. and Nomura, M. (1998). Silk protein, sericin, inhibits lipid peroxidation and tyrosinase activity. *Bioscience, Biotechnology, and Biochemistry*, 62(1), 145-147.
- Kayser, H. and Meisel, H. (1996). Stimulation of human peripheral blood lymphocytes by bioactive peptides derived from bovine milk proteins. *Federation of European Biochemical Societies Letters*, 383(1-2), 18-20.
- Kong, X., Guo, M., Hua, Y., Cao, D. and Zhang, C. (2008). Enzymatic preparation of immunomodulating hydrolysates from soy proteins. *Bioresource Technology*, 99(18), 8873-8879.
- Koopman, R., Crombach, N., Gijzen, A. P., Walrand, S., Fauquant, J. and Kies, A. K. (2009). Ingestion of a protein hydrolysate is accompanied by an accelerated *in vivo* digestion and absorption rate when compared with its intact protein. *The American Journal of Clinical Nutrition*, 90(1), 106-115.
- Limpeanchob, N., Trisat, K., Duangjai, A., Tiyafoonchai, W., Pongcharoen, S. and Sutheerawattananonda, M. (2010). Sericin reduces serum cholesterol in rats and cholesterol uptake into Caco-2 Cells. *Journal of Agricultural and Food Chemistry*, 58(23), 12519-12522.

- Liu, Y. W., Liu, J. C., Huang, C. Y., Wang, C. K., Shang, H. F. and Hou, W. C. (2009). Effects of Oral Administration of Yam Tuber Storage Protein, Dioscorin, to BALB/c Mice for 21-Days on Immune Responses. *Journal of Agricultural and Food Chemistry*, 57(19), 9274-9279.
- Madureira, A. R., Pereira, C. I., Gomes, A. M. P., Pintado, M. E. and Xavier, M. F. (2007). Bovine whey proteins-overview on their main biological properties. *Food Research International*, 40(10), 1197-1211.
- Mak, T. W. and Saunders, M. E. (2011). *Primer to The immune response*. Burlington: Elsevier/Academic.
- Manninen, A. H. (2004). Protein hydrolysates in sports and exercise: a brief review. *Journal of Sports Science and Medicine*, 3, 60-63.
- Matsumoto, H., Shimokawa, Y., Ushida, Y., Toida, T. and Hayasawa, H. (2001). New biological function of bovine alpha-lactalbumin: protective effect against ethanol and stress-induced gastric mucosal injury in rats. *Bioscience, Biotechnology, and Biochemistry*, 65(5), 1104-1111.
- Matthews, D. M. (1972). Intestinal absorption of amino acids and peptides. *Proceedings of the Nutrition Society*, 31(2), 171-177.
- Middleton, E. Jr. (1998). Effect of plant flavonoids on immune and inflammatory cell function. *Advances in Experimental Medicine and Biology*, 439, 175-182.
- Mocchegiani, E., Giacconi, R., Cipriano, C. and Malavolta, M. (2009). NK and NKT cells in aging and longevity: Role of zinc and metallothioneins. *Journal of Clinical Immunology*, 29(4), 416-425.
- Montgomery, D. W. and Zukoski, C. F. (1985). Didemnin B: a new immunosuppressive cyclic peptide with potent activity *in vitro* and *in vivo*. *Transplantation*, 40(1), 49-56.
- Morris, H. J., Carrillo, O., Almarales, A., Bermdez, R. C., Lebeque, Y., Fontaine, R., et al. (2007). Immunostimulant activity of an enzymatic protein hydrolysate from green microalga *Chlorella vulgaris* on undernourished mice. *Enzyme and Microbial Technology*, 40(3), 456-460.

- Morris, H. J., Carrillo, O., Almarales, A., Bermudez, R. C., Lebeque, Y., Fontaine, R., et al. (2009). Protein hydrolysate from the alga *Chlorella vulgaris* 87/1 with potentialities in immunonutrition. *Biotechnologia aplicada*, 26(2), 162-165.
- Mosmann, T. (1983). Rapid colorimetric assay for cellular growth and survival: Application to proliferation and cytotoxicity assays. *Journal of Immunological Methods*, 65(1-2), 55-63.
- Nakai, S. and Modler, H. W. (1996). Food proteins properties and characterization. U.S. A.: Wiley.
- Ndiaye, F., Vuong, T., Duarte, J., Aluko, R. and Matar, C. (2011). Anti-oxidant anti-inflammatory and immunomodulating properties of an enzymatic protein hydrolysate from yellow field pea seeds. *European Journal of Nutrition*, 51(1), 1-9.
- Okazaki, Y., Kakehi, S., Xu, Y., Tsujimoto, K., Sasaki, M., Ogawa, H., et al. (2010). Consumption of sericin reduces serum lipids, ameliorates glucose tolerance and elevates serum adiponectin in rats fed a high-fat diet. *Bioscience, Biotechnology, and Biochemistry*, 74(8), 1534-1538.
- Okazaki, Y., Tomotake, H., Tsujimoto, K., Sasaki, M. and Kato, N. (2011). Consumption of a resistant protein, sericin, elevates fecal immunoglobulin A, mucins and cecal organic acids in rats fed a high-fat diet. *Journal of Nutrition*, 141(11), 1975-1981.
- Padamwar, M. N. and Pawar, A. P. (2004). Silk sericin and its applications: a review. *Journal of Scientific and Industrial Research*, 63(4), 323-329.
- Padamwar, M. N., Pawar, A. P., Daithankar, A. V. and Mahadik, K. R. (2005). Silk sericin as a moisturizer: an *in vivo* study. *Journal of Cosmetic Dermatology*, 4(4), 250-257.
- Panilaitis, B., Altman, G. H., Chen, J., Jin, H. J., Karageorgiou, V. and Kaplan, D. L. (2003). Macrophage responses to silk. *Biomaterials*, 24(18), 3079-3085.
- Patwardhan, B. and Gautam, M. (2005). Botanical immunodrugs: scope and opportunities. *Drug Discovery Today*, 10(7), 495-502.

Periago, M. J., Vidal, M. L., Ros, G., Rincon, F., Martinez, C., Lopez, G., et al. (1998).

Influence of enzymatic treatment on the nutritional and functional properties of pea flour. *Food Chemistry*, 63(1), 71-78.

Pompidou, A., Touraine, J. L., Simon-Lavoine, N. and Hadden, J. W. (1980).

Immunomodulatory effects of cyclomunine *in vitro*. *International Journal of Immunopharmacology*, 2(2), 141-144.

Poullain, M. G., Cezard, J. P., Roger, L. and Mendy, F. (1989). Effect of whey proteins, their oligopeptide hydrolysates and free amino acid mixtures on growth and nitrogen retention in fed and starved rats. *Journal of Parenteral and Enteral Nutrition*, 13(4), 382-386.

Prommuak, C., De-Eknamkul, W. and Shotipruk, A. (2008). Extraction of flavonoids and carotenoids from Thai silk waste and antioxidant activity of extracts. *Separation and Purification Technology*, 62(2), 444-448.

Radha, C., Ramesh K. P. and Prakash, V. (2008). Preparation and characterization of a protein hydrolysate from an oilseed flour mixture. *Food Chemistry*, 106(3), 1166-1174.

Rajendran, R., Balakumar, C., Sivakumar, R., Amruta, T. and Devaki, N. (2011).

Extraction and application of natural silk protein sericin from *Bombyx mori* as antimicrobial finish for cotton fabrics. *Journal of The Textile Institute*, 103(4), 1-5.

Ryu, J.M., Kim, T.M., Seo, I.K., Yeon, S.H., Lim, W.T., Lee, J.Y., Hwang, S.Y., O, N.G., Song, J.G., Lee, J.S. and Kim, Y.B., (2008). Effect of Repeated Administration of Silk Peptide on the Immune System of Rats. *Laboratory Animal Research*, 24(3), 361-369

Saint, S. D., Gauthier, S. F., Boutin, Y. and Montoni, A. (2008). Immunomodulating properties of a whey protein isolate, its enzymatic digest and peptide fractions. *International Dairy Journal*, 18(3), 260-270.

Scott D. Kobayashi, J. M. V., Christopher Burlak and DeLeo, a. F. R. (2005).

Neutrophils in the innate immune response. *Archivm Immunologiae et Therapiae Experimentalis*, 53, 505–517.

Silk, D. B., Grimble, G. K. and Rees, R. G. (1985). Protein digestion and amino acid and peptide absorption. *Proceedings of The Nutrition Society*, 44(1), 63-72.

Sonjui, T., Noomhorm, C. and Promboon, A. (2009). Sericin recovery from silk cocoon degumming wastewater by a membrane process. *Kasetsart Journal: Natural Sciences*, 43(3), 538-549.

Sonthisombat, A. and Speakman, P. T. (2004). Silk: queen of fibres - the concise story. Retrieved May, 15, 2012, from http://www.en.rmutt.ac.th/prd/Journal/Silk_with_figuresnew.pdf

Strober, W. (2001). Trypan blue exclusion test of cell viability. Retrieved May, 15, 2012, from <http://www.scribd.com/doc/6909835/Trypan-Blue-Exclusion-Test-of-Cell-Viability>

The jackson laboratory. (2007). Physiological Data Summery-Balb/cJ (000651). Retrieved May, 15, 2012, from <http://phenome.jax.org/db/qp?rtn=views/measplot&brieflook=22903>

Theodore, A. E., Raghavan, S. and Kristinsson, H. G. (2008). Antioxidative activity of protein hydrolysates prepared from alkaline-aided channel catfish protein isolates. *Journal of Agricultural and Food Chemistry*, 56(16), 7459-7466.

Tombs, M. P. (1993). Biochemistry of food proteins. *Journal of the Science of Food and Agriculture*, 62(3), 311-312.

Vasanth, B., Jayaraman Angayarkanni, J. and Palaniswamy, M. (2011).

Antihypertensive and anticancer effect of cow milk fermented by *Lactobacillus plantarum* and *Lactobacillus casei*. *International Journal of Pharmacy and Pharmaceutical Sciences*, 3(5), 452-456.

- Wang, Y. K., He, H. L., Wang, G. F., Wu, H., Zhou, B. C., Chen, X. L., et al. (2010). Oyster (*Crassostrea gigas*) hydrolysates produced on a plant scale have antitumor activity and immunostimulating effects in BALB/c Mice. *Marine Drugs*, 8(2), 255-268.
- Webb, K. E., Jr., Matthews, J. C. and DiRienzo, D. B. (1992). Peptide absorption: a review of current concepts and future perspectives. *Journal of Animal Science*, 70(10), 3248-3257.
- Wong, C. W., Seow, H. F., Husband, A. J., Regester, G. O. and Watson, D. L. (1997). Effects of purified bovine whey factors on cellular immune functions in ruminants. *Veterinary Immunology and Immunopathology*, 56(1-2), 85-96.
- Wong, K. F., Middleton, N., Montgomery, M., Dey, M. and Carr, R. I. (1998). Immunostimulation of murine spleen cells by materials associated with bovine milk protein fractions. *Journal of Dairy Science*, 81(7), 1825-1832.
- Wu, J. H., Wang, Z. and Xu, S. Y. (2008). Enzymatic production of bioactive peptides from sericin recovered from silk industry wastewater. *Process Biochemistry*, 43(5), 480-487.
- Xie, Z., Huang, J., Xu, X. and Jin, Z. (2008). Antioxidant activity of peptides isolated from alfalfa leaf protein hydrolysate. *Food Chemistry*, 111(2), 370-376.
- Yamauchi, F. and Suetsuna, K. (1993). Immunological effects of dietary peptide derived from soybean protein. *The Journal of Nutritional Biochemistry*, 4(8), 450-457.
- Yang, R., Zhang, Z., Pei, X., Han, X., Wang, J., Wang, L., et al. (2009). Immunomodulatory effects of marine oligopeptide preparation from Chum Salmon (*Oncorhynchus keta*) in mice. *Food Chemistry*, 113(2), 464-470.
- Yuan, C., Huang, X., Cheng, L., Bu, Y., Liu, G., Yi, F., et al. (2009). Evaluation of antioxidant and immune activity of *Phellinus ribis* glucan in mice. *Food Chemistry*, 115(2), 581-584.
- Zhang, YQ. (2002). Applications of natural silk protein sericin in biomaterials. *Biotechnology Advances*, 20(2), 91-100.

Zhaorigetu, S., Sasaki, M., Watanabe, H. and Kato, N. (2001). Supplemental silk protein, sericin, suppresses colon tumorigenesis in 1, 2-dimethylhydrazine-treated mice by reducing oxidative stress and cell proliferation. *Bioscience, Biotechnology, and Biochemistry*, 65(10), 2181-2186.

Zhaorigetu, S., Yanaka, N., Sasaki, M., Watanabe, H. and Kato, N. (2003). Inhibitory effects of silk protein, sericin on UVB-induced acute damage and tumor promotion by reducing oxidative stress in the skin of hairless mouse. *Journal of Photochemistry and Photobiology B: Biology*, 71(1-3), 11-17.

