



## บรรณานุกรม

- [1] Bethe, H. A. (1990). Supernova mechanisms. *Reviews Of Modern Physics*, 62, 801-866.
- [2] Uhlig, F., Forster, A., Bottcher, I., Debowski, M., Dohrmann, F., Grosse, E., et al. (2005). Observation of different azimuthal emission patterns of  $K^+$  and  $K^-$  Mesons in heavy-ion collisions at 1-2 A GeV. *Physics Review Letters*, 95(1), 12301.
- [3] Hartnack, C., Jaenicke, J., Sehn, L., Stocker, H. and Aichelin, J. (1994). Kaon production at subthreshold energies. *Nuclear Physics A*, 580, 643-667.
- [4] Fuchs, C. (2006). Kaon production in heavy ion reactions at intermediate energies. *Progress Particle and Nuclear Physics*, 56, 1-103.
- [5] Hartnack, J. (2004). Dynamics of  $K^+$  production in heavy ion collisions close to threshold. Habilitation thesis, Ph.D., Nantes University, Nantes.
- [6] Ko, C. M. (1984). Effect of final state interactions on subthreshold  $K^-$  production in heavy ion collisions. *Physics Letters B*, 138(5), 361-384.
- [7] Aichelin, J. and Ko, C. M. (1985). Subthreshold kaon production as probe of the nuclear equation of state. *Physics Review Letters*, 55, 2661-2663.
- [8] Sturm, C., Bottcher, I., Debowski, M., Forster, A., Grosse, E., Koczon, P., et al. (2001). Evidence for a soft nuclear equation-of-state from kaon production in heavy-ion collisions. *Physics Review Letters*, 86(1), 38-42.
- [9] Fuchs, C., Faessler, A., Zabrodin, E. and Zheng, Y.M. (2001). Probing the nuclear equation of state by  $K^+$  production in heavy-ion collisions. *Physics Review Letters*, 86(10), 1974-1977.
- [10] Hartnack, C., Oeschler, H. and Aichelin, J. (2006). Hadronic matter is soft. *Physics Review Letters*, 96(1), 012302-012305.
- [11] Forster, A., Uhlig, F., Bottcher, I., Debowski, M., Dohrmann, F., Grosse, E., et al. (2003). First evidence for different freeze-out conditions for kaons and antikaons observed in heavy-ion collisions. *Physics Review Letters*, 91(1), 152301.

- [12] Bearden, I. G., Beavis, D., Besliu, C., Blyakhman, Y., Budick, B., Boggild, H., et al. (2003). Rapidity dependence of charged antihadron to hadron ratios in Au+Au collisions at  $\sqrt{s_{NN}} = 200$  GeV. *Physics Review Letters*, 90(10), 102301.
- [13] Oeschler, H. (2001). Review of SIS experimental results on strangeness. *Journal of Physics G*, 27, 257-266.
- [14] Kaplan, D. B. and Nelson, A. E. (1986). Strange goes on in dense nucleonic matter. *Physics Letters B*, 175(1), 57-63.
- [15] Brown, G.E., Lee, C. H., Rho, M. and Thorsson, V. (1994). From kaon-nuclear interactions to kaon condensation. *Nuclear Physics A*, 576(4), 937-956.
- [16] Waas, T., Kaiser, K. N. and Weise, W. (1996). Effective kaon masses in dense nuclear and neutron matter. *Physics Letters B*, 379(1-4), 34-38.
- [17] Schaffner, J., Bondorf, J. and Mishustin, I. N. (1997). In-medium kaon production at the mean-field level. *Nuclear physics A*, 625(1-2), 325-346.
- [18] Lutz, M. (1998). Nuclear kaon dynamics, *Physics Letters B*, 426(1-2), 12-20.
- [19] Tolos, L., Ramos, A., Polls, A. and Kuo, T. T. S. (2001). Partial wave contributions to the antikaon potential at finite momentum. *Nuclear Physics A*, 690(4), 547-566.
- [20] Laue, F., Sturm, C., Bottcher, I., Debowski, M., Forster, A., Grosse, E., et al. (1999). Medium effects in kaon and antikaon production in nuclear collisions at subthreshold beam energies. *Physics Review Letters*, 82(8), 1640-1643.
- [21] Menzel, M., Bottcher, I., Debowski, M., Dohrmann, F., Forster, A., Grosse, E., et al. (2000). First measurement of antikaon phase-space distributions in nucleus-nucleus collisions at subthreshold beam energies. *Physics Letters B*, 495(1-2), 26-32.
- [22] Crochet, P., Herrmann, N., Wisniewska, K., Leifelsa, Y., Andronica, A., Auerbeck, R., et al. (2000). Sideward flow of  $K^+$  mesons in Ru+Ru and Ni+Ni reactions near threshold. *Physics Letters B*, 486(1-2), 6-12.



- [23] Wisniewski, K., Crochet, P., Herrmann, N., Andronic, A., Auerbach, R., Devismes, A., et al. (2000). Direct comparison of phase-space distributions of  $K^-$  and  $K^+$  mesons in heavy-ion collisions at SIS energies – evidence for in-medium modifications of kaons?. **European Physical Journal A**, 9(4), 515-519.
- [24] Li, G. Q., Lee, C. H. and Brown, G. E. (1997). Kaon production in heavy-ion collisions and maximum mass of neutron stars. **Physics Review Letters**, 79(26), 5214-5217.
- [25] Cassing, W. and Bratkovskaya, E. (1999). Hadronic and electromagnetic probes of hot and dense nuclear matter. **Physics Reports**, 308(2-3), 65-233.
- [26] Li, G. Q., Ko, C. M. and Brown, G. E. (1996). Kaon azimuthal distributions in heavy-ion collisions. **Physics Letters B**, 381(1-3), 17-22.
- [27] Wang, Z. S., Fuchs, C., Faessler, A. and Gross-Boeltling, T. (1999). Kaon squeeze-out in heavy ion reactions. **European Physical Journal A**, 5(3), 275-283.
- [28] Shin, Y., Ahner, W., Barth, R., Beckerle, P., Brill, D., Cieslak, M., et al. (1998). Enhanced out-of-plane Emission of  $K^+$  mesons observed in Au+Au collisions at 1 A GeV. **Physics Review Letters**, 81(8), 1576-1579.
- [29] Zheng, Y. M., Fuchs, C., Faessler, A., Shekhter, Y., Yan Y. P. and Kobdaj, C. (2004). Covariant kaon dynamics and kaon flow in heavy ion collisions. **Physics Review C**, 69(3), 034907.
- [30] Hartnack, C., Oeschler, H., Leifels, Y., Bratkovskaya, E.L. and Aichelin, J. (2012). Strangeness production close to the threshold in proton-nucleus and heavy-ion collisions. **Physics Reports**, 510, 119-200.
- [31] Fuchs, C., Kosov, D. S., Faessler, A., Wang, Z. S. and Waindzoeh, T. (1998). Consequences of covariant kaon dynamics in heavy ion collisions. **Physics Letters B**, 434(3-4), 245-250.
- [32] Schaffner, J., Mishustin, I. N. and Bondorf, J. (1997). In-medium kaon production at the mean-field level. **Nuclear Physics A**, 625(1-2), 325-346.

- [33] Fuch, C., Faessler, A., Wang, Z. S. and Gross-Boelting, T. (1999). Chiral Kaon dynamics in heavy ion collisions. **Progress in Particle and Nuclear Physics**, 42, 197-206.
- [34] Li, G. Q., Ko, C. M. and Li, B. (1995). Kaon flow as a probe of the kaon potential in nuclear medium. **Physics Review Letters**, 74(2), 235-238.
- [35] Li, G. Q. and Ko, C. M. (1995). Kaon flow in heavy-ion collisions. **Nuclear Physics A**, 594, 460-482.
- [36] Zheng, Y. M., Chu, Z. L., Fuchs, C., Faessler, A., Xiao, W., Hua, D. P, et al. (2002). Transverse Flow of Kaons in Heavy-ion Collisions. **Chinese Physics Letter**, 19, 926-928.
- [37] Nekipelov M., Buschera M., Cassingc W., Hartmanna M., Hejnya V., Klebera V., et al. (2002). Evidence of kaon nuclear and Coulomb potential effects on soft  $K^+$  production from nuclei. **Physics Letters B**, 540, 207-212.
- [38] Bodmer, A. R. and Panos, C. N. (1997). Classical microscopic calculations of high energy collisions of heavy ions. **Physics Review C**, 15(4), 1342-1358.
- [39] Molitoris, J., Hoffer, J. B., Kruse, H. and Stoecker, H. (1984). Microscopic calculations of collective flow probing the short-range nature of the nuclear force. **Physics Review Letters**, 53(9), 899-902.
- [40] Aichelin, J. (1991). "Quantum" molecular dynamics-a dynamical microscopic n-body approach to investigate fragment formation and the nuclear equation of state in heavy ion collisions. **Physics Reports**, 202(5-6), 233-360.
- [41] Aichelin, J. and Stoecker, H. (1986). Quantum molecular dynamics- A novel approach to N-body correlations in heavy ion collisions. **Physics Letters B**, 176(1-2), 14-19.
- [42] Bass, S. A., Belkacem, M., Bleicher, M., Brandstetter, M., Bravina, L., Ernst, C., et al. (1998). Microscopic models for ultrarelativistic heavy ion collisions. **Progress in Particle and Nuclear Physics**, 41, 255-369.
- [43] Cugnon, J. (1980). Monte Carlo calculation of high-energy heavy-ion interactions. **Physical Review C**, 22(5), 1885-1896.

- [44] Stocker, H. and Greiner, W. (1986). High energy heavy ion collisions-probing the equation of state of highly excited hadronic matter. **Physics Reports**, 137 (5-6), 277-392.
- [45] Barth, R., Senger, P., Ahner, W., Beckerle, P. and Bormann, C. (1997). Subthreshold production of kaons and antikaons in nucleus-nucleus collisions at equivalent beam energies. **Physics Review Letters**, 78(21), 4007-4010.
- [46] Sengera, P., Ahner, W., Baltess, P., Beckerle, P., Bormann, C., Brill, D., et al. (1993). The kaon spectrometer at SIS. **Nuclear Instruments and Methods in Physics Research Section A**, 327(2-3), 393-411.
- [47] Ko, C. M. and Li, G. Q. (1995). Hadrons in dense matter. **Nuclear Physics A**, 583, 591-598.
- [48] Serot, B. D. and Walecka, J. D. (1986). The Relativistic Nuclear Many-Body Problem. **Advances in Nuclear Physics**, 16, 1.
- [49] Fang, X. S., Ko, C. M., Li, G. Q. and Zheng, Y. M. (1994). Medium effects on subthreshold kaon production in heavy-ion collisions. **Physical Review C**, 49(2), 608-611.
- [50] Hartnack, C., Puri, R. K., Aichelin, J., Konopka, J., Bass, S. A., Stocker, H. and Greiner, W. (1998). Modelling the many-body dynamics of heavy ion collisions: Present status and future perspective. **The European Physical Journal A-Hadrons and Nuclei**, 1(2), 151-169.