



REFERENCES

- Ahmed, S. M., Manhas, L. R., Verma, V. and Khajuria, R. K. (2006). Quantitative determination of four constituents of *Tinosporasps* by a reversed-phase HPLC-UV-DAD method. **The Journal of Chromatographic Science**, 44, 504-509.
- Anderson, J. W., Smith, B. M. and Washnock, C. S. (1999). Cardiovascular and renal benefits of dry bean and soybean intake. **American Journal of Clinical Nutrition**, 70 (3), 464S-474S.
- Anwar, A., McTernan, P. G. and Anderson, L. A. (2001). Site-specific regulation of oestrogen receptor-alpha and-beta by estradiol in human adipose tissue. **Diabetes, Obesity and Metabolism**, 3, 338-349.
- Arjmandi, B. H., Aleekel, L., Hollis, B. W., Amin, D., Sapuntzakis, M. S., Guo, P., et al. (1996). Dietary soybean protein prevents bone loss in an ovariectomized rat model of osteoporosis. **Human and Clinical nutrition**, 126, 161-167.
- Ashwlayan, V. D. and Singh, R. (2011). Reversal effect of *Asparagus racemosus* Wild (Liliceae) root extract on memory deficits in mice. **International Journal of Drug Development&Research**, 3, 314-323.
- Asmari, S., Zafar, R. and Ahmad, S. (2004). Production of sarsasapogenin from tissue culture of *Asparagus racemosus* and its quantification by HPTLC. **Iranian Journal of Pharmaceutical Research Supplement**, 2, 66-67.
- Barbara, Y. and John, W. H. (1993). **Female and reproductive system** (3rd ed.). New York: Churchill Livingstone.
- Benita, S. K. (May, 1984). Effects of estrogen on human uterus tissues in vivo. **National Institute of child health and human development**. Retrieved June 6, 2011, from http://www.experts.scival.com/uic/grantDetail.asp?t=ep1&id=2405573&o_id=104&
- Beral, V. (2003). Breast cancer and hormone replacement therapy in the million women study. **Lancet**, 362, 41-427.
- Bhatnagar, M. and Sisodia, S. S. (2006). Antisecretory and antiulcer activity of *Asparagus racemosus* Willd. against indomethacin plus pyloric ligation-induced gastric ulcer in rats. **Journal of Herbal Pharmacotherapy**, 6, 13-20.

- Birkhauser, M.H., Dennerstein, L., Sherman, S. and Santoro, N. (n.d.). **Chapter 2: The menopause and aging**. Retrieve June 15, 2011, from <http://www.lorenzinfoundation.org/download/whm/cap2.pdf>
- Bopana, N. and Saxena, S. (2007). *Asparagus racemosus*-ethnopharmacological evaluation and conservation needs. **Journal of Ethnopharmacology**, 110, 1-15.
- Boonyapraphatsorn, N. (2002). **Thai traditional herbal medicine (IV)**. Bangkok: Prachachon.
- Boulbaroud, S., Mesfioui, A., Arfaoui, A., Ouichou, A. and El, H. A. (2008). Preventive effects of flaxseed and sesame oil on bone loss in ovariectomized rats. **Pakistan Journal of Biological Science**, 11, 1696-1701.
- Brady, S. (August 11, 2010). Breast cancer risk increased by hormone replacement therapy. **Health News**. Retrieved November 10, 2010, from <http://www.healthnews.com/family-health/mens-health/breast-cancer-risk-increased-by-hormone-replacement-therapy-4401.html>
- Cagnacci, A., Zanin, R. and Cannoletta, M. (2007). Menopause, estrogens, progestins, or their combination on body weight and anthropometric measures. **Fertility and Sterility**, 88(6), 1603-1608.
- Cassidy, A. (2003). Potential risks and benefits of phytoestrogen-rich diets. **International Journal for Vitamin and Nutrition Research**, 73, 120-126.
- Charoensiri, W. (May 24, 2010). **Adjuvant Hormonal Therapy**. Retrieved November 12, 2010, from <http://www.dcis.info/treatment-hormonal.html>.
- Cherdshewasart, W., Panriansaen, R. and Picha, P. (2007). Pretreatment with phytoestrogen-rich plant decreases breast tumor incidence and exhibits lower profile of mammary ER α and ER β . **Maturitas**, 58, 174-181.
- Cherdshewasart, W., Sriwatcharakul, S. and Malaivijitnond, S. (2008). Variance of estrogenic activity of the phytoestrogen-rich plant. **Maturitas**, 61, 350-357.
- Chiba, H., Uehara, M., Wu, J., Wang, X., Masuyama, R., Suzuki, K., et al. (2003). Hesperidin, a citrus Flavonoid, inhibits bone loss and decreases serum and hepatic lipids in ovariectomized mice. **The Journal of Nutrition**, 133, 1892-1897.

- Chompootweep, S., Tankeyoon, M., Yamarat, K., Poomsuwan, P. and Dusitsin, N. (1993). The menopausal age and climacteric complaints in Thai women in Bangkok. **Maturitas**, 17, 63-71.
- Cline, M. J., Botts, S., Lees, J. C. and Brommage, R. (2008). Effects of lasofoxifene on the uterus, vagina, and breast in ovariectomized cynomolgus monkeys (*Macaca fascicularis*). **American Journal of Obstetrics and Gynecology**, 199, (2), 158.e1-158.e8.
- Danielsen, C. C., Mosekilde, L. and Svenstrup, B. (1993). Cortical bone mass, composition, and mechanical properties in female rats in relation to age, long-term ovariectomy, and estrogen substitution. **Calcified Tissue International**, 52, 26-33.
- Datta, G. K., Sairam, K., Priyambada, S., Debnath, P. K. and Goel, R. K. (2002). Antiulcerogenic activity of Satavarimandur-an ayurvedicherbo-mineral preparation. **Indian journal of experimental biology**, 40, 1173-1177.
- Dengshun, M. and Andrew, S. (2002). Histochemical localization of alkaline phosphatase activity in decalcified bone and cartilage. **Journal of Histochemistry and Cytochemistry**, 50, 333-340.
- Deroo, B. J. and Korach, K. S. (2006). Estrogen receptors and human disease. **The Journal of clinical investigation**, 116 (3), 561-570.
- Devareddy, L., Hooshmand, S., Collins, J. K., Lucas, E. A., Chai, S. C. and Arjmandi, B. H. (2008). Blueberry prevents bone loss in ovariectomized rat model of postmenopausal osteoporosis. **Journal of Nutritional Biochemistry**, 19, 694-699.
- Dhaliwal, K. S. (October 30, 2000). Method and composition for treatment of premenstrual syndrome in women. **United State Patent**. Retrieved February 7, 2012, from <http://www.freepatentsonline.com/6589569.html>
- Dhuley, J. N. (1997). Effect of some Indian herbs on macrophage functions in ochratoxin A treated mice. **Journal of Ethnopharmacology**, 58, 15-20.
- Dai, Q., Franke, S. A., Jin, F., Shu, X. O., Herbert, J. R. Custer, L. J., et al. (2002). Urinary excretion of phytoestrogens and risk of breast cancer among Chinese women in Shanghai. **Cancer Epidemiological and Biomarkers Preview**, 11, 815-821.

- El-Shitany, N. A., Hegazy, S. and El-Desoky, K. (2010). Evidences for antiosteoporotic and selective estrogen receptor modulator activity of silymarin compared with ethinylestradiol in ovariectomized rats. **Phytomedicine**, 17, 116-125.
- Elizabeth, J. C. (2008). Structure of bone. **Handbook of pathophysiology** (3rd ed.). Philadelphia: Lippincott Williams & Wilkins.
- Elsakka, M., Grigorescu, E., Stanescu, U., Stanescu, U. and Dorneanu, V. (1990). New data referring to chemistry of *Withania somnifera* species. **Revista medico-chirurgical a Societ ii de Medici i**, 94, 385-387.
- Flöter, A., Nathorst-Böös, J., Carlström, K. and Schoultz, B. V. (2004). Serum lipids in oophorectomized women during estrogen and testosterone replacement therapy. **Maturitas**, 47, 123-129.
- Francesca, B. and Edzard, E. (2008). Black cohosh (*Cimicifuga racemosa*): a systematic review of adverse events. **American Journal of Obstetrics and Gynecology**, 5, 455-466.
- Francesca, B. and Edzard, E. (2010). Alternative and complementary therapies for the menopause. **Maturitas**, 66, 333-343.
- Francucci, C. M., Romagni, P., Camilletti, A., Fiscaletti, P., Amoroso, L., Cenci, G., et al. (2008). Effect of natural early menopause on bone mineral density. **Maturitas**, 59, 323-328.
- Garber, J. (May 17, 2005). **Dana-Farbercancer Institute**. Retrieved November 12, 2010, from <http://www.dana-farber.org/abo/news/press/test-predicts-risk-blood-clot-women-tamoxifen-therapy.asp>.
- Ghumare, B. C., Vadlamudi, V. P. and Rajurkar, S. R. (2004). Effect of *Asparagus racemosus* on growth and development of testes in wistar rats. **Aryavaidyan**, 18, 45-48.
- Goel, R. K., Prabha, T. Kumar, M. M. and Dorababu, M. (2006). Teratogenicity of *Asparagus racemosus* Willd. root, a herbal medicine. **Indian Journal of Experimental Biology**, 44, 570-573.
- Gopumadhavan, S., Venkataranganna M.V. and Mohamed., R.(2005). Evaluation of the estrogenic effect of Menosan using the rat models of uterotrophic assay. **Medicine Update**, 13, 37-41.

- Goyal, R. K., Singh, J. and Lal, H. (2003). *Asparagus racemosus*-an update. **Indian Journal of Medical Sciences**, 9, 408-414.
- Grady, D., Herrington, D., Bittner, V., Blumenthal, R., Davidson, M., Hlatky, M., et al. (2002). Cardiovascular disease outcomes during 6.8 years of hormone therapy; heart and estrogen/progestin replacement study follow up (HERS II). **The Journal of the American Medical Association**, 288, 58-66.
- Hänggi, W., Lippuner, K., Jaeger, P., Birkhäuser, M. H. and Horber, F. F. (1998). Differential impact of conventional oral or transdermal hormone replacement therapy or tibolone on body composition in postmenopausal women. **Clinical Endocrinology**, 48(6), 691-699
- Hakkinen, S. H., Karenlampi, S. O., Heinonen, I. M., Mykkanen, H. M. and Torronen, A. R. (1999). Content of the flavonolsquercetin, myricetin, and kaempferol in 25 edible berries. **Journal of Agriculture and Food Chemistry**, 47, 2274-2279.
- Hassen, W. N. and Saed, A. M. (2011). Protective effect of Anise fruit (*pimpinella anisum*) against osteoporosis in rat model. **American Journal of Biomedical Sciences**, 3(1), 49-56.
- Hill, K. (1996). The demography of menopause. **Maturitas**, 23, 113-127.
- Ingerman, P. (1996). Cancer risk in women receiving estrogen-progestin replacement therapy. **Maturitas**, 23, S37-S45.
- Jatwa, R. and Kar, A. (2007). Positive influence of Centchroman on cardiovascular system and tissue lipid peroxidation in rats. **Contraception**, 76, 408-412.
- Jee, W. S. S. and Yao, W. (2001). Overview: animals model of osteopenia and osteoporosis. **Journal of musculoskeletal Neuronal Interaction**, 1, 193-207.
- Joglekar, G. V., Ahuja, R. H. A. and Balwani, J. H. (1967). Galactagogue effect of *Asparagus racemosus*. **Indian Medicinal Journal**, 165, 1.
- Kanis, J. A. (1996). Estrogens, the menopause, and osteoporosis. **Bone**, 19 (5), 185S-190S.
- Kapur, P., Jarry, H., Wuttke, W., Pereira, B. M. J. and Seidlova-Wuttke, D. (2008). Evaluation of the antiosteoporotic potential of *Tinospora cordifolia* in female rats. **Maturitas**, 59, 329-338.

- Kapur, P., Wuttke, W., Jarry, H. and Seidlova-Wuttke, D. (2010). Beneficial effects of β – Ecdysone on the joint, epiphyseal cartilage tissue and trabecular bone in ovariectomized rats. **Phytomedicine**, 17, 350-355.
- Kar, D. K. and Sen., S. (1985). Sarsasapogenin in callus culture of *Asparagus racemosus*. **Current Science**, 54, 585.
- Karisson, S., Mantyla, E., Hirsimali, Y., Niemi, S., Nieminen, L., Nieminen, K., et al. (1999). The effect of Toremifene on bone and uterine histology and on bone resorption in ovariectomised rats. **Pharmacology and Toxicology**, 84, 72-80.
- Keneman, P. Climacteric and postmenopause: definitions, terms and concepts. (February 21, 2003). **The menopause web reference**. Retrieve May 24, 2011, from <http://www.womanlab.com/english/professionals/menopausalIssues1.htm>
- Khanna, A. K., Chander, R. and Kapoor, N. K. (1991). Hypolipidaemic activity of Abana in rats. **Fitoterapia Italia**, 62, 271-275.
- Kulkarni, S. K. and Verma, A. (1993). Protective effect of Mentat (BR-16A) a herbal preparation, on alcohol abstinence-induced anxiety and convulsions. **Indian Journal of Experimental Biology**, 31, 435-442.
- La, V.C., Negri, E., Bruzzi, P., Dardanoni, G., Decarli, A., Franceschi, S., et al. (1992). The role of age at menarche and at menopause on breast cancer risk: combined evidence from four case-control studies. **Annals of Oncology**, 8, 625-629.
- Lelovas, P. P., Theodoros, T. X., Sofia, E. T., George, P. L. and Ismene, A. D. (2008). The laboratory rat as an animal model for osteoporosis research. **The American Association for Laboratory Animal Science**, 58, 424-430.
- Li, Q. N., Liao, J. M., Wu, T., Huang, L. F. and Liang, N. C. (1996). *Epimedium sagittatum Maxim.* preventing hormone-induced osteoporosis in rats. **Chinese Pharmaceutical Journal**, 31, 467-470.
- Lin, M. C., Gosink, B. B., Wolf, S. I., Feldesman, M. R., Stuenkel, C. A., Braly, P. S., et al. (1991). Endometrial thickness after menopause: effect of hormone replacement. **Radiology**, 180, 427-432.

- Lind, P. M., Eriken, E. F., Sahlin, L., Edlund, M. and Orberg, J. (1999). Effects of the antiestrogenic environmental pollutant 3,3',4,4',5-pentachlorobiphenyl (PCB #126) in rat bone and uterus: diverging effects in ovariectomized and Intact Animals. **Toxicology and Applied Pharmacology**, 154, 236-244.
- Lucinda, L. M. F., Vaieira, B. J., Oliveira, T. T., Sá, R. C. S., Peters, V. M., Reis, et al. (2010). Evidences of osteoporosis improvement in Wistar rats treated with *Ginkgo biloba* extract: A histomorphometric study of mandible and femur. **Fitoterapia**, 81, 982-987.
- Ma, H. P., Jia, Z. P. and Ge, X. (2002). Studies on the therapeutic effect of total flavonoids of *Herba Epimedii* on experimental osteoporosis in rats. **Huaxi Pharmaceutical Journal**, 17, 163-167.
- Malaivijitnond, S., Kiatthaipipat, P. and Cherdshewasart, W. (2004). Different effects of *Pueraria mirifica*, a herb containing phytoestrogens, on LH and FSH secretion in gonadectomized female and male rats. **Journal of Pharmacological Sciences**, 96, 428-435.
- Malaivijitnond, S., Chansri, K., Kijkuokul, P., Urasopon, N. and Cherdshewasart, W. (2006). Using vaginal cytology to assess the estrogenic activity of phytoestrogen-rich herb. **Journal of Ethnopharmacology**, 26, 33-40.
- Mandal, S. C., Kumar, C. K. A., Mohana L. S., Sinha, S., Murugesan, T., Saha, B. P., et al. (2000). Antitussive effect of *Asparagus racemosus* root against sulfur dioxide-induced cough in mice. **Fitoterapia**, 71, 686-689.
- Mandal, S. C., Nandy, A., Pal, M. and Saha, B.P. (2000). Evaluation of antibacterial activity of *Asparagus racemosus* Willd. root. **Phytotherapy Research**, 14, 118-119.
- Mara, A. S., Roger, B. D. and Christina, C. W. (2005). After the women's health initiative: decision making and trust of women taking hormone therapy. **Womens Health Issues**, 15, 187-195.
- Mario, S. (August, 2010). Osteoporosis. **Publications: disease management project**. Retrieved November 30, 2010, from <http://www.clevelandclinicmeded.com>
- Mashitha, P., Jayshree, R., Sunita, B., Deovrat, B., Nandita, N. and Avinash, U. (2010). Shatavarin production from *in vitro* cultures of *Asparagus racemosus* Willd. **Journal of Medicinal Plants Research**, 5(4), 507-513.

- Mathern, J. (November 29, 2010). Lignans: benefits for both men and women as antioxidant, phytoestrogen. **Supplementspot.com**. Retrieve November 29, 2010, from <http://supplementspot.com/health/library/lignans-benefits-for-both-men-and-women-as-antioxidant-phytoestrogen/>
- Mathew, S. and Kuttan, G. (1997). Anti-oxidant activity of *Tinospora cordifolia* and its usefulness in the amelioration of cyclophosphamide induced toxicity. **Journal of Experimental and Clinical Cancer Research**, 16, 407-411.
- Mendelsohn, M. E. (2002). Protective effects of estrogen on the cardiovascular system. **American Journal of Cardiology**, 89, 12E-18E.
- Michael, R. A., Deborah, L., Golden, J., Koudy, W., Adrian, A. F., Thomas, C. R., et al. (2005). Soy protein containing isoflavones reduces the size of atherosclerotic plaques without affecting coronary artery reactivity in adult male monkeys. **American Society for Nutrition Journal of Nutrition**, 135, 2852-2856.
- Minzhi, Z. and Jean, D. S. (2001). Animal models for osteoporosis. **Endocrine and Metabolic Disorders**, 2, 117-127.
- Mitra, S. K., Gopumadhavan, S., Venkataranganna, M. V. and Sarma, D. N. K. Uterine tonic activity of herbal preparation in rats. **Indian Journal of Pharmacology**, 31, 200-203.
- Mohsen, S. S. (2006). Comparison of cancellous bone histomorphometry between young men and women. **Pakistan Journal Biological Sciences**, 9(7), 1338-1341.
- Moon, H. J., Seok, J. H., Kim, S. S., Rhee, G. S., Lee, R. D., Yang, J. Y., et al. (2009). Lactational coumestrol exposure increases ovarian apoptosis in adult rats. **Archives of Toxicology**, 83(6), 601-608.
- Nandagopal, M., Muralidharan, P. and Thirumurugan, G. (2011). Cerebroprotective effect of root extract of *Asparagus racemosus* Wild. in global cerebral ischemia in rats. **Journal of Pharmacology and Toxicology**, 6(1), 49-61.
- Narendranath, K. A., Mahalingam, S., Anuradha, V. and Rao, I. S. (1986). Effect of herbal galactagogue (Lactare), a pharmacological and clinical observation, **Medsurg Nursing Journal**, 26, 19.

- Nevrekar, P., Bai, N. and Khanna, S. (2002). Evecare capsules in DUB. **Obstetrics and Gynaecology Communications**, 3, 51-53.
- Nian, H., Ma, M. H., Nian, S. S. and Xu, L. L. (2009). Antiosteoporotic activity of icariin in ovariectomized rats. **Phytomedicine**, 16, 320-326.
- Nilsson, O., Marino, R., Luca, F. D., Phillip, M. and Baron, J. (2005). Endocrine regulation of the growth plate. **Hormone Research**, 64, 157-165.
- Ohlsson, C., Bengtsson, B. A., Isaksson, O., Andreassen, T. and Słotweg, M. (1998). Growth hormone and bone. **Endocrinology Revolution**, 19, 55-79.
- Onlom, C. (2011). **Evaluation of Antifungal Activity of *Asparagus racemosus* willd. Roots**. Master thesis, M.S., Naresuan University, Phitsanulok.
- Onoe, Y., Miyaura, C., Ohata, C., Nozawa, H. and Suda, T. (1997). Expression of estrogen receptor β in rat bone. **Endocrinology**, 138(10), 4509-4512.
- Pandey, S. K., Sahay, A., Pandey, R. S. and Tripathi, Y. B. (2005). Effect of *Asparagus racemosus* rhizome (Shatavari) on mammary gland and genital organs of pregnant rat. **Phytotherapy Research**, 19, 721-724.
- Parihar, M. S. and Hemnani, T. (2004). Experimental excitotoxicity provokes oxidative damage in mice brain and attenuation by extract of *Asparagus racemosus*. **Journal of Neural Transmission**, 111, 1-12.
- Paul, P. R. (2001). **Rosen's Breast Pathology** (2nd ed.). New York: Lippincott Williams and Wilkins.
- Pendse, V. K., Dadhich, A. P., Mathur, P. N., Bal, M. S. and Madam, B. R. (1977). Anti-inflammatory, immunosuppressive and some related pharmacological actions of the water extract of Neem Giloe (*Tinospora cordifolia*)-a preliminary report. **Indian Journal of Pharmacology**, 9, 221-224.
- Peng, Z., Q., Väänänen, H. K., Zhang, H. X. and Tuukkanen, J. (1997). Long-term effects of ovariectomy on the mechanical properties and chemical composition of rat bone. **Bone**, 20(3), 207-212.
- Piet, G., Philip, N. S. and Robert, L. (2004). Biochemical indices of bone turnover in markus. **Osteoporosis in Clinical Practice** (2nd ed.). London: Springer-Verlag.

- Potduang, B., Meeploy, M., Giwanon, R., Benmart, Y., Kaewduang, M. and Supatanakul, W. (2008). Biological activities of *Asparagus racemosus*. **African Journal of Traditional, Complementary and Alternative Medicines**, 5, 230-237.
- Privat, M., Aubel, C., Arnould, S., Communal, Y., Ferrara, M., and Bignon, Y. (2009). Breast cancer cell response to genistein is conditioned by *BRCA1* mutations. **Biochemical and Biophysical Research Communications**, 379, 785-789.
- Rao, A. R. (1981). Inhibitory action of *Asparagus racemosus* on DMBA-induced mammary carcinogenesis in rats. **International Journal of Cancer**, 28, 607-610.
- Ravn, P., Clemmesen, B., Riis, B. J. and Christiansen, C. (1996). The effect on bone mass and bone markers of different doses of Ibandronate: a new Bisphosphonate for prevention and treatment of postmenopausal osteoporosis. A 1-year, randomized, double-blind, placebo-controlled dose-finding study. **Bone**, 19 (5), 527-533.
- Recker, R. R. (1993). Architecture and vertebral fracture. **Calcified Tissue International**, 53, S139-S142.
- Reddy, N. P., Lakshmana, M. and Udupa, U. V. (2004). Antiosteoporotic activity of OST-6 (Osteocare), a herbomineral preparation in calcium deficient ovariectomized rats. **Phytotherapy Research**, 18, 25-29.
- Rege, N. N., Nazareth, H. M., Isaac, A. A., Karadikar, S. M. and Dahanukar, S. A. (1989). Immunotherapeutic modulation of intraperitoneal adhesions by *Asparagus racemosus*. **Journal of Postgraduate Medicine**, 35, 199-203.
- Riggs, B. L. and Melton, L. J. (1986). **Involutional Osteoporosis**, 314, 1676-1686.
- Rogerio, A. L. (1995). Benefits and risks of estrogen replacement therapy. **American Journal of Obstetrics and Gynecology**, 982-989.
- Ruangsir, N. and Mangkalakoo. (2005). **Thai herbs volume I**. Bangkok: Tharnkarnpim.
- Russell, T. T., Maran, A., Lotinun, S., Hefferan, T., Evans, G. L., Zhang, M., et al. (2001). Animal models for osteoporosis. **Endocrine and Metabolic Disorders**, 2(1), 117-127.

- Sabnis, P. B., Gaitonde, B. B. and Jetmalani, M. (1968). Effect of alcoholic extract of *Asparagus racemosus* on mammary glands of rats. **Indian Journal of Experimental Biology**, 6, 55-57.
- Sairam, K., Priyambada, S., Aryya, N. C. and Goel, R. K. (2003). Gastroduodenal ulcer protective activity of *Asparagus racemosus*: an experimental, biochemical and histological study. **Journal of Ethnopharmacology**, 86, 1-10.
- Samaras, K., Hayward, C. S., Sullivan, D., Kelly, R. P. and Campbell, L. V. (1999). **Diabetes Care**, 22(9), 1401-1407.
- Saxena, V. K. and Chourasia, S. (2001). A new isoflavone from the roots of *Asparagus racemosus*. **Fitoterapia**, 72, 307-309.
- Scarlata, S. and Miksicek, R. (1995). Binding properties of coumestrol to expressed human estrogen receptor. **Molecular and Cellular Endocrinology**, 115 (1), 65-72.
- Schildkraut, J. M., Cooper, G. S., Halabi, S., Calingaert, B., Hartge, P. and Whittemore, A. S. (2001). Age at natural menopause and the risk of epithelial ovarian cancer. **Obstetric and Gynecology**, 1, 85-90.
- Sekine, T., Fukasawa, N., Kashiwagi, Y., Ruangrungsi, N. and Murakoshi, I. (1994). Structure of asparagamine A, a novel polycyclic alkaloid from *Asparagus racemosus*. **Chemical and Pharmaceutical Bulletin**, 42, 1360.
- Sellappan, S., Akoh, C. C. and Krewer, G. (2002). Phenolic compounds and antioxidant capacity of Georgia-grown blueberries and blackberries. **Journal of Agricultural and Food Chemistry**, 50, 2432-2438.
- Sekine, T., Fukasawa, N., Murakoshi, I. and Ruangrungsi, N. (1997). A 9,10-dihydrophenanthrene from *Asparagus racemosus*. **Phytochemistry**, 44, 763-764.
- Sethi, N., Nath, D. and Sing, R. K. (1990). Anti fertility and teratogenic activity of some indigenous medicinal plants in rats. **Fitoterapia**, 61 (1), 64.
- Sharma, S., Ramji, S., Kumari, S. and Bapna, J. S. (1996). Randomized controlled trial of *Asparagus racemosus* (shatavari) as lactagogue in lactational inadequacy. **Indian Paediatrics**, 33, 675-677.

- Soo, Y. C., Seung, H. K., Ji, Y. K. and Jin, Y. C. (2009). Lactational coumestrol exposure increases ovarian apoptosis in adult rats. **Archives of Toxicology**, 83, 601-608.
- Soules, M.R., Sherman, S., Parrott, E., Rebar, R., Santoro, N., Utian, W. and Woods, N. Executive summary: stages of reproductive aging workshop (STRAW). (2001). **Fertility and Sterility**, 67, 874-878.
- Stevens, A. and Lowe, J. S. (2005). Female reproductive system, **Human Histology** (3rd ed.). New York: Elsevier.
- Stevenson, J. C. (2000). Cardiovascular effects of oestrogens. **Journal of Steroid Biochemistry and Molecular Biology**, 74, 387-393.
- Swaminathan, R. (2001). Biochemical markers of bone turnover. **China Chimica Acta**, 313, 95-105.
- Swarup, A. and Umadevi, K. (1998). Evaluation of EveCare® in the treatment of dysmenorrhoea and premenstrual syndrome. **Obstetrics Gynaecology Today**, 6, 369-372.
- Tajima, Y., Yokose, S., Kawasaki, M. and Takuma, T. (1998). Ovariectomy causes cell proliferation and matrix synthesis in the growth plate cartilage of the adult rat. **Histochemical Journal**, 30, 467-472.
- Tekmal, R. R., Liu, Y., Nair, H. B., Jones, J., Perla, R. P., Lubahn, D. B., et al. (2005). Estrogen receptor alpha is required for mammary development and the induction of mammary hyperplasia and epigenetic alterations in the aromatase transgenic mice. **Journal of Steroid Biochemistry and Molecular Biology**, 95, 9-15.
- Thatte, U. M., Chhabria, S. N., Karandikar, S. M. and Dahanukar, S. A. (1987). Protective effects of Indian medicinal plants against cyclophosphamide neutropenia. **Journal of Postgraduate Medicine**, 33, 185-188.
- Thompson, L. U., Boucher, B. A., Liu, Z., Cotterchio, M. and Kreiger, N. (2006). Phytoestrogen content of foods consumed in Canada, including Isoflavones, Lignans, and Coumestan. **Nutrition and Cancers**, 54 (2), 184-201.

- Thornecroft, I. H., Lindsay, R. and Pickar, J. H. (2007). Body composition during treatment with conjugated estrogens with and without medroxyprogesterone acetate: analysis of the women's Health, osteoporosis, progestin, estrogen (HOPE) trial. **American Journal of Obstetrics and Gynecology**, 197,137.e1-137.e7.
- Tolbert, T. and Oparil, S. (2001). Cardiovascular effects of estrogen. **American Journal of Hypertension**, 14, 186S-193S.
- Trisomboon, H., Malaivijitnond, S. and Watanabe, G. (2004). Estrogenic effect of *Pueraria mirifica* on the menstrual cycle and hormones related ovarian function in cyclic female cynomolgus monkeys. **Journal of Pharmacological Sciences**, 94, 51-59.
- Trisomboon, H., Malaivijitnond, S. and Watanabe, G. (2005). Ovulation block by *Pueraria mirifica*: a study of its endocrinological effect in female monkey. **Endocrine**, 26, 33-40.
- Urasopon, N., Hamada, Y., Asaoka, K., Cherdshewasart, W. and Malaivijitnond, S. (2007). *Pueraria mirifica*, a phytoestrogen-rich herb, prevents bone loss in orchidectomized rats. **Maturitas**, 56, 322-331.
- Urasopon, N., Hamada, Y., Cherdshewasart, W. and Malaivijitnond, S. (2008). Preventive effects of *Pueraria mirifica* on bone loss in ovariectomized rats. **Maturitas**, 59, 137-148.
- Venkatesan, N., Thiagarajan, V., Narayanan, S., Arul, A., Raja, S., Vijaya, K. S. G., et al. (2005). Anti-diarrhoeal potential of *Asparagus racemosus* wild root extracts in laboratory animals. **Journal of Pharmacy and Pharmaceutical Sciences**, 8, 39-46.
- Vidal, O., Kindblom, L. and Ohlsson, C. (1999). Expression and localization of estrogen receptor- β in murine and human bone. **Journal of Bone and Mineral Research**, 14(6), 923-929.
- Visavadiya, N. P. and Narasimhacharya, R. L. (2005). Hypolipidemic and antioxidant activities in *Asparagus racemosus* in hypercholesteremic rats. **Indian Journal of Pharmacology**, 37, 376-380.
- Wang, L. Y., Zhao, A. P. and Chai, X. S. (1994). Effects of puerarin on cat vascular smooth muscle *in vitro*. **Acta Pharmacologica Sinica**, 15, 180-182.

- Wang, X., Wu, J., Chiba, H., Umegaki, K., Yamada, K. and Ishimi, Y. (2003). *Puerariae radix* prevents bone loss in ovariectomized mice. **Journal of Bone and Mineral Metabolism**, 21, 268-275.
- Ward, H. A. and Kuhnle, G. G. C. (2006). Phytoestrogen consumption and association with breast, prostate and colorectal cancer in EPIC Norfolk. **Archives of Biochemistry and Biophysics**, 501, 170-175.
- Ward, W. E., Yuan, Y. V., Cheung, A. M. and Thompson, L. U. (2001). Exposure to purified lignan from flaxseed (*Linum usitatissimum*) alters bone development in female rats. **British Journal of Nutrition**, 86, 499-505.
- Weise, M. De-Levi, S., Barnes, K. M., Gafni, R. I., Abad, V. and Baron, J. (2001). Effects of estrogen on growth plate senescence and epiphyseal fusion. **Proceedings of the National Academy of Sciences**, 98(12), 6871-6876.
- Westerveld, H. E. (1998). Estrogens and postprandial lipid metabolism. **Atherosclerosis**, 141, S105-S107.
- Wiboonpun, N., Phuwapraisirisan, P. and Tip-pyang, S. (2004). Identification of antioxidant compound from *Asparagus racemosus*. **Phytotherapy Research**, 18, 771-773.
- Wietzke, J. A. and Welsh, J. (2003). Phytoestrogen regulation of a vitamin D3 receptor promoter and 1,25-dihydroxyvitamin D3 actions in human breast cancer cells. **Journal of Steroid Biochemistry and Molecular Biology**, 84, 149-157.
- William, C. Langston, M. D. and Robinson, B. L. (1935). Castration atrophy a chronological study of uterine changes following bilateral ovariectomy in the albino. **Endocrinology**, 19, 51-62.
- Wronski, T. J., Cintron, M., Doherty, A. L. and Dan, L. M. (1988). Estrogen treatment prevents osteopenia and depresses bone turnover in ovariectomized rats. **Endocrinology**, 123, 681-686.
- Xiao, C. W. (2008). Health effects of soy protein and isoflavones in humans. **American Society for Nutrition**, 138, 1244S-1249S.

- Yamaguchi, K., Yada, M., Tsuji, T., Kuramoto, M. and Uemura, D. (1999).
Suppressive effect of noorzoanthamine hydrochloride on experimental
osteoporosis in ovariectomized mice. **Biological and Pharmaceutical
Bulletin**, 22, 920-924.
- Yamamoto, M., Fisher, J. E., Gentile, M., Seedor, J. G., Chih-Tai, L., Rodan, S. B.
et al. (1998). The integrin ligand echistatin prevents bone loss in
ovariectomized mice and rats. **Endocrinology**, 139, 1411-1419.
- Yamazaki, I. (1986). Effect of ipriflavone on the response of uterus and thyroid to
estrogen. **Life Sciences**, 38, 757-764.
- Yamazaki, I. and Kinoshita, M. (1986). Calcitonin-secreting property of ipriflavone in
the presence of estrogen. **Life Sciences**, 38, 1535-1541.
- Yao, X., Chen, H., Ohtake, N. and Shounura, S. (2006). Morphological alterations in
the growth plate cartilage of ovariectomized mice. **Medical Molecular
Morphology**, 39, 193-197.
- Ye, S. F., Saga, I., Ichimura, K., Nagai, T., Shinoda, M. and Matsuzaki, S. (2003).
Coumestrol as well as isoflavones in soybean extract prevent bone resorption
in ovariectomized rats. **Endocrine Regulation**, 37, 145-152.
- Yin, J., Tezuka, Y., Subehan, L., Nobukawa, M., Nobukawa, T. and Kadota, S.
(2006). *In vivo* anti-osteoporotic activity of isotaxiresinol, a lignan from wood
of *Taxus yunnanensis*. **Phytomedicine**, 13(1-2), 37-42.
- Yogesh, H. S., Chandrashekhara, V. M., Katti, H. R., Ganapaty, S. and Raghavendra,
H. L. (2011). Anti-osteoporotic activity of aqueous-methanol extract of
Berberis aristata in ovariectomized rats. **Journal of Ethnopharmacology**,
134, 334-338.
- Zhang, R., Liu, Z. G., Li, C., Hu, S. J., Liu, L., Wang, J. P., et al. (2009). Du-Zhong
(*Eucommia ulmoides* Oliv.) cortex extract prevent OVX-induced osteoporosis
in rats. **Bone**, 45, 553-559.
- Zhao, X., Wu, Z., Zhang, Y., Yan, Y., He, Q., Cao, P., et al. (2011). Anti-osteoporotic
activity of *Cibotium barometz* extract on ovariectomy-induced bone loss in
rats. **Journal of Ethnopharmacology**, 137(3), 1083-1088.