

REFERENCES



REFERENCES

- Angel, P., Szabowski, A. and Schorpp, K.M. (2001). Function and regulation of AP-1 subunits in skin physiology and pathology. **Oncogene**, 20, 2413-2423.
- Babior, B.M., Lambeth, J.D. and Nauseef, W. (2002). The neutrophil NADPH oxidase. **Archives of Biochemistry and Biophysics**, 397, 342-344.
- Bashir, M.M., Sharma, M.R. and Werth, V.P. (2009). TNF- α production in the skin. **Archives of Dermatological Research**, 301, 87-91.
- Beer, J.Z. (2009). Long-Lasting Molecular Changes in Human Skin after Repetitive In Situ UV Irradiation. **Journal of Investigation Dermatology**, 129, 1002-1011.
- Bernstein, E.F. and Uitto, J. (1996). The effect of photodamage on dermal extracellular matrix. **Clinical Dermatology**, 14, 143-151.
- Bohm, S.K., Kong, W., Bromme, D., Smeekens, S.P. and Anderson, D.C. (1996). Molecular cloning, expression and potential function of the human protease-activated receptor-2. **Biochemistry Journal**, 314, 1009-1016.
- Bravo, L. (1998). Polyphenols: chemistry, dietary sources, metabolism and nutritional significance. **Nutrition Reviews**, 57, 317-333.
- Carlberg, I. and Mannervik, B. (1985). Glutathione reductase. **Methods in Enzymology**, 113, 484-490.
- Castillo, J. (2000). Antioxidant activity of phenolics extracted from *Olea europaea* L. leaves. **Food Chemistry**, 68, 457-462.
- Chamougrand, N. and Rigoulet, M. (2001). Aging and oxidative stress: studies of some genes involved both in aging and in response to oxidative stress. **Respiration Physiology**, 128, 393-401.
- Chardon, A., Moyal, D. and Hourseau, C. (1997). Persistent pigment-darkening response as a method for evaluation of ultraviolet A protection assays. In J.L. Nicholas (Ed.), **In Sunscreens: Development, Evaluation and Regulatory Aspects**. New York: Marcel Dekker.
- Cherniack, E.P. (2010). The potential influence of plant polyphenols on the aging process. **Forsch Komplementmed**, 17, 181-187.

- Chung, J.H. (2000). Decreased extracellular-signal-regulated kinase and increased stress-activated MAP kinase activities in aged human skin in vivo. **Journal of Investigation Dermatology**, 114, 177-182.
- Chung, J.H. (2001). modulation of skin collagen metabolism in aged and photoaged human skin in vivo. **Journal of Investigation Dermatology**, 117(5), 1218-1224.
- Chung, K.Y. (1996). An AP-1 binding sequence is essential for regulation of the human $\alpha 2(I)$ collagen (COL1A2) promoter activity by transforming growth factor-beta. **Journal of Biological Chemistry**, 271, 3272-3278.
- Cos, P., Ying, L., Calomme, M., Hu, J.P., Cimanga, K., Poel, B.V., Pieters, L., Vlietinck, A.J. and Berghe, D.V. (1988). Structure-activity relationship and classification of flavonoids as inhibitors of xanthine oxidase and superoxide scavengers. **Journal of Natural Product**, 61, 71-76.
- Eves, P.C., MacNeil, S. and Haycock, J.W. (2006). α -Melanocyte Stimulating Hormone, **Inflammation and Human Melanoma. Peptides**, 27, 444-452.
- Dugina, V., Fontao, L., Chaponnier, C., Vasiliev, J. and Gabbiani, G. (2001). Focal adhesion features during myofibroblastic differentiation are controlled by intracellular and extracellular factors. **Journal of Cell Science**, 114, 3285-96.
- Donsing, P., Limpeanchob N. and Viyoch J. (2008). Evaluation of the effect of Thai breadfruit's heartwood extract on melanogenesis-inhibitory and antioxidation activities. **Journal of Cosmetic Science**, 59, 41-58.
- Elsdale, T. and Bard, J. (1972). Collagen substrata for studies on cell behavior. **J. Cell Biol**, 54, 626-637.
- Fisher, G.J. (2000). c-Jun-dependent inhibition of cutaneous procollagen transcription following ultraviolet irradiation is reversed by all-trans retinoic acid. **Journal of Clinical Investigation**, 106, 663-670.
- Fisher, G.J. (1998). Retinoic acid inhibits induction of c-Jun protein by ultraviolet radiation that occurs subsequent to activation of mitogen-activated protein kinase pathways in human skin in vivo. **Journal of Clinical Investigation**, 101, 1432-1440.

- Fisher, G.J. and Voorhees, J.J. (1998). Molecular mechanisms of photoaging and its prevention by retinoic acid: ultraviolet irradiation induces MAP kinase signal transduction cascades that induce AP-1-regulated matrix metalloproteinases that degrade human skin in vivo. **Journal of Investigative Dermatology**, 3, S61-S68.
- Freinkel, R.K. and Woodley, D.T. (2001). Skin disorders, eds. New York, NY: **Parthenon**, 113-370.
- Gilchrest, B.A. (1997). Treatment of photodamage with topical tretinoin: an overview. **Journal of the American Academy of Dermatology**, 36, S27-S36.
- Griffiths, C.E. (1993). Restoration of collagen formation in photodamaged human skin by tretinoin (retinoic acid). **The New England Journal of Medicine**, 329, 530-535.
- He, Y.Y. (2003). Role of reduced glutathione efflux in apoptosis of immortalized human keratinocytes induced by UVA. **Journal of Biological Chemistry**, 278, 8058-8064.
- Hensley, K. and Floyd, R. (2002). Reactive oxygen species and protein oxidation in aging: a look back, a look ahead. **Archives of Biochemistry and Biophysics**, 397, 377-383.
- Herman, D. (2001). Aging: overview. **Annals of the New York Academy of Sciences**, 928, 1-21.
- Hunter, J., Savin, J. and Dahl, M. (2002). **Clinical dermatology** (3rd Ed.). New York: Blackwell publishing.
- Hensley, K. and Floyd, R.A. (2002). Reactive oxygen species and protein oxidation in aging: A look back, a look ahead. **Archives of Biochemistry and Biophysics**, 397, 377-383.
- Hinz, B., Dugina, V., Ballestrem, C., Wehrle-Haller, B. and Chaponnier, C. (2003). Alpha-smooth muscle actin is crucial for focal adhesion maturation in myofibroblasts. **Molecular Biology of the Cell**, 14, 2508-2519.
- Huang, K.F., Chen Y.W., Chang C.T. and Chou, S.T. (2005). Studies on the inhibitory effect of *Graptopetalum paraguayense* E. Walther extracts on mushroom tyrosinase. **Food Chemistry**, 89, 583-587.

- Huang, S. and Ungber, D. (2000). Shape-dependent control of cell growth, differentiation, and apoptosis: switching between attractors in cell regulatory networks. **Experimental Cell Research**, 261, 91-103.
- Ito, S. (1986). Reexamination of the structure of eumelanina. **Biochimica et Biophysica Acta**, 883, 155-161.
- Jouandeaud, M. (2004). Comparison of the biomechanical and biosynthetic behavior of normal human fibroblasts and fibroblasts from a forehead wrinkle. **IFSCC Magazine**, 7, 109-113.
- Kang, S. and Voorhees, J.J. (1998). Photoaging therapy with topical tretinoin: an evidencebased analysis. **Journal of the American Academy of Dermatology**, 39, S55-S61.
- Kauser, S. (2003). Regulation of human epidermal melanocyte biology by beta-endorphin. **Journal of Investigative Dermatology**, 120(6), 1073-80.
- Kaufmann, R., Mussbach, F., Henklein P. and Settmacher U. (2011). Proteinaseactivated receptor 2-mediated calcium signaling in hepatocellular carcinoma cells. **Journal of Cancer Research and Clinical Oncology**, 137, 965-973.
- Kim, H.J. (1992). Effect of topical retinoic acids on the levels of collagen mRNA during the repair of UV-B-induced dermal damage in the hairless mouse and the possible role of TGF-beta as a mediator. **Journal of Investigative Dermatology**, 98, 359-363.
- Kim, Y.J., Uyama H. and Kobayashi S. (2004). Inhibition effects of (+)-catechin-aldehyde polycondensates on proteinases causing proteolytic degradation of extracellular matrix. **Biochemical and Biophysical Research Communications**, 320, 256-261.
- Kligman, A.M., Dogadkina, D. and Lavker, R.M. (1993). Effects of topical tretinoin on non-sun-exposed protected skin of the elderly. **Journal of the American Academy of Dermatology**, 29, 25-33.
- Lambert, C. (2001). Coordinated regulation of procollagens I and III and their post-translational enzymes by dissipation of mechanical tension in human dermal fibroblasts. **European Journal of Cell Biology**, 80, 479-485.

- Lei, T.C. (2002). A melanocyte-keratinocyte coculture model to assess regulators of pigmentation in vitro. **Analytical Biochemistry**, 305, 260-268.
- Lowry, OH. (1951). Protein measurement with the folin phenol reagent. **Journal of Biological Chemistry**, 193, 265-275.
- Ma, W. (2001). Chronological aging and photoaging of the fibroblasts and the dermal connective tissue. **Clinical and Experimental Dermatology**, 26, 592-599.
- Marklund, S.L. (1984). Extracellular superoxide dismutase in human tissues and human cell lines. **Journal of Clinical Investigation**, 74(4), 1398-1403.
- Miller, N.J. and Rice-Evans, C. (1996). Spectrophotometric determination of antioxidant activity. **Redox Report**, 2, 161-171.
- Miyazaki, K. (2003). Bifidobacterium-fermented soy milk extract stimulates hyaluronic acid production in human skin cells and hairless mouse skin. **Skin Pharmacology and Applied Skin Physiology**, 16, 108-116.
- Montaz, S., Mapunya, B.M., Houghton, P.J., Edgerly, C., Hussein, A., Naidoo, S. and N. Lall, (2008). Tyrosinase inhibition by extracts and constituents of *Sideroxylon inerme* L. stem bark, used in South Africa for skin lightening. **Journal of Ethnopharmacology**, 119, 507-512.
- Morandini, R., Boeynaems, J.M., Hedley, S.J., MacNeil, S. and Ghanem, G. (1998). Modulation of ICAM-1 expression by alpha-MSH in human melanoma cells and melanocytes. **Journal of Cellular Physiology**, 175, 276-282.
- Mun, Y.J., Lee, S.W., Jeong, H.W., Lee, K.G., Kim, J.H. and Woo, W.H. (2004). Inhibitory effect of miconazole on melanogenesis. **Biological and Pharmaceutical Bulletin**, 27, 806-809.
- Oikawa, S., Furukawaa, A., Asada, H., Hirakawa, K. and Kawanishi, S. (2003). Catechins induce oxidative damage to cellular and isolated DNA through the generation of reactive oxygen species. **Free Radical Research**, 37(8), 881-890.
- Ortel, B. and Gange, R.W. (1992). UV-A Action Spectra for Erythema and Pigmentation. In U. Frederick (Ed.), **Biological Responses to Ultraviolet A Radiation**. Kansas: Valdenmar Publishing Company.
- Ortonne, J. (2002). Photoprotective properties of skin melanin. **British Journal of Dermatology**, 146, 7-10.

- Paine, C., Sharlow, E., Liebel, F., Eisinger, M., Shapiro, S. and Seiberg, M. (2001). An alternative approach to depigmentation by soybean extracts via inhibition of the PAR-2 pathway. **Journal of Investigative Dermatology**, 116, 587-595.
- Petroll, W.M., Cavanagh, H.D., Jester, J.V. and Roy, P. (1999). Exertion of tractional force requires the coordinated up-regulation of cell contractility and adhesion. **Cell Motility and the Cytoskeleton**, 43, 23-34.
- Poswig, A. (1999). Adaptive antioxidant response of manganese-superoxide dismutase following repetitive UVA irradiation. **Journal of Investigative Dermatology**, 112, 13-18.
- Pumthong, G. (1999). Antioxidative activity of polyphenolic compounds extracted from seed coat of *Tamarindus indica* Linn. Master thesis, M.Sc., Chiang Mai University, Chiang Mai.
- Rice-Evans, C. and Miller, N.J. (1996). Antioxidant activities of flavonoids as bioactive components of food. **Biochemical Society Transactions**, 24, 790-795.
- Santulli, R.J. (1995). Evidence for the presence of a protease-activated receptor distinct from the thrombin receptor in human keratinocytes. **Proceedings of the National Academy of Sciences**, 92, 9151-9155.
- Schallreuter, K.U. (1994). Regulation of melanin biosynthesis in the human epidermis by tetrahydrobiopterin. **Science**, 263, 1444-1446.
- Scott, G. (2002). The story behind melanocyte dendrite formation. **Pigment Cell Research**, 15, 322-330.
- Seiberg, M. (2001). Keratinocyte-Melanocyte Interactions During Melanosome Transfer. **Pigment Cell Research**, 14(4), 236-242.
- Seiberg, M., Paine C., Sharlow, E., Andrade-Gordon, P., Costanzo, M., Eisinger M. and Shapiro, S.S. (2000). Inhibition of melanosome transfer results in skin lightening. **Journal of Investigative Dermatology**, 115, 162-167.
- Seiberg, M., C. Paine, E., Sharlow, P., Andrade-Gordon, M., Costanzo, M. and Shapiro, S.S. (2000). The protease-activated receptor 2 regulates pigmentation via keratinocyte-melanocyte interactions. **Experimental Cell Research**, 254, 25-32.

- Siddhuraju, P. (2007). Antioxidant activity of polyphenolic compounds extracted from defatted raw and dry heated *Tamarindus indica* seed coat. **LWT**, 40, 982-990.
- Siegrist, W. and Eberle, A.N. (1986). In situ melanin assay for MSH using mouse B16 melanoma cells in culture. **Analytical Biochemistry**, 159, 191-197.
- Simon, J.D. (2000). Spectroscopic and dynamic studies of the epidermal chromophores trans-urocanic acid and eumelanin. **Accounts of Chemical Research**, 33, 307-313.
- Singleton, V.L., Orthofer, R. and Lamuela-Raventos, R.M. (1999). Analysis of total phenols and other oxidation substrates and antioxidants by means of folin-ciocalteu reagent. **Methods in Enzymology**, 299, 152-178.
- Sitarina, W. (2001). Isoflavonoid compounds from red clover (*Trifolium pratense*) protect from inflammation and immune suppression induced by UV radiation. **Photochemistry and Photobiology**, 74, 465-470.
- Sohal, R.S. and Weindruch, R. (1996). Oxidative stress, caloric restriction, and aging. **Science**, 273, 59-63.
- Soong, Y.Y. and Barlow, P.J. (2004). Antioxidant activity and phenolic content of selected fruit seeds. **Food Chemistry**, 88, 411-417.
- Sternlicht, M.D. and Werb, Z. (2001). How matrix metalloproteinases regulate cell behavior. **Annual Review of Cell and Developmental Biology**, 17, 463-516.
- Sudjaroen, Y., Haubner, R.G., Wurtele, W.E. and Erben G. (2005). Isolation and structure elucidation of phenolic antioxidants from Tamarind (*Tamarindus indica* L.) seeds and pericarp. **Food and Chemical Toxicology**, 43, 1673-1682.
- Talwar, H.S., Griffiths, C.E., Fisher, G.J., Hamilton, T.A., Voorhees, J.J. (1995). Reduced type I and type II procollagens in photodamaged adult human skin. **Journal of Investigation Dermatology**, 105, 285-290.
- Tamariz, E., Grinnell, F. (2002). Modulation of fibroblast morphology and adhesion during collagen matrix remodeling. **Molecular Biology of the Cell**, 13, 3915-3929.
- Tanaka, K. (2001). Immunosuppressive and non-immunosuppressive immunophilin ligands improve H₂O₂ -induced cell damage by increasing glutathione levels in NG108-15 cells. **Brain Research**, 889, 225-228.

- Tomasek, J.J., Gabbiani, G., Hinz, B., Chaponnier, C. and Brown, R.A. (2002). Myofibroblasts and mechano-regulation tissue remodelling. **Nature Reviews Molecular Cell Biology**, 3, 349-363.
- Tomasek, J.J. and Hay, E.D. (1984). Analysis of the role of microfilaments and microtubules in acquisition of bipolarity and elongation of fibroblasts in hydrated collagen gels. **Journal of Cell Biology**, 99, 536-549.
- Tyrrell, R.M. (1991). UVA (320–380 nm) radiation as an oxidative stress. In S. Helmut (Ed.), **Oxidative Stress, Oxidants and Antioxidants**. London: Academic Press.
- Ullrich, A. and Schlessinger, J. (1990). Signal transduction by receptors with tyrosine kinase activity. **Cells**, 61, 203-212.
- Varani, J., Warner, R.L., Gharaee-Kermani, M., Phan, S.H., Kang, S., Chung, J.H., Wang, Z.Q., Datta, S.C., Fisher, G.J. and Voorhees, J.J. (2000). Vitamin A antagonizes decreased cell growth and elevated collagen-degrading matrix metalloproteinases and stimulates collagen accumulation in naturally aged human skin. **Journal of Investigation Dermatology**, 114, 480-486.
- Varani, J. (2001). Inhibition of type I procollagen synthesis by damaged collagen in photoaged skin and by collagenase degraded collagen in vitro. **American Journal of Pathology**, 158, 931-942
- Varani, J., Spearman, D., Perone, P., Fligiel, S.E.G., Datta, S.C., Wang, Z.Q., Shao, Y., Kang, S., Fisher, G.J. and Voorhees, J.J. (2000). Vitamin A antagonizes decreased cell growth and elevated collagen-degrading matrix metalloproteinases and stimulates collagen accumulation in naturally aged human skin. **Journal of Investigation Dermatology**, 114, 480-486.
- Vinnet, C., Armbruster, V., Gabiot, A.C., Gharbi, T., Bride, J. and Humbert, P. (2004). Comparing the contractile properties of human fibroblasts in leg ulcers with normal fibroblasts. **Journal of Wound Care**, 13, 358-361.
- Weiss, J.S., Ellis, C.N., Headington, J.T., Tincoff, T., Hamilton, T.A. and Voorhees, J.J. (1988). Topical tretinoin improves photoaged skin: A double blind, vehicle-controlled study. **American Medical Association**, 259, 527-532.
- Wlascheck, M. (1997). UV-induced reactive oxygen species in photocarcinogenesis and photoaging. **Biological Chemistry**, 378, 1247-1257.

- Yin, L., Morita, A. and Tsuji, T. (2001). Skin aging induced by ultraviolet exposure and tobacco smoking: Evidence from epidemiological and molecular studies. **Photodermatology, Photoimmunology & Photomedicine**, 17, 178-183.
- Yoon, K.N., Alam, N., Lee, K.R., Shin, P.G., Cheong, J.C., Yoo, Y.B. and Lee, T.S. (2011). Antioxidant and antityrosinase activities of various extracts from the fruiting bodies of *Lentinus lepideus*. **Molecules**, 16, 2334-2347.

