

LIST OF CONTENT

Chapter	Page
I INTRODUCTION.....	1
Background and significance of the research problem.....	1
Objective.....	4
Scope of research.....	4
Expected benefits.....	4
II BACKGROUND KNOWLEDGE.....	5
Cosmic rays.....	5
Cutoff Rigidities.....	8
Neutron monitor.....	9
Differential response functions of neutron monitors.....	17
The calibration neutron monitor.....	18
Calibration neutron monitor observations in Thailand.....	23
III RESEARCH METHODOLOGY.....	26
Monte Carlo modeling techniques.....	26
FLUKA (FLUktuierende KAskade).....	28
PSNM geometry.....	32
Monte Carlo model of the calibration neutron monitor.....	35
Calibration monitor geometry.....	35
Beams of atmospheric secondary particles.....	41

LIST OF CONTENT (CONT.)

Chapter	Page
IV RESULTS AND DISCUSSION	50
Distribution of particle energy in the calibration monitor and the neutron monitor.....	50
Count rate as a function of height of calibration monitor and water below it.....	62
Count rates inside and outside the PSNM station.....	68
V CONCLUSIONS.....	70
Conclusions	70
REFERENCES.....	72
APPENDICES.....	76
BIOGRAPHY.....	84

LIST OF TABLES

Table	Page
1 The comparison of the specifications between 6NM64 and IGY monitors.....	13
2 The specifications of neutron counter LND25382 type from LND, INC (private communication).....	21
3 The electrical specifications of LND25382	21
4 Moderator	22
5 Producer.....	22
6 Reflector	23
7 Uncertainty as a function of number of points, N.....	27
8 The transport limits of FLUKA	28
9 The chemical composition of materials.....	39
10 The percentages of the secondary particles in the neutron monitor and the calibration monitor.....	61
11 Ratio of the count rate of the calibration monitor/neutron monitor at calibrator 70 cm.....	62
12 Ratio of the count rate of the calibration monitor/neutron monitor at calibrator 140 cm.....	63
13 Ratio of the count rate inside vs outside the PSNM station.....	68
14 The ratio of the count rate experiment vs simulation inside station.....	68

LIST OF FIGURES

Figures		Page
1	A world map of vertical cutoff rigidity including the location of various neutron monitor stations. The maximum cutoff rigidity of ≈ 17 GV is found in and around Thailand.....	3
2	Princess Sirindhorn Neutron Monitor station in 2009.....	3
3	The relation between solar activity and intensity of cosmic rays as indicated by the number of sunspots.....	6
4	The energy spectrum of cosmic rays which are measured on the Earth	7
5	A schematic diagram of cosmic ray shower	8
6	The worldwide neutron monitors of various stations around the world including PSNM in Thailand.....	10
7	Atmospheric cosmic ray shower, and components of neutron monitor.....	12
8	International Geophysical Year (IGY) 12 counters.....	14
9	The neutron monitor (6NM64), 6 tubes.....	14
10	The cross – sections of $^{10}\text{B}(n, \alpha)^7\text{Li}$ and $^3\text{He}(n, p)^3$	16
11	The calibration neutron monitor.....	18
12	The separate components of a calibration neutron monitor.....	19
13	The neutron counter type LND25382.....	20
14	The front electronics head of the calibration neutron monitor.....	23
15	The ratio of calmon/NM at Doi Inthanon and the Potchefstroom as function of varying heights of water beneath the calibration neutron monitor.....	24
16	The cross sectional top view (xy plane) geometry plot inside the PSNM station at height of 25 cm from the ground.....	33

LIST OF FIGURES (CONT.)

Figures		Page
17	The yz plane geometry plot of the PSNM station.....	33
18	3D sketch of the calibration neutron monitor installation inside the PSNM station.....	34
19	3D sketch of the calibration neutron monitor installation at 70 cm above ground without water.....	35
20	3D sketch of the calibration neutron monitor installation at 70 cm above ground and at the height of 65 cm of water.....	36
21	3D sketch of the calibration neutron monitor installation of 140 cm above ground without water.....	36
22	3D sketch of the calibration neutron monitor installation of 140 cm above ground at the height of 65 cm of water.....	37
23	Top view of calibration monitor.....	37
24	3D xy-plane sketch of the calibration monitor.....	38
25	3D yz-plane sketch of the calibration monitor.....	39
26	Illustration of the beam area in FLUKA simulation.....	41
27	The neutron density plot from the simulation result of neutron beam on yz plane where x, y, z axes are in cm and color scale shows the neutron density.....	42
28	Illustration of the beam area with source routine in FLUKA Simulation.....	43
29	The neutron density plot from the simulation result of beam with source routine on yz plane where x, y, z axes are in cm and color scale shows the neutron density.....	44
30	Front view image of the weight beam in the calibration monitor Simulation.....	45
31	Top view of the weight beam areas and directions as used in the calibration monitor simulation.....	46
32	position of (x , y).....	46

LIST OF FIGURES (CONT.)

Figures		Page
33	Direction and incident angle of beam.....	47
34	Neutron density plot from the simulation result of weight beam on yz plane where x, y, z axes are in cm and color scale shows the neutron density.....	48
35	The flow chart of the FLUKA simulation.....	49
36	Distribution of counts issued by secondary neutron in the calibration monitor.....	51
37	Distribution of counts issued by secondary proton in the calibration monitor.....	52
38	Distribution of counts issued by secondary muon (+) in the calibration monitor.....	52
39	Distribution of counts issued by secondary muon(-) in the calibration monitor.....	53
40	Distribution of counts issued by secondary pion (+) in the calibration monitor.....	53
41	Distribution of counts issued by secondary pion(-) in the calibration monitor.....	54
42	Distribution of counts issued by secondary photon in the calibration monitor.....	54
43	Distribution of counts issued by secondary electron in the calibration monitor.....	55
44	Distribution of counts issued by secondary positron in the calibration monitor.....	55
45	Distribution of counts issued by secondary neutron in the neutron monitor.....	56
46	Distribution of counts issued by secondary proton in the neutron monitor.....	56

LIST OF FIGURES (CONT.)

Figures		Page
47	Distribution of counts issued by secondary muon (+) in the neutron monitor.....	57
48	Distribution of counts issued by secondary muon(-) in the neutron monitor.....	57
49	Distribution of counts issued by secondary pion (+) in the neutron monitor.....	58
50	Distribution of counts issued by secondary pion(-) in the neutron monitor.....	58
51	Distribution of counts issued by secondary photon in the neutron monitor.....	59
52	Distribution of counts issued by secondary electron in the neutron monitor.....	59
53	Distribution of counts issued by secondary positron in the neutron monitor.....	60
54	Comparison of the count rate ratio between simulations and experiments at the PSNM station for the calibrator and neutron monitor.....	63
55	Neutron density plot on yz plane in the pool area for the calibrator at height of 140 cm without water.....	65
56	Neutron density plot on yz plane in the pool area for the calibrator at height of 140 cm above pool with water level at 65 cm.....	66
57	Count rate ratio as a function of height of calibration monitor for the calibrator and neutron monitor.....	67