



REFERENCES

REFERENCES

- [1] Freyman, T. M., Yannas, I. V. & Gibson, L. J. (2001). Cellular materials as porous scaffolds for tissue engineering. Progress in Materials Science, 46, 273-283.
- [2] Kim, B. S. & Mooney, D. J. (1998). Development of biocompatible synthetic extracellular matrices for tissue engineering. Tibtech, 16, 224-229.
- [3] Blomme, E. A.G. et al. (1998). Influence of extracellular matrix macromolecules on normal human keratinocyte phenotype and parathyroid hormone-related protein secretion and expression *in vivo*. Experimental Cell Research, 238, 204-215.
- [4] Badylak, S. F. (2002). The extracellular matrix as a scaffold for tissue reconstruction. Cell and Developmental Biology, 13, 377-383.
- [5] Stone, C. A. et al. (2000). Healing at skin graft donor sites dressed with chitosan. British Journal of Plastic Surgery, 53, 601-606.
- [6] Degim, Z. Et al. (2002). An investigation on skin wound healing in mice with a taurine-chitosan gel formation. Amino Acids, 22, 187-198.
- [7] Madihally, S. V., Matthew, H. W. T. (1999). Porous chitosan scaffolds for tissue engineering. Biomaterials, 20, 1133-1142.
- [8] Minoura, N. et al. (1998). Preparation, properties, and cell attachment/growth behavior of PVA/chitosan-blended hydrogels. Materials Science and Engineering, C6, 275-280.
- [9] Cascone, M. G., Sim, B., & Downes, S. (1995). Blends of synthetic and natural polymers as drug delivery systems for growth hormone. Biomaterials, 16, 569-574.
- [10] Lee, C. T., Kung, P. H., & Lee, Y. D. (2005). Preparation of poly (vinyl alcohol)-chondroitin sulfate hydrogel as matrices in tissue engineering. Carbohydrate Polymers, 61, 348-354.
- [11] Milton, O., Howard, I. M., & Mark, V. D. (1991). Dermatology. Connecticut: Appleton & Lange.

- [12] Irwin, M. F. et al. (2003). Fitzpatrick's dermatology in general medicine (6th ed.). New York: McGraw - Hill Companies, Inc.
- [13] The dermatological skincare programme: Eucerin. (2005). Skin structure. Retrieve on March 29, 2006. from: http://www.eucerin.co.uk/skin/skincell_1.html
- [14] L'Oreal. (2002). Rebuiding the skin. [Pamphlet]. France: chlichy decex.
- [15] Laura, A. & Elaine, F (2003). Stem cells of the skin equilibrium. Proceeding of the National Academy of Sciences, 100, 11830-11835.
- [16] Freshney, R.I. (2000). Culture of animal cells. Canada: Wiley - Liss.
- [17] Stephen, L. W. (1995). Cell and Molecular biology. California: Wadsworth Publishing Company.
- [18] Galicka, A., Wolcozynski, S., & Gindzienski, A. (2003). Studies on type I collagen in skin fibroblasts cultured from twins with lethal osteogenesis imperfecta. Acta Biochimica Polonica, 50, 481-488.
- [19] Bernhard, G. P. & Sangeeta, N.B. (2004). Tissue engineering. New Jersey: Pearson Education.
- [20] Buckley, C. T. & O'Kelly, K. U. (2004). Regular scaffold fabrication techniques for investigations in tissue engineering. Topic in Bio-Mechanical Engineering, 147-166.
- [21] Drury, J. L., & Mooney, D. J. (2003). Hydrogels for tissue engineering: scaffold design variables and applications. Biomaterials, 24, 4337-4351.
- [22] Radhika, M., Mary, B., & Sehgal, P. K. (1999). Cellular proliferation on desamidated collagen matrices. Comparative Biochemistry Physiology. Part C, 124, 131-139.
- [23] Yannas, V. & Burke J. F. (1980). Design of artificial skin. 1. Basic design principles. Journal Biomaterial Research, 14, 65-81.
- [24] Badylak, S. F. (2004). Xenogeneic extracellular matrix as a scaffold for tissue reconstruction. Transplant Immunology, 12, 367-377.

- [25] Lee, J. E. et al. (2004). Effects of the controlled-released TGF- β 1 from chitosan microspheres on chondrocytes cultured in collagen/chitosan/glycosaminoglycan scaffold. Biomaterials, 25, 4163-4173.
- [26] Gomathi, K. et al. (2003). Quercetin incorporated collagen matrices for dermal wound healing process in rat. Biomaterials, 24, 2767-2772.
- [27] Hafemann, B. et al. (1999). Use of a collagen/elastin-membrane for the tissue engineering of dermis. Burns, 25, 373-384.
- [28] Isenberg, B. C. & Wang, J. Y. (2006). Building structure into engineered tissue. Materials Today, 9, 54-60.
- [29] Shari, B., Svetlana, Z., & Jochen, W. (2005). Molecular weight and degree of acetylation of high-intensity ultrasonicated chitosan. Food Hydrocolloids, 19, 821-830.
- [30] Monal, W. A. et al. (1998). Rheological study of the chitosan/glutaraldehyde chemical gel system. Polymer Gels and Networks, 6, 429-440.
- [31] Tatsuya, M. et al. (2006). Effect of molecular weight and deacetylation degree of chitin/chitosan on wound healing. Carbohydrate Polymers, 67, 640-644.
- [32] Hans, M. & Lars, Z. (2003). Chitin metabolism in insects: structure, function and regulation of chitin synthases and chitinases. The Journal of Experimental Biology, 206, 4393-4412.
- [33] Kurita, K. et al. (2000). Enzymatic degradation of β -chitosan: susceptibility and the influence of deacetylation. Carbohydrate Polymers, 42, 19-21.
- [34] Marie, G., Isabelle, P., & Francois, B. (2003). Nerve regeneration in a collagen-chitosan tissue-engineered skin transplanted on nude mice. Biomaterials, 24, 1653-1661.
- [35] Chatelet, C., Damour, O., & Domard, A. (2001). Influence of the degree of acetylation on some biological properties of chitosan films. Biomaterials, 22, 261-268.
- [36] Fakhry, A. et al. (2004). Chitosan supports the initial attachment and spreading of osteoblasts preferentially over fibroblasts. Biomaterials, 25, 2075-2079.

- [37] Chang, Y. Y. et al. (2004). The effect of galectin 1 on 3T3 cell proliferation on chitosan membranes. Biomaterials, 25, 3603-3611.
- [38] Ren, D. et al. (2005). The enzymatic degradation and swelling properties of chitosan matrices with different degrees of *N*-acetylation. Carbohydrate Research, 340, 2403-2410.
- [39] Huang, Y. (2005). *In vitro* characterization of chitosan-gelatin scaffolds for tissue engineering. Biomaterials, 26, 7616-7627.
- [40] Howling, G.I. et al. (2001). The effect of chitin and chitosan on the proliferation of human skin fibroblasts and keratinocytes in vitro. Biomaterials, 22, 2959-2966.
- [41] Thacharodi, D. & Panduranga, R. (1996). Collagen-chitosan composite membranes controlled transdermal delivery of nifedipine and propranolol hydrochloride. International Journal of Pharmaceutics, 134, 239-241.
- [42] Alexy, P. et al. (2003). Poly (vinyl alcohol)-collagen hydrolysate thermoplastic blends: II. Water penetration and biodegradability of melt extruded films. Polymer Testing, 22, 811-818.
- [43] Nuttelman, C. R., Henry, S. M., & Anseth, K. S. (2002). Synthetic and characterization of photocrosslinkable, degradable poly (vinyl alcohol)-based tissue engineering scaffolds. Biomaterials, 23, 3617-3626.
- [44] Scotchford, C. A. et al. (1998). Osteoblast responses to collagen-PVA biartificial polymers *in vitro*: the effect of cross-linking method and collagen content. Biomaterials, 19, 1-11.
- [45] Srinivasa, P.C. et al. (2003). Properties and sorption studies of chitosan-polyvinyl alcohol blend films. Carbohydrate Polymers, 53, 431- 438.
- [46] Lie, M. et al. (2003). Collagen/chitosan porous scaffolds with improved biostability for skin tissue engineering. Biomaterials, 24, 4833-4841.
- [47] Pieper, J.S. et al. (1999). Preparation and characterization of porous crosslinked collagenous matrices containing bioavailable chondroitin sulphate. Biomaterials, 20, 847-858

- [48] Handcock, B. C., & Zograf, G. (1994). Relationship between the glass transition temperature and the water content of amorphous pharmaceutical solids. Pharmaceutical Research, 11, 471-477.
- [49] Wang, T. - W. et al. (2006). Skin basement membrane and extracellular matrix properties characterization and quantification by real time RT-PCR. Biomaterials, 27, 5059-5068.
- [50] Liu, J. J., Sbay, J. W., & Wilson, S. E. (1998). Characterization of a soluble KGF receptor cDNA from human corneal and breast epithelial cells. Investigative Ophthalmology & Visual Science, 39 (13), 2584-2593.
- [51] Fuminori, T. et al. (2003). Activation of mitogen-activated protein kinase pathway by keratinocyte growth factor or fibroblast growth factor-10 promotes cell proliferation in human endometrial carcinoma cells. The Journal of Endocrinology and Metabolism, 88 (2), 773-780.
- [52] Wan, Y. et al. (2003). Ionic conductivity of chitosan membranes. Polymer, 44, 1057-1065.
- [53] Chandumpai, A. et al. (2004) Preparation and physicochemical characterization of chitin and chitosan from the pens of the squid species, *Loligo lessoniana* and *Loligo fomesana*. Carbohydrate Polymers, 58, 467-474.
- [54] Jarupa, V. et al. (2003). Formulation and development of a patch containing tamarind fruit extract by using the blended chitosan-starch as a rate-controlling matrix. International Journal of Cosmetic Science, 25, 113-125.
- [55] Berger, J. et al. (2004). Structure and interactions in covalently and ionically crosslinked chitosan hydrogels for biomedical applications. European Journal of Pharmaceutics and Biopharmaceutics, 57, 19-34.
- [56] Sionkowska, A. et al. (2004). Molecular interactions in collagen and chitosan blends. Biomaterials, 25, 795-801.

- [57] Berger, J. et al. (2004). Structure and interactions in chitosan hydrogels formed by complexation or aggregation for biomedical applications. European Journal of Pharmaceutics and Biopharmaceutics, 57, 35-52.
- [58] Shanmugasundaram, N. et al. (2001). Collagen-chitosan polymeric scaffolds for the *in vitro* culture of human epidermoid carcinoma cells. Biomaterials, 22, 1943-1951.
- [59] Sionkowska, A. et al. (2004). Molecular interactions in collagen and chitosan blends. Biomaterials, 25, 795-801.
- [60] Oyrton, A. C., Monteiro, J., & Airoidi, C. (1999). Some studies of crosslinking chitosan-glutaraldehyde interaction in a homogeneous system. International Journal Biology Macromolecul, 26, 119-128.
- [61] Jie, W., Zhi, -G. S., & Guang, -H. M. (2006). A thermo and pH sensitive hydrogel composed of quaternized chitosan/glycerophosphate. Internal Journal of Pharmaceutics, 315, 1-11.
- [62] Jaepyoung C. et al. (2006). Effect of urea on solution behavior and heat-induced gelation of chitosan- β -glycerophosphate. Carbohydrate Polymers, 63, 507-518.
- [63] Saettone, M.F. et al. (1991). Release of miconazole from topical PVA matrix: Preliminary *in vitro* and *in vivo* data. Journal Contrlled Release, 16, 197-202.
- [64] Kohei, T. et al. (2001) Effect of cell adhesion molecules on adhesion of chondrocytes, ligament cells and mesenchymal stem cells. Materials Science and Engineering, C17, 79-82.
- [65] Jianbiao, M. et al. (2001). A preliminary *in vitro* study on the fabrication and tissue engineering applications of a novel chitosan bilayer material as a scaffold of human neofetal dermal fibroblasts. Biomaterials, 22, 331-336.
- [66] Valenta, C. & Auner, B. G. (2004). The use of polymers for dermal and transdermal delivery. European Journal of Pharmaceutics and Biopharmaceutics, 58, 279-289.

- [67] Ranaldi, G. et al. (2002). The effect of chitosan and other polycations on tight junction permeability in the human intestinal Caco-2 cell line. Journal of Nutritional Biochemistry, 13, 157-167.
- [68] Smith, J. M. Dornish, D., & Wood, E. J. (2005). Involvement of protein kinase C in chitosan glutamate-mediated tight junction disruption. Biomaterials, 26, 3269-3276.
- [69] Wang, C.C., Lu, J.N., & Young, T.H. (2007). The alteration of cell membrane change after cultured on polymer membrane. Biomaterials, 28, 625-631.
- [70] Iyabo, A. & Amyl, G. (2005). Fabrication and characterization of DTBP-crosslinked chitosan scaffolds for skin tissue engineering. Biomaterials, 26, 7241-7259.

