

REFERENCES

มหาวิทยาลัยนเรศวร

REFERENCES

- Amin, S., Singh, S. P., Croudace, T., Jones, P., Medley I. & Harrison, G. (1998). Evaluating the Health of the Nation Outcome Scale (HoNOS) research and development. *British Journal of Psychiatry*, 174, 399-403.
- Babbie, E. (2002). *The basics of social research*. (2nd ed.). Belmont, CA: Wadsworth.
- Barnum H, Kutzin J, & Saxenian H. (1995). *Human resources development and operations policy HRO working papers: Incentives and Provider Payment Methods*. Geneva: World Bank.
- Bebbington, P., Brugha, T., Hill, T., Marsden, L., & Window, S. (1999). Validation of the Health of the Nation Outcome Scale. *British Journal of Psychiatry*, 174, 389-394.
- Benton, P.L., Evans, H., Light, S. M., et al (1998). The development of healthcare resource groups – version 3. *Journal of Public Health Medicine*, 20, 351-358.
- Bigus, P. J. (1996). *Data mining with neural networks*. Indiana, the United States of America.
- Bitran, R. & Yip, W. C. (1998). *A review of health care provider payment reform in selected countries in Asia and Latin America*. Major applied research 2, Working paper 1. Bethesda, MD: Partnerships for Health Reform Project, Abt Associates Inc.
- Blocher, E. J., Chen, K. H., & Lin, T. W. (2002). *Cost management: A strategic emphasis*. (2nd ed.). New York: McGraw - Hill.
- Brooks, R. (2000). The reliability and validity of the Health of the Nation Outcome Scales: Validation in relation to patient-derived measures. Australian and New Zealand. *Journal of Psychiatry*, 34, 504-511.
- Buckingham ,B. et al. (1998). *Developing a case mix classification for mental health service costs (MH-CASC)*. Canberra: Commonwealth Department of Health and Family Services.

- Casas, M., Miriam, M. & Wiley. (1993). Diagnosis related groups in Europe uses and perspectives. Germany: Springer-Verlag.
- Chansan, C. (2004). Clinical practise giudeline of bipolar disorder. Journal of the Psychiatric Association of Thailand, 46, 345-352.
- Chattananont, T., Mahatnirankul, S., Phuaphanprasert, B. & Sunanta, S. (2001). Charge and relative weight of diagnosis related group in psychiatric patients. Nonthaburi: Mental Health Department.
- Choovong, K. & Phuaphanprasert, B. (2006). The average length of stay and psychiatric symptoms. Journal of Mental Health of Thailand, 14 (2), 75-88.
- Cohen, M. D. (1989). Prospective payment for inpatient psychiatry: Concerns of the private sector and their policy implications. Doctoral dissertation, Brandeis University, Massachusetts.
- Command of the Ministry of Public Health. (2001). Practical guideline for charging psychiatric patient's service under 30 baht univeral coverage policy. Bangkok: the command of the Ministry of Public Health.
- Commonwealth Department of Health and Ageing. (2004). Australian refined diagnosis related groups (AR-DRG) version 5.1. Canberra: Department of Health and Ageing.
- Department of Defense (1995). ABC-Guidebook-Guidebook for using and understanding activity-based costing: Activity based costing and management. Retrieved on January 05, 2003. from: www.c3i.osd.mil/bpr/bprcd/0201.htm
- Eagar, K., Gordon, R., Hodkinson, A., Green, J., Eager, L., Erven, J., & et al (1997). The Australian national sub-acute and non-acute patient classification (AN-SNAP): Report of the national sub-acute and non-acute casemix classification study. Centre for Health Service Development, University of Wollongong.
- Endicott, J., Spitzes, L. R., Fleiss, J. L., et al. (1976). The global assessment scale. Arch Gen Psychiatry, 33, 766-771.
- Ettner, S. L. (1998). Inpatient psychiatric care of medicare beneficiaries with state buy-in coverage. Health Care Financing Review, 20(2), 255-269.

- Feinstein, A. R. (1987). Clinimetrics. New Haven: Yale University Press.
- Fisher, W. (1995). Die DRG-Familie. Streiflicht (serial online) Retrieved on June 6, 2003.
from: <http://www.fischer-zim.ch/streiflicht/DRG-Familie-9512.htm>
- Garralda, M. E., Yates, P. & Higginson, I. (2000). Child and adolescent mental health service use HoNOS as an outcome measure. British Journal of Psychiatry, 177, 52-58.
- Greco, L. D., Walop, W. & McCarthy, R. H. (1987). Clinical epidemiology questionnaire development: 2. validity and reliability. Canadian Medical Association Journal, 136, 699-701.
- Greco, L. D., Walop, W. & Eastridge, L. (1987). Clinical epidemiology questionnaire development: 3. translation. Canadian Medical Association Journal, 136, 817-845.
- Guillemain, F., Bombardier, C. & Beaton, D. (1993). Cross-cultural adaptation of health-related quality of life measures: Literature review and proposed guidelines. J Clin Epidemiol, 46, 1417-1432.
- Guy, W. (1976). ECDEU Assessment Manual for Psychopharmacology. (revised DHEW plus Rockville, MD: National Institute of Mental Health.
- Harper, P. R. (2002). Operational Modelling for the Planning and management of healthcare resources. Ph. D. Thesis, University of Southampton, UK.
- Harper, P. R. (2005). Safety science monitor: Patient classification and the PORT package. University of Southampton. UK.
- Hansen, Don. R., & Mowen, M. M. (2006). Cost management: Accounting and control. (5th ed.). China: Thomson South-Western.
- Heakal, R. (2003). What are economic of scale?. Retrieved on June 3, 2003. from:
<http://www.investopedia.com/articles/03/01222703.asp?partner>
- Health insurance office of 30 baht policy. (2001). The manual of case-mix and relative weight: case-mix group. (2nd version 1999). Nonthaburi: the Office of Permanent Secretary of the Ministry of Public Health.

- Hilton, W. R., Maher, W. M., & Selto, H. F. (2003). Cost management strategies for business decision. New York: McGraw-Hill.
- Hogwood, B. W. & Gunn, L. A. (1984). Policy Analysis for the Real World. New York: Oxford University Press.
- Jacobson, S. J. (1998). Diagnostic manipulation: A necessary evil for mental health practitioners, or simple fraud? An examination of law, payment systems and practice. Doctoral dissertation, Widener University, Pennsylvania.
- John, S. S., Jacques, P., Francois, B., Simon, C., Andrzej, G., Manfred, et al. (1990). Arthritis Impact Measurement Scales: Reliability of a French version and validity in adult still's disease. Journal of Rheumatology, 17, 1657-1661.
- King, M., Lapsley, I., Mitchell, F., Moyes, J. (2003). Activity based costing in hospitals: A case study investigation. New York: McGraw-Hill.
- Kongsakon, R. (1999). The reliability and validity of Behavior and Symptom Identification Scale (BASIS-32) Thai version. Journal of the Psychiatric Association of Thailand, 44, 298-307.
- Lee, L. A., & Eager, K. M., & Smith, M. C. (1998). Subacute and non-acute casemix in Australia. MJA, 169, S22-S25.
- McClelland, R., Trimble, P., Fox, M. L., Stevenson, M. R., & Bell, B. (2000). Validation of an outcome scale for use in adult psychiatric practice. Quality in Health Care, 9, 98-105.
- Mental Health Department. (1998). Technology: Schizophrenia service care. Nonthaburi: Mental Health Department.
- Ministry of Public Health. (2001). Financial and resources management guideline under 30 baht universal coverage policy. Nonthaburi: Working group to develop the management of health care resources, Ministry of Public Health.
- Ministry of Public Health. (2001). Practical guideline for charging psychiatric patient's service under 30 baht universal coverage policy. Bangkok: The Ministry of Public Health.

- Ministry of Public Health. (2002). Thai DRGs version 3.0 volume 1, 2. Nonthaburi: Health insurance office of 30 baht policy.
- Moncarz, Elisa. S., & Portocarrero, Nestor de. J.. (2004). Accounting for the hospitality industry. (3rd ed.). New Jersey: Upper Saddle River.
- Newman, W. (2000). Social research methods: Qualitative and quantitative approach. (4th ed.). Boston: Allyn and Bacon.
- Nilchaikovit, T., Lotrakul, M. & Phisansuthideth, U. (1996). Development of Thai version of Hospital Anxiety and Depression Scale in cancer patients. Journal of the Psychiatric Association of Thailand, 41, 18-30.
- Nilchaikovit, T., Sukying, C. & Silpakit, C. (1996). Reliability and validity of the Thai version of the general health questionnaire. Journal of the Psychiatric Association of Thailand, 41, 2-17.
- Norman, G. R., & Streiner, D. L. (1994). Biostatistics: the bare essentials. St. Louis: Mosby.
- Office of the Prime Minister (2002). Government budgetary document: 1st version, the comparison of budgetary incomes and expenses as of the budgetary year of 2002. Bangkok: the Budget Bureau of the Office of Prime Minister.
- Orrell, M., Yard, P., Handysides, J. & Schapira, R. (1999). Validity and reliability the Health of the Nation Outcome Scale in psychiatric patients in the community. British Journal of Psychiatry, 174, 409-412.
- Overall, J. E. & Gorham, D. R. (1962). The brief psychiatric rating scale. Psychol Rep, 10, 799-812.
- Pannarunothai, S. (1999). Casemix: Background and utilization. Phitsanulok: the Center of health equity monitoring, Narasuan University.
- Pannarunothai, S. (2001). Health economic: in health reform era. (2nd ed.). Phitsanulok: Surasrigraphic.
- Pfeiffer, K. P., & Hofdijk, J., (Eds.). (2002). Proceedings of the 18th international case mix conference PCS/E 2002. Innsbruck: the Patient Classification Systems Europe.

- Phatrarayutawan S., (2002). The manual of psychological measurement. Bangkok: Medical Media.
- Phuaphanprasert, B. & Pannarunothai, S. (2003). The alternative approach of resource allocation for psychiatric service. Phitsanulok: Center of health equity monitoring, Faculty of medicine, Naresuan University.
- Phuaphanprasert, B., & Pannarunothai, S. (2003). The effect of 30 baht policy in relation to the psychiatric service system: Thailand' overall view and case study of psychiatric hospitals in the northern region of Thailand. Phitsanulok: The Center of Health Equity Monitoring, Faculty of Medicine, Naresuan University.
- Phuaphanprasert, B., Sanichwankul, K., Kittirattanapaiboon, P. & Pannarunothai, S. (2004). The use of mental health measurements: A case study of Suan Prung psychiatric hospital. Journal of the psychiatric association of Thailand, 49 (2), 125-145.
- Phuaphanprasert, B., Sanichwannakul, K., & Pannarunothai, S. (2003). Cost of psychiatric care by casemix approach, Suan Prung psychiatric hospital. Phitsanulok: the Center of health equity monitoring, Narasuan University.
- Remme, J, Habbema, J D F and Hermans, J (1980). "A simulative comparison of linear, quadratic and kernel discrimination". Journal of Statistics and Computer Simulation, 11, 87-106.
- Roberts, R., Mckinley, S., Brooks, B., & et al. (n.d.). The Australian national non-acute inpatient project. Aust Health Rev 1993, 16, 300-319.
- Rush A J Jr, Pincus H A, First M B, Blacker D, Endicott J, Keith S J, et al. (2000). Handbook of psychiatric measures. Washing DC: The American Psychiatric Association.
- Rutz, W. (2003). Mental health in the WHO European Region. WHO Regional Office for Europe Scherfigsvej 8, Copenhagen, Denmark. Retrieved on Dec 15, 2003. from: <http://www.euro.who.int/mediacenter>

- Sampalis J S, Pouchot J, Beaudet F, Carette S, Gutkowski A, Harth M, et al. (1990). Arthritis impact measurement scales: reliability of a French version and validity in adult Still's disease. *J Rheumatol*, 17, 1657-1661.
- Schniederjans, J. M. & Garvin, T. (1997). Using the analytic hierarchy process and multi-objective programming for the selection of cost drivers in activity-based costing. *Journal of operational research*, 100, 72-80.
- Sharma, V. K., Wilkinson, G. & Fear, S. (1999). Health of the Nation Outcome Scales: A case study in general psychiatry. *British Journal of Psychiatry*, 174, 395-398.
- Silapakit, O. (2003). Cost and performance of Srithanya hospital. *Journal of Mental Health of Thailand*, 11, 132-144.
- Siriwanarangsarn, P., & Likanapichitkul, D., & Chakapandhu, S. (2001). Unit cost of mental health services the mental health department. Nonthaburi: Mental Health Department, Ministry of Public Health.
- Slade, M., Beck, A., Bindman, J., Thornicroft, G. & Wright, S. (1999). Routine clinical outcome measures for patients with severe mental illness: CANSAS and HoNOS. *British Journal of Psychiatry*, 174, 404-408.
- Srirattanaban, J. & Kongsawat, S. (2001). System, mechanism, and payment method of health service for equity, efficiency, and service quality. Nonthaburi: Health Systems Research Institute.
- Supeeranun, A., Mahatnirunkul, S., & Phuaphanprasert, P. (2005). Unit Cost of Mental Health Services of Mental Health Department 2004. Nonthaburi: Health Systems Research Institute.
- Thumanon, V., (2001). Activity based costing (ABC). Bangkok: Ionic.
- Trauer, T., Callaly, T., Hantz, P., Little, J., Shields, R. & Smith, J. (1999). Health of the Nation Outcome Scales: Results of Victorian field trial. *British Journal of Psychiatry*, 174, 380-388.
- Trust introduces new translation criteria. (1997). Medical outcomes trust. Bulletin: n.p.
- West, W. A. (1989). Accuracy and fairness of diagnosis-related group (DRGs) for psychiatric care. Doctoral dissertation, Brandeis University, Massachusetts.

- Wing, J. K., Curtis, R. H., & Beevor, A. S. (1996). Health of the Nation Outcome Scales (HoNOS); Glossary for HoNOS score sheet. London: Royal College of Psychiatrists Research Unit.
- Wing, J. K., Curtis, R. H. & Beevor, A. S. (1996). HoNOS: The Health of the Nation Outcome Scale. Report on research and development. London: College Research Unit. Royal College of Psychiatrists.
- Wing, J. K., Beevor, A. S., Curtis, R. H., Park, S. B. G., Hadden, S. & Burns, A. (1998). Health of the Nation Outcome Scale (HoNOS). Research and development. British Journal of Psychiatry, 172, 11-18.
- Wing, J. K., Curtis, R. H., & Beevor, A. S. (1990a). Health of the Nation Outcome Scales (HoNOS): Overview of then development. London: College Research Unit. Royal College of Psychiatrists.
- Wing, J. K., Curtis, R. H., & Beevor, A. S. (1990b). HoNOS: Health of the Nation Outcome Scales- Trainers' guide. London: College Research Unit. Royal College of Psychiatrists.
- World Bank (2001). Health sector reform and sustainable financing: introduction to the concepts and analytical tools. Retrieved on January 13, 2004. from:
http://www.worldbank.org/wbi/healthflagship/dl_contents.html
- World Health Organization. (2001). World Health Report 2001: Mental health, new understanding, new hope. Geneva: the World Health Organization.
- Zhong, A., Colman, R., Smith, N., Naughton, M., Rikus, L., Puri, K. & Tseitkin, F. (2001). Ten-year AMIP 1 climatologies from versions of the BMRC atmospheric model. Australia: Bureau of Meteorology Research Centre, Australia Government.